



Texas Water Development Board Groundwater Database Reports



Record of Wells

County: Knox

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-----------------|----------|-----------|--------------|------------|-----------------------|---------|-----------|---|------|-----------|---------|
| 2109501 | | 334743 | 995654 | | | | 313BLIN | 1640 | | | | |
| 2109601 | | 334737 | 995314 | | | | 318SAGL | 1554 | | | | |
| 2111701 | Sammy Abbott | 334536 | 994244 | | | | UNKNOWN | 1500 | | T | E | H |
| 2111702 | Sammy Abbott | 334537 | 994303 | 04/07/1992 | 26 | C 4 0 10 S 4 10 20 | 112SYMR | 1503 | 6 measurements 1992 to 1993 MIN -16.24 MAX -14.98 | N | | U |
| 2111801 | L. Cure | 334539 | 994145 | | 37 | | 112SYMR | 1500 | 9 measurements 1991 to 1993 MIN -19.48 MAX -16.87 | S | E | S |
| 2111802 | Ellis Ranch | 334630 | 994057 | | 40 | C 6 | 112SYMR | 1483 | 1 measurement 1991 -23.11 | P | W | S |
| 2111803 | Ellis Ranch | 334646 | 994007 | | | C 5 | UNKNOWN | 1480 | 1 measurement 1991 -17.07 | P | W | S |
| 2111804 | Elton Scott | 334555 | 994111 | | | C 36 C 12 | UNKNOWN | 1498 | 2 measurements 1991 to 1991 MIN -15.54 MAX -15.3 | | | I |
| 2111805 | John Kinnibrugh | 334539 | 994011 | | | C 30 | UNKNOWN | 1500 | 9 measurements 1991 to 1993 MIN -20.53 MAX -12.53 | C | E | H |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-----------------|----------|-----------|--------------|------------|--------------|---------|-----------|---|------|-----------|--------------------------|
| 2111806 | Elton Scott | 334538 | 994103 | | | | UNKNOWN | 1500 | 9 measurements 1991 to 1993 MIN -17.43 MAX -7.53 | N | U | |
| 2111807 | C. M. Groves | 334514 | 994057 | | | | UNKNOWN | 1505 | | N | G | Well destroyed. |
| 2111808 | Halsell Ranch | 334506 | 994109 | | | C 30 | UNKNOWN | 1500 | 8 measurements 1991 to 1993 MIN -21.3 MAX -17.36 | N | U | |
| 2111809 | Lawrence Reed | 334507 | 994109 | | 57 | C 30 | 110ALVM | 1500 | 1 measurement 1992 -20.2 | J | E S | Concrete-lined dug well. |
| 2111901 | Elton Scott | 334512 | 994000 | 08/17/1928 | | C 30 | UNKNOWN | 1494 | 9 measurements 1991 to 1993 MIN -18.77 MAX -11.58 | N | U | |
| 2111902 | H. A. Reeves | 334512 | 993957 | | 35 | C 30 | 110ALVM | 1494 | 9 measurements 1991 to 1993 MIN -18.36 MAX -14.15 | | H | |
| 2111903 | L. D. Welch | 334501 | 993836 | | | | UNKNOWN | 1483 | | | I | |
| 2111904 | Kenneth Carroll | 334602 | 993927 | | 36 | C 30 | 112SYMR | 1487 | 8 measurements 1991 to 1993 MIN -25.12 MAX -10.58 | S | E H | |
| 2111905 | Kenneth Carroll | 334612 | 993846 | | 17 | C 6 | 112SYMR | 1465 | 1 measurement 1991 -11.5 | S | E H | |
| 2112701 | Lloyd Heard | 334510 | 993542 | | 49 | C 7 | 112SYMR | 1438 | 8 measurements 1991 to 1993 MIN -26.28 MAX -15.42 | S | E I | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|--------------------|----------|-----------|--------------|------------|-----------------------|---------|-----------|---|------|-----------|--|
| 2112801 | Lloyd Heard | 334506 | 993457 | | | C 30 | UNKNOWN | 1421 | 8 measurements 1991 to 1993 MIN -22.1 MAX -21.55 | N | U | |
| 2112802 | Lloyd Heard | 334508 | 993455 | | | | UNKNOWN | 1390 | | N | U | Spring. |
| 2112803 | Lloyd Heard | 334511 | 993449 | | | | UNKNOWN | 1390 | | N | U | Spring. |
| 2119101 | A. Caram Estate | 334352 | 994307 | 08/07/1991 | | C 30 | UNKNOWN | 1536 | 10 measurements 1991 to 1993 MIN -9.6 MAX -0.21 | C | E | H |
| 2119102 | F. O. Westmoreland | 334357 | 994247 | | | C 5 | UNKNOWN | 1528 | 1 measurement 1991 -30.23 | C | E | S |
| 2119103 | Felix Westmoreland | 334415 | 994235 | 09/09/1975 | 53 | C 6 | 112SYMR | 1515 | | S | E | H |
| 2119104 | G. W. Hallis | 334404 | 994359 | | 69 | C 8 C 5 | 112SYMR | 1542 | 9 measurements 1991 to 1993 MIN -31.07 MAX -26.53 | N | U | |
| 2119105 | J. P. Bullion | 334449 | 994341 | | | | UNKNOWN | 1520 | 1 measurement 1991 -31.98 | J | E | S |
| 2119106 | Louis Baty | 334456 | 994303 | | 50 | C 6 | 112SYMR | 1506 | 1 measurement 1991 -30 | | | H Drilled to 80 feet. Plugged back to 50 feet. |
| 2119107 | F.O. Westmoreland | 334354 | 994250 | 04/07/1992 | 48 | C 4 0 28 S 4 28 48 | 112SYMR | 1530 | 7 measurements 1992 to 1993 MIN -14.96 MAX -12.66 | N | U | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|---|----------|-----------|--------------|------------|--------------|---------|-----------|---|------|-----------|-------------------|
| 2119201 | Red River Authority Truscott-Gilliland | 334443 | 994026 | 04/00/1968 | 37 | | 110ALVM | 1501 | 1 measurement 2010 -25.3 | S | E P | Owners well No.1 |
| 2119202 | Red River Authority Truscott-Gilliland | 334443 | 994028 | 00/00/1968 | 37 | | 110ALVM | 1498 | | S | E P | Owners well No.2. |
| 2119203 | Red River Authority Truscott-Gilliland | 334442 | 994028 | 03/01/1977 | 54 | | 110ALVM | 1498 | | S | E P | Owners well No.3. |
| 2119204 | Red River Authority Truscott-Gilliland | 334442 | 994026 | 03/01/1977 | 55 | | 110ALVM | 1501 | | S | E P | Owners well No.4. |
| 2119205 | Red River Authority Truscott-Gilliland | 334457 | 994036 | | 43 | | 110ALVM | 1510 | | S | E P | Owners well No.5. |
| 2119206 | Gilliland Cemetary | 334347 | 994027 | | | | UNKNOWN | 1507 | | N | U | |
| 2119207 | Johnny Cook | 334353 | 994058 | | | C 30 | UNKNOWN | 1507 | 9 measurements 1991 to 1993 MIN -30.76 MAX -29.03 | N | U | |
| 2119208 | L. G. McGuire | 334344 | 994047 | | 37 | C 30 | 110ALVM | 1506 | 9 measurements 1991 to 1993 MIN -31.79 MAX -30.5 | | N | |
| 2119209 | L. G. McGuire | 334325 | 994058 | | | | UNKNOWN | 1504 | 1 measurement 1991 -32.66 | S | E H | |
| 2119210 | Johnny Cook | 334354 | 994102 | | | C 30 | UNKNOWN | 1507 | 9 measurements 1991 to 1993 MIN -31.83 MAX -30.5 | N | U | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|----------------------------------|----------|-----------|--------------|------------|--------------|---------|-----------|--|------|-----------|---------|
| 2119211 | O. W. Welch | 334351 | 994018 | | | C 5 | UNKNOWN | 1500 | 9 measurements 1991 to 1993 MIN -27.32 MAX -25.8 | N | U | |
| 2119212 | A. L. Cook | 334301 | 994058 | | | C 30 | UNKNOWN | 1500 | 9 measurements 1991 to 1993 MIN -29.2 MAX -0.98 | N | U | |
| 2119213 | Louis Baty | 334445 | 994205 | | | C 30 | UNKNOWN | 1508 | 10 measurements 1991 to 1993 MIN -24.99 MAX -23.37 | N | U | |
| 2119214 | Leonard Welch | 334351 | 994008 | | | | UNKNOWN | 1498 | 1 measurement 1991 -26.88 | N | U | |
| 2119215 | Gilliland School | 334350 | 994052 | | | C 30 | UNKNOWN | 1506 | 10 measurements 1991 to 1993 MIN -31.71 MAX -30.33 | N | U | |
| 2119216 | O. A. Lising | 334245 | 994103 | | | C 30 | UNKNOWN | 1500 | 9 measurements 1991 to 1993 MIN -35.26 MAX -33.39 | | E H | |
| 2119217 | B. R. Miller | 334306 | 994059 | | | C 30 | UNKNOWN | 1497 | 2 measurements 1991 to 1991 MIN -29.22 MAX -29.21 | C | E S | |
| 2119218 | Homer Martin | 334323 | 994103 | | 42 | C 30 | 112SYMR | 1506 | 9 measurements 1991 to 1993 MIN -35.05 MAX -33.57 | S | E H | |
| 2119219 | Louis Baty Farmer's Co-op Gin | 334349 | 994104 | | | C 30 | UNKNOWN | 1508 | 9 measurements 1991 to 1993 MIN -33.45 MAX -32.08 | S | E S | |
| 2119220 | P. Quintana | 334350 | 994228 | | 63 | C 30 | 112SYMR | 1521 | 9 measurements 1991 to 1993 MIN -38.54 MAX -31.87 | P | W S | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|--------------------------|----------|-----------|--------------|------------|--------------|----|------|---------|-----------|---|------|-----------|-----------|
| 2119221 | H. Beavers | 334234 | 994005 | | | C | 6 | | UNKNOWN | 1485 | 9 measurements 1991 to 1993 MIN -15.96 MAX -14.67 | C | E S | |
| 2119222 | Gilliland Baptist Church | 334354 | 994053 | | 38 | C | 8 | | 110ALVM | 1507 | 1 measurement 1991 -31.2 | C | E H | |
| 2119223 | Royce Miller | 334258 | 994135 | | 45 | | | | 112SYMR | 1511 | 8 measurements 1991 to 1993 MIN -16.55 MAX -2.35 | N | U | |
| 2119224 | | 334347 | 994148 | | 74 | C | 30 | | 112SYMR | 1519 | 1 measurement 1991 -43.1 | P | W U | Dug well. |
| 2119225 | J. Cook | 334254 | 994015 | | | | | | UNKNOWN | 1470 | | N | U | Spring. |
| 2119226 | C.N. Miller | 334449 | 994024 | | 30 | C | 7 | | 110ALVM | 1500 | 1 measurement 1992 -19.87 | S | E H | |
| 2119227 | C.N. Miller | 334444 | 994054 | 04/04/1992 | 37 | C | 4 | 0 27 | 110ALVM | 1505 | 7 measurements 1992 to 1993 MIN -31.03 MAX -28.57 | N | U | |
| 2119228 | Homer Martin | 334301 | 994102 | 04/08/1992 | 39 | C | 4 | 0 22 | 112SYMR | 1502 | 7 measurements 1992 to 1993 MIN -33.7 MAX -32.02 | N | U | |
| 2119301 | E. D. Welch | 334347 | 993912 | | | C | 30 | | UNKNOWN | 1500 | 9 measurements 1991 to 1993 MIN -31.18 MAX -28.55 | N | U | |
| 2119302 | J. Tomaneck | 334347 | 993854 | | | | | | UNKNOWN | 1505 | | N | U | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|--------------|----------|-----------|--------------|------------|-------------------------|---------|-----------|---|------|-----------|---------|
| 2119303 | Louis Baty | 334349 | 993749 | | | | UNKNOWN | 1488 | | C | E S | |
| 2119304 | C. M. Groves | 334424 | 993856 | | | C 9 | UNKNOWN | 1490 | | T | E S | |
| 2119305 | C. M. Groves | 334425 | 993859 | | | C 30 | UNKNOWN | 1492 | 8 measurements 1991 to 1993 MIN -19.56 MAX -16.25 | | | S |
| 2119306 | C. M. Groves | 334439 | 993856 | | | C 3 | UNKNOWN | 1490 | 9 measurements 1991 to 1993 MIN -17.41 MAX -7.24 | S | E U | |
| 2119307 | J. H. Reeves | 334402 | 993756 | | | C 30 | UNKNOWN | 1489 | | | E U | |
| 2119308 | J. H. Reeves | 334423 | 993927 | | 57 | C 8 | 110ALVM | 1495 | 1 measurement 1991 -18.75 | P | W U | |
| 2119309 | L. D. Welch | 334420 | 993837 | | 40 | C 36 0 20 C 10 20 40 | 110ALVM | 1499 | | S | E U | |
| 2119310 | L. D. Welch | 334418 | 993835 | | | | UNKNOWN | 1498 | | | | H |
| 2119311 | L. D. Welch | 334418 | 993839 | | | C 13 | UNKNOWN | 1498 | 4 measurements 1991 to 1992 MIN -23.76 MAX -18.71 | S | E U | |
| 2119312 | L. D. Welch | 334421 | 993839 | | | C 13 | UNKNOWN | 1492 | | T | E U | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-----------------|----------|-----------|--------------|------------|--------------|---------|-----------|---|------|-----------|---------|
| 2119313 | E. D. Welch | 334447 | 993845 | | 40 | C 12 | 112SYMR | 1488 | 1 measurement 1991 -13.73 | T | E U | |
| 2119314 | John Kinnibrugh | 334301 | 993733 | | | C 30 | UNKNOWN | 1468 | 9 measurements 1991 to 1993 MIN -29.03 MAX -26.89 | S | E U | |
| 2119315 | J. A. Hertel | 334320 | 993749 | | | C 30 | UNKNOWN | 1485 | 9 measurements 1991 to 1993 MIN -28.66 MAX -23.66 | S | E U | |
| 2119316 | Dwight Burgess | 334335 | 993739 | | | C 30 | UNKNOWN | 1482 | 1 measurement 1991 -25.64 | S | E I | |
| 2119317 | Stone | 334355 | 993851 | | | C 30 | UNKNOWN | 1508 | 8 measurements 1991 to 1993 MIN -37.76 MAX -35.21 | N | U | |
| 2119318 | Dwight Burgess | 334358 | 993801 | | | C 30 | UNKNOWN | 1489 | 9 measurements 1991 to 1993 MIN -18.44 MAX -15.47 | S | E U | |
| 2119319 | Mildred Coon | 334353 | 993933 | | | C 30 | UNKNOWN | 1498 | 9 measurements 1991 to 1993 MIN -24.73 MAX -18.77 | S | E I | |
| 2119320 | Corinne Eston | 334354 | 993911 | | | C 30 | UNKNOWN | 1500 | 9 measurements 1991 to 1993 MIN -30.18 MAX -27.7 | S | E H | |
| 2119321 | Dwight Burgess | 334453 | 993908 | | | C 30 | UNKNOWN | 1490 | 8 measurements 1991 to 1993 MIN -15.06 MAX -11.78 | C | E H | |
| 2119322 | Weldon Welch | 334302 | 993942 | | | C 30 | UNKNOWN | 1495 | 8 measurements 1991 to 1993 MIN -33.08 MAX -32.53 | S | E S | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|----------------------|----------|-----------|--------------|------------|--------------|----|------|--|---------|-----------|---|------|-----------|--|
| 2119323 | J. Reeves | 334459 | 993955 | | 45 | C | 30 | | | 110ALVM | 1494 | 9 measurements 1991 to 1993 MIN -17.19 MAX -13.65 | C | E I | |
| 2119324 | E. Scott | 334457 | 993959 | 08/06/1991 | | C | 30 | | | UNKNOWN | 1494 | 8 measurements 1991 to 1993 MIN -11.32 MAX -2 | N | U | |
| 2119325 | Ensearch Exploration | 334354 | 993800 | | | C | 6 | | | UNKNOWN | 1488 | 1 measurement 1991 -23.54 | S | E N | |
| 2119326 | | 334331 | 993758 | | | C | 7 | | | UNKNOWN | 1490 | | N | U | |
| 2119327 | J. Burnett | 334253 | 993938 | | | | | | | UNKNOWN | 1450 | | | U | Spring. |
| 2119328 | J. Burnett | 334255 | 993936 | | | | | | | UNKNOWN | 1450 | | | U | Spring. |
| 2119329 | E.D. Welch | 334448 | 993842 | | | C | 12 | | | UNKNOWN | 1487 | | T | E U | Abandoned due to high mineral content. |
| 2119330 | E.D. Welch | 334448 | 993838 | | | C | 12 | | | UNKNOWN | 1485 | 7 measurements 1991 to 1993 MIN -13.73 MAX -10.87 | T | E U | Abandoned due to high mineral content. |
| 2119331 | Louis Baty | 334351 | 993749 | 04/06/1992 | 31 | C | 4 | 0 16 | | 110ALVM | 1480 | 5 measurements 1992 to 1993 MIN -20.97 MAX -19.19 | N | U | |
| 2120101 | John Kinnibrugh | 334304 | 993718 | | | C | 13 | | | UNKNOWN | 1467 | 8 measurements 1991 to 1993 MIN -17.84 MAX -16.75 | N | U | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|-----------------------|----------|-----------|--------------|------------|--------------|----|---|----|---------|-----------|--|------|-----------|---------|------------------------------|
| 2120102 | John Kinnibrugh | 334307 | 993718 | | | C | 13 | | | UNKNOWN | 1467 | | N | U | | |
| 2120103 | John Kinnibrugh | 334312 | 993718 | | | C | 10 | | | UNKNOWN | 1467 | 1 measurement 1991 -17.98 | S | E | U | |
| 2120104 | W. T. Waggoner Estate | 334250 | 993712 | | 32 | C | 30 | 0 | 32 | 110ALVM | 1460 | 9 measurements 1991 to 1993 MIN -30.97 MAX -28.15 | S | E | H | |
| 2120105 | Rose Anne Riggs | 334452 | 993717 | | 57 | C | 30 | 0 | 57 | 112SYMR | 1461 | 8 measurements 1991 to 1993 MIN -17.93 MAX -15.27 | S | E | H | |
| 2120106 | | 334248 | 993702 | | 18 | C | 10 | | | 110ALVM | 1447 | 1 measurement 1991 -15.12 | N | | U | |
| 2120107 | Waggoner Ranch | 334252 | 993705 | | | | | | | UNKNOWN | 1450 | | N | S | Spring. | |
| 2120901 | A.K. Boyd | 333831 | 993040 | 08/00/1955 | 35 | C | 14 | 0 | 25 | 112SYMR | 1426 | 48 measurements 1956 to 2007 MIN -27.13 MAX -13.18 | T | | U | Historical observation well. |
| 2125801 | W. McFadden | 333100 | 995617 | | 21 | C | 36 | | | 318CLFK | 1464 | 1 measurement 1956 -16.1 | P | W | S | Rock-lined dug well. |
| 2126101 | W. McFadden | 333550 | 995153 | | 31 | C | 48 | | | 318CLFK | 1524 | 1 measurement 1956 -24.4 | P | W | S | Rock-lined dug well. |
| 2126301 | Mrs. Pearl Sams | 333503 | 994703 | | 36 | C | 20 | | | 318CLFK | 1482 | 2 measurements 1945 to 1956 MIN -27.9 MAX -26.2 | P | W | H | Brick-lined dug well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|----------------|----------|-----------|--------------|------------|--------------|---------|-----------|---|------|-----------|--------------------------|
| 2126302 | E.B. Sams | 333514 | 994651 | 00/00/1945 | 42 | | 318CLFK | 1495 | 1 measurement 1945 -32.7 | N | U | Dug well. |
| 2126303 | I.T. Wright | 333505 | 994652 | | 37 | | 318CLFK | 1481 | 1 measurement 1945 -32.7 | P | H H | |
| 2126304 | O.D. Propps | 333513 | 994528 | | 31 | C 30 | 318CLFK | 1499 | 1 measurement 1945 -14.8 | P | W S | Concrete-lined dug well. |
| 2126401 | W.A. Polster | 333305 | 995201 | | 34 | C 30 | 318CLFK | 1501 | 1 measurement 1945 -28.15 | P | W H | Concrete-lined dug well. |
| 2126402 | W. McFadden | 333341 | 995209 | | 33 | C 36 | 318CLFK | 1522 | 1 measurement 1956 -24.8 | P | W S | Rock-lined dug well. |
| 2126501 | | 333454 | 994801 | | 22 | C 22 | 318CLFK | 1460 | 1 measurement 1945 -17.98 | | H | |
| 2126502 | W.C. Glenn | 333426 | 994804 | | 23 | C 36 | 318CLFK | 1461 | 1 measurement 1945 -5.6 | P | W S | Dug well. |
| 2126503 | J.B. Moorhouse | 333408 | 994841 | | 25 | C 48 | 318CLFK | 1461 | 2 measurements 1945 to 1956 MIN -16.4 MAX -11.8 | P | W S | Rock-lined dug well. |
| 2126504 | E.B. Sams | 333448 | 994811 | | 19 | C 24 | 318CLFK | 1452 | 1 measurement 1945 -13.1 | P | W S | Rock-lined dug well. |
| 2126601 | Lee Estate | 333439 | 994526 | | 48 | C 5 | 318CLFK | 1465 | 1 measurement 1945 -24.8 | P | W H | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-------------------|----------|-----------|--------------|------------|--------------|---------|-----------|---|------|----------------|---|
| 2126701 | R.C. Hamilton | 333217 | 995003 | | 30 | C 36 | 318CLFK | 1459 | 1 measurement 1956 -16.5 | P | W S | Dug well. Cased with concrete rings. |
| 2127101 | D. J. Brookson | 333523 | 994431 | | 40 | C 6 | 318CLFK | 1510 | 2 measurements 1945 to 1956 MIN -34.6 MAX -32.4 | P | W S | Origionally a 48 in. dug well cased with galvanized pipe. Six in. steel casing set in old well and void between casings filled. |
| 2127102 | John A. Jones | 333535 | 994418 | | 23 | C 24 | 318CLFK | 1522 | 1 measurement 1945 -10.8 | N | U | Dug well. |
| 2127103 | Mrs. Emma Sams | 333536 | 994454 | | 50 | C 24 | 318CLFK | 1525 | 1 measurement 1945 -44 | P | W S | Dug well. |
| 2127301 | Bruce Burnet | 333655 | 993737 | | | | 310PRMN | 1497 | | J | E S | |
| 2127601 | Mrs. Gerald Brown | 333243 | 993935 | 00/00/1962 | 15 | C 8 | 110ALVM | 1370 | 1 measurement 1963 -9.2 | C | E H 0.50 hp | |
| 2127602 | John Brown | 333237 | 993914 | 00/00/1926 | 24 | C 30 | 110ALVM | 1380 | 1 measurement 1964 -18.7 | C | E H | Dug well. Cased with concrete rings. |
| 2127603 | John Arvis | 333235 | 993822 | | 21 | C 30 | 110ALVM | 1380 | 3 measurements 1936 to 1977 MIN -18.9 MAX -17.5 | J | E H | Dug well. Cased with concrete rings. |
| 2127701 | E.J. Smith | 333040 | 994243 | | 25 | C 30 | 112SYMR | 1423 | 2 measurements 1936 to 1977 MIN -22.7 MAX -20 | J | E H | Dug well. |
| 2127702 | Partridge | 333005 | 994324 | 03/16/1958 | 114 | | 112SYMR | 1441 | | N | U | Test hole. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|---------------------------------------|----------|-----------|--------------|------------|--------------|---------|----------|--|----------|-----------|---|------|-----------|---|
| 2127703 | H.F. Jungman | 333028 | 994331 | | | | | | | UNKNOWN | 1431 | 1 measurement 1977 -32.2 | N | U | |
| 2127801 | Frank Feissel | 333016 | 994114 | 04/00/1955 | 42 | C 12 S 12 | 0 32 | 32 42 | | 110ALVM | 1444 | 46 measurements 1956 to 2001 MIN -27.99 MAX -13.2 | T | E I | Casing slotted. Water-level observation well. |
| 2127802 | Roy Construction Co.- Zeissel No.2 | 333103 | 994131 | 00/00/1966 | 2150 | | | | | NOT-APPL | 1420 | | N | U | Oil test. E-log No. Q-135. |
| 2127803 | Jullius Pennartz | 333221 | 994125 | | 29 | C 36 | | | | 110ALVM | 1376 | 4 measurements 1936 to 2010 MIN -23.6 MAX -22.5 | J | E H | Dug well.MP= +2.00 feet |
| 2127804 | Frank Zeissel | 333030 | 994057 | 03/00/1956 | 43 | C 12 S 12 | 0 33 | 33 43 | | 110ALVM | 1440 | | T | E I | Casing slotted. |
| 2127805 | H.G. Carnahan | 333020 | 994118 | 01/00/1956 | 44 | C 12 S 12 | 0 32 | 32 44 | | 110ALVM | 1448 | | T | E I | Casing slotted. Pumping rate measured at 136 gpm on Aug. 29, 1956. |
| 2127806 | Frank Zeissel | 333021 | 994100 | 07/00/1956 | 45 | C 14 S 14 | 0 35 | 35 45 | | 110ALVM | 1440 | | T | E I | Casing slotted. Pumping rate measured at 325 gpm with pumping level of 34.2 ft. on Aug. 27, 1956. |
| 2127807 | Frank Zeissel | 333012 | 994100 | 04/00/1955 | 47 | C 12 S 12 | 0 37 | 37 47 | | 110ALVM | 1444 | 2 measurements 1956 to 1956 MIN -20.9 MAX -17.2 | T | E I | Casing slotted. Pumping rate measured at 257 gpm with pumping level of 35.3 ft. on Aug. 27, 1956. |
| 2127808 | M. Zeissel | 333007 | 994126 | | | | | | | UNKNOWN | 1442 | | T | E I | |
| 2127809 | F.L. Stengel | 333114 | 994152 | | 20 | C 36 | | | | 112SYMR | 1409 | 2 measurements 1936 to 1977 MIN -12.5 MAX -10 | P | W H | Dug well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-----------------|----------|-----------|--------------|------------|--------------|---------|-----------|---|------|-----------|-----------|
| 2127810 | F.J. Redden | 333117 | 994032 | | | | UNKNOWN | 1418 | 1 measurement 1977 -17.3 | T | E I | |
| 2127811 | L. Frische | 333146 | 994003 | 00/00/1921 | 26 | C 36 | 112SYMR | 1405 | 1 measurement 1936 -18 | P | W H | Dug well. |
| 2127812 | T.M. Kuehler | 333158 | 994041 | | 14 | C 36 | 112SYMR | 1395 | 2 measurements 1936 to 1977 MIN -11 MAX -8.3 | P | W H | Dug well. |
| 2127813 | S.E. Williamson | 333040 | 994114 | 00/00/1914 | 31 | C 36 | 110ALVM | 1439 | 2 measurements 1936 to 1977 MIN -20.5 MAX -20.5 | J | E H | Dug well. |
| 2127814 | M. Jungman | 333047 | 994021 | | 32 | C 6 | 112SYMR | 1435 | 1 measurement 1977 -22.7 | J | E S | |
| 2127815 | H.S. Jungman | 333001 | 994230 | | 32 | C 30 | 112SYMR | 1450 | 2 measurements 1956 to 1977 MIN -22.5 MAX -21.4 | P | W H | Dug well. |
| 2127816 | H.M. Michaels | 333004 | 994012 | | 24 | C 36 | 110ALVM | 1442 | 1 measurement 1936 -12 | B | H H | Dug well. |
| 2127817 | Phillip Homer | 333129 | 994106 | 03/09/1963 | 29 | | 112SYMR | 1410 | | N | G | Destroyed |
| 2127818 | Richmond Perry | 333144 | 994134 | | | | UNKNOWN | 1405 | 1 measurement 1977 -16.1 | N | U | |
| 2127901 | B.M. Brown | 333203 | 993734 | | | C 36 | UNKNOWN | 1405 | | J | E H | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|-------------------|----------|-----------|--------------|------------|--------------|---|----|--|---------|-----------|--|------|-----------|---------|---|
| 2127902 | C.H. Herring | 333155 | 993743 | 04/00/1955 | 32 | C 14 | 0 | 22 | | 112SYMR | 1411 | 4 measurements 1956 to 1977 MIN -23.4 MAX -20.9 | T | E | I | Casing slotted. 5.00 hp |
| 2127903 | A.F. Homer | 333157 | 993743 | | 27 | C 36 | | | | 112SYMR | 1410 | 1 measurement 1936 -20 | J | E | H | Dug well. |
| 2127904 | Herring | 333135 | 993755 | 02/04/1974 | 36 | C 14 | 0 | 32 | | 112SYMR | 1421 | 21 measurements 1977 to 2012 MIN -28.92 MAX -22.25 | S | E | I | Gravel packed. Reported yield 100 GPM. |
| 2127905 | Virginia S. Moore | 333113 | 993901 | 01/00/1955 | 37 | C 14 | 0 | 25 | | 112SYMR | 1424 | 5 measurements 1956 to 1977 MIN -24.2 MAX -20.5 | T | N | I | Casing slotted. Pumping rate measured at 155 gpm with pumping level of 33.2 ft. on Aug. 30, 1956. |
| 2127906 | Virginia S. Moore | 333117 | 993850 | 02/00/1956 | 38 | C 14 | 0 | 25 | | 112SYMR | 1428 | 4 measurements 1956 to 1977 MIN -31.2 MAX -25 | T | E | I | Casing slotted. |
| 2127907 | V.E. Smith | 333110 | 993828 | | | | | | | UNKNOWN | 1425 | | T | E | I | |
| 2127908 | Austin Tomlinson | 333104 | 993856 | | 44 | C 12 | | | | 112SYMR | 1431 | | T | E | I | |
| 2127909 | Anna Kuehler | 333104 | 993921 | 06/00/1956 | 34 | C 14 | 0 | 24 | | 112SYMR | 1427 | | T | E | I | Casing slotted. Pumping rate measured at 255 gpm on Aug. 30, 1956. |
| 2127910 | Anna Kuehler | 333107 | 993928 | 06/00/1954 | 33 | C 12 | 0 | 22 | | 112SYMR | 1424 | | T | E | I | Casing slotted. Pumping rate measured at 185 gpm on Aug. 30, 1956. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | | Remarks |
|------------|------------------|----------|-----------|--------------|------------|--------------|---|----|----------|-----------|---|------|-----------|---|---|---------|
| 2127911 | Anna Kuehler | 333112 | 993938 | 06/00/1955 | 34 | C 12 | 0 | 22 | 112SYMR | 1419 | 4 measurements 1956 to 1977 MIN -19.8 MAX -17.8 | T | E | I | Casing slotted. Pumping rate measured at 150 gpm with pumping level of 25.5 ft. on Aug. 30, 1956. | |
| 2127912 | | 333131 | 993911 | | | | | | UNKNOWN | 1415 | | S | E | I | | |
| 2127913 | Austin Tomlinson | 333136 | 993935 | 09/00/1955 | 28 | C 14 | 0 | 18 | 112SYMR | 1409 | 5 measurements 1956 to 1977 MIN -19.1 MAX -17.3 | T | E | I | Casing slotted. | |
| 2127914 | Austin Tomlinson | 333141 | 993936 | 00/00/1955 | 25 | C 14 | 0 | 15 | 112SYMR | 1405 | 1 measurement 1963 -16.3 | C | E | I | Casing slotted. | |
| 2127915 | V.E. Smith | 333056 | 993837 | | | C 14 | | | UNKNOWN | 1430 | | S | E | I | | |
| 2127916 | Phillip Homer | 333003 | 993930 | | 22 | C 30 | | | 112SYMR | 1459 | 3 measurements 1936 to 1977 MIN -11.8 MAX -10 | C | E | H | | |
| 2127917 | A. Schumacher | 333227 | 993923 | 00/00/1910 | 16 | C 30 | | | 110ALVM | 1381 | 3 measurements 1936 to 1972 MIN -10.5 MAX -9.6 | C | E | U | Dug well. Lined with rock and cement blocks. Well was abandoned when visited in Oct. 1975. | |
| 2127918 | Edward Redder | 333201 | 993951 | | | | | | UNKNOWN | 1400 | | J | E | H | | |
| 2127919 | | 333144 | 993847 | | | C 14 | | | UNKNOWN | 1406 | | S | E | I | | |
| 2127920 | P. Loran | 333103 | 993819 | 00/00/1927 | 661 | | | | NOT-APPL | 1439 | | N | | P | Oil test. | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|---------------------|----------|-----------|--------------|------------|-----------------------|---------|-----------|---|------|-----------|---|
| 2127921 | V. Redder | 333212 | 993951 | | | | UNKNOWN | 1375 | | N | U | Spring. |
| 2127922 | John Albus | 333222 | 993824 | | | | UNKNOWN | 1365 | | N | U | Spring. |
| 2127923 | Louis Homer | 333210 | 993816 | | 25 | C 13 | 112SYMR | 1395 | 1 measurement 1964 -23.4 | C | E H | |
| 2127924 | H.P. Decker | 333200 | 993845 | 00/00/1955 | 24 | C 4 | 112SYMR | 1395 | 1 measurement 1963 -19.6 | C | E H | |
| 2127925 | Rhineland Coop Gin | 333151 | 993840 | | 26 | C 8 | 112SYMR | 1404 | 2 measurements 1963 to 1964 MIN -24 MAX -21.6 | C | E H | |
| 2127926 | H.N. Claus | 333153 | 993850 | 00/00/1921 | 22 | | 112SYMR | 1399 | 1 measurement 1963 -18.4 | C | E H | Dug well. 0.33 hp |
| 2127927 | Rhineland Coop Gin | 333157 | 993859 | | 28 | C 10 | 112SYMR | 1403 | 1 measurement 1963 -19.4 | J | E H | 2.00 hp |
| 2127928 | St. Joseph's Church | 333151 | 993905 | 10/00/1963 | 28 | C 7 0 21 S 7 21 27 | 112SYMR | 1405 | 1 measurement 1963 -23.9 | J | E H | Casing slotted. Gravel packed. 1.50 hp |
| 2127929 | A.F. Homer | 333201 | 993923 | 00/00/1896 | 18 | C 24 | 112SYMR | 1396 | 1 measurement 1963 -15.6 | J | E H | Rock-lined dug well. |
| 2127930 | Mary Redder | 333154 | 993918 | 00/00/1961 | 19 | C 7 | 112SYMR | 1402 | 1 measurement 1963 -13.3 | C | E H | 0.33 hp |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-----------------------|----------|-----------|--------------|------------|--------------|---------|-----------|---|------|----------------|------------------------------------|
| 2127931 | Rhineland High School | 333151 | 993915 | | 19 | C 30 | 112SYMR | 1403 | 1 measurement 1963 -15.5 | C | E P | Brick-lined dug well. |
| 2127932 | Ferd Fetsch | 333145 | 993855 | | 24 | C 36 | 112SYMR | 1405 | 1 measurement 1963 -19.9 | C | E H | Dug well. |
| 2127933 | Anna Kuehler | 333141 | 993854 | | 25 | C 7 | 112SYMR | 1407 | 1 measurement 1963 -22.4 | C | E H | |
| 2127934 | Louis Holub | 333136 | 993850 | 00/00/1956 | 22 | C 10 | 112SYMR | 1412 | 1 measurement 1963 -15.4 | J | E H 0.50 hp | |
| 2127935 | Phillip Homer | 333141 | 993905 | | 30 | C 14 | 112SYMR | 1409 | 1 measurement 1963 -21.2 | C | E I 2.00 hp | |
| 2127936 | M.C. Kuehler | 333138 | 993917 | | 22 | C 30 | 112SYMR | 1408 | 1 measurement 1963 -17.7 | C | E H | Dug well. Cased with cement rings. |
| 2127937 | C.J. Smajstrala | 333102 | 993914 | 00/00/1933 | 38 | C 30 | 112SYMR | 1432 | 2 measurements 1936 to 1963 MIN -36 MAX -31.3 | C | E H 0.50 hp | Dug well. Cased with cement rings. |
| 2127938 | F. Cervany Estate | 333036 | 993827 | | 26 | C 30 | 112SYMR | 1449 | 1 measurement 1963 -14.5 | P | W S | Dug well. Cased with cement rings. |
| 2127939 | J.C. Baty | 333038 | 993822 | | 23 | C 30 | 112SYMR | 1452 | 1 measurement 1959 -16.2 | N | G | Dug well. Destroyed. |
| 2127940 | J.C. Baty | 333036 | 993824 | 00/00/1960 | 31 | C 8 | 112SYMR | 1451 | 1 measurement 1964 -13.2 | C | E H | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-------------------|----------|-----------|--------------|------------|--------------|----------|-----------|---|--------------|-----------|---|
| 2127941 | Virginia S. Moore | 333110 | 993846 | | 31 | C 30 | 112SYMR | 1423 | 1 measurement 1963 -24.5 | N | U | |
| 2127942 | J.C. Baty | 333036 | 993822 | 00/00/1963 | | | UNKNOWN | 1451 | | J | E H | |
| 2127943 | Bart Landwermyer | 333150 | 993903 | 03/24/1976 | 30 | C 6 | 112SYMR | 1405 | | J | E H | Casing perforated, interval not reported. Gravel packed. |
| 2127944 | Leo Fetsch | 333003 | 993901 | 00/00/1939 | 20 | C 30 | 112SYMR | 1468 | 1 measurement 1963 -12.3 | P | W H | |
| 2127945 | Bischel Estate | 333200 | 993903 | | 30 | C 24 | 112SYMR | 1402 | 3 measurements 1936 to 1977 MIN -29.2 MAX -27 | P | W H | Brick-lined dug well. |
| 2127946 | Leo Fetsch | 333001 | 993900 | | 24 | C 30 C 18 | 112SYMR | 1468 | 1 measurement 1963 -14.8 | C 1.00 hp | E I | Cased with 30 in. cement rings to 15 ft. and cased with 18 in. steel casing from 15 ft. to bottom. Screened or open intervals not reported. |
| 2127947 | John Klug | 333217 | 993923 | 00/00/1957 | 22 | C 8 | 112SYMR | 1386 | 1 measurement 1959 -16.8 | P | E H | Casing slotted. |
| 2127948 | J. Michalik | 333017 | 993822 | 00/00/1927 | 673 | | NOT-APPL | 1459 | | N | U | Oil test. |
| 2127949 | B.M. Brown | 333037 | 993800 | | | | UNKNOWN | 1448 | 1 measurement 1977 -9.7 | N | U | |
| 2127950 | John Fetsch | 333135 | 993859 | | 32 | C 4 | 112SYMR | 1412 | | J | E H | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|------------------|----------|-----------|--------------|------------|--------------|----|------|---------|-----------|--|------|-----------|---|
| 2128101 | Arlis Kinnibrugh | 333702 | 993505 | 00/00/1942 | 50 | C | 36 | | 318CLFK | 1460 | | J | E S | |
| 2128201 | J.A. Kinnibrugh | 333522 | 993450 | 00/00/1908 | 25 | C | 36 | | 318CLFK | 1361 | | P | W S | |
| 2128301 | A.E. Boyd | 333722 | 993028 | | 30 | | | | 112SYMR | 1426 | 8 measurements 1956 to 1964 MIN -26.67 MAX -22.6 | N | U | Former water-level observation well. |
| 2128302 | Alan McGoughey | 333702 | 993158 | | | C | 36 | | UNKNOWN | 1425 | | P | W S | |
| 2128401 | Erna Mae Lee | 333246 | 993523 | 03/00/1956 | 32 | C | 12 | 0 23 | 110ALVM | 1400 | 5 measurements 1956 to 1977 MIN -23.1 MAX -19.8 | T | E I | Casing slotted. Pumping rate measured at 150 gpm with pumping level of 27.5 ft. on Aug. 28, 1956. |
| 2128402 | George Steinbach | 333258 | 993518 | 03/00/1956 | 29 | C | 12 | 0 21 | 110ALVM | 1393 | 1 measurement 1956 -16.3 | T | E I | Casing slotted. Pumping rate measured at 265 gpm with pumping level of 24.0 ft. on Aug. 28, 1956. |
| 2128403 | Erna Mae Lee | 333253 | 993535 | 03/00/1956 | 26 | C | 12 | 0 17 | 110ALVM | 1393 | 2 measurements 1956 to 1956 MIN -19.4 MAX -16.3 | P | E I | Casing slotted. Pumping rate measured at 66 gpm on Aug. 8, 1956. |
| 2128404 | J.A. Brown | 333258 | 993535 | 03/00/1956 | 25 | C | 14 | 0 15 | 110ALVM | 1390 | | C | E I | |
| 2128405 | J.A. Brown | 333300 | 993536 | 08/00/1955 | 21 | C | 12 | 0 13 | 110ALVM | 1388 | 1 measurement 1977 -14.6 | T | E I | |
| 2128406 | A. Schumacker | 333305 | 993536 | | | | | | UNKNOWN | 1388 | 1 measurement 1956 -17.5 | J | E I | Pumping rate measured at 30 gpm on Aug. 15, 1956. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|------------------|----------|-----------|--------------|------------|--------------|----|---|----|---------|-----------|---|------|----------------|--------------------------------|
| 2128407 | A.F. Huskinson | 333232 | 993520 | | 26 | C | 36 | | | 110ALVM | 1405 | 1 measurement 1936 -19 | J | E H | Dug well. |
| 2128408 | Fritz Zimmer | 333324 | 993629 | | | C | 12 | | | UNKNOWN | 1385 | | S | E I | |
| 2128409 | Frank Steinbeck | 333259 | 993657 | 00/00/1923 | | C | 36 | | | UNKNOWN | 1386 | | J | E H | Dug well. |
| 2128410 | L. Harring | 333315 | 993519 | | 16 | C | 36 | | | 110ALVM | 1385 | 2 measurements 1936 to 1977 MIN -14 MAX -10 | J | E H | Dug well. |
| 2128411 | J. Andres | 333330 | 993611 | | 20 | C | 36 | | | 110ALVM | 1380 | 2 measurements 1936 to 1977 MIN -13.6 MAX -13.5 | N | U | Dug well. |
| 2128412 | Charles Hobart | 333410 | 993522 | | 18 | C | 36 | | | 110ALVM | 1364 | 1 measurement 1936 -13 | N | G | Dug well. Destroyed. |
| 2128413 | George Steinbach | 333255 | 993701 | 09/00/1955 | 24 | C | 14 | 0 | 16 | 110ALVM | 1390 | 2 measurements 1956 to 1977 MIN -18.1 MAX -18 | C | E I 1.50 hp | |
| 2128414 | Frank Steinbeck | 333302 | 993655 | | 24 | C | 12 | | | 110ALVM | 1380 | | S | E I | |
| 2128415 | M.C. Kuehler | 333308 | 993631 | 11/06/1980 | 32 | C | 5 | 0 | 22 | 110ALVM | 1386 | 1 measurement 1980 -25 | | H | Casing slotted. Gravel packed. |
| 2128501 | O.L. McCulloch | 333320 | 993350 | | 42 | C | 36 | | | 112SYMR | 1394 | 1 measurement 1936 -35 | N | G | Dug well. Destroyed. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|-----------------|----------|-----------|--------------|------------|--------------|----|----|----|---------|-----------|---|------|-----------|---|--|
| 2128502 | W.R. Lytle | 333242 | 993403 | 00/00/1917 | 19 | C | 36 | | | 112SYMR | 1410 | 2 measurements 1936 to 1977 MIN -10.5 MAX -6.5 | P | W H | Dug well. | |
| 2128503 | F.H. Harlan | 333358 | 993342 | | | | | | | UNKNOWN | 1374 | | C | E I | | |
| 2128504 | H.F. Jungman | 333240 | 993259 | | | C | 14 | | | UNKNOWN | 1430 | 1 measurement 1977 -16.5 | S | E U | | |
| 2128601 | State of Texas | 333302 | 993027 | | | | | | | UNKNOWN | 1390 | | N | U | Spring. Located on highway right-of-way. Flow estimated at 1 gpm on Nov. 5, 1975. | |
| 2128602 | Les Jameson | 333241 | 993101 | | | | | | | UNKNOWN | 1400 | | N | U | Spring. | |
| 2128603 | Felton T. Jones | 333240 | 993022 | | | C | 36 | | | UNKNOWN | 1429 | 1 measurement 1977 -28.7 | J | E H | | |
| 2128604 | T.J. Murdock | 333245 | 993200 | | | C | 30 | | | UNKNOWN | 1432 | 1 measurement 1977 -19.6 | J | E S | | |
| 2128701 | Claude Reed | 333028 | 993503 | 03/00/1955 | 52 | C | 14 | 0 | 32 | 112SYMR | 1464 | | T | E I | Casing slotted. Pumping rate measured at 112 gpm on Aug. 8, 1956. | |
| | | | | | | S | 14 | 32 | 52 | | | | | | | |
| 2128702 | Bessie McStay | 333014 | 993504 | | | | | | | UNKNOWN | 1466 | | T | E I | 7.50 hp | |
| 2128703 | A.A. Brown | 333018 | 993522 | 00/00/1951 | 50 | C | 16 | 0 | 27 | 112SYMR | 1466 | 3 measurements 1956 to 1977 MIN -32.5 MAX -25.2 | T | E I | Casing slotted. Pumping rate measured at 156 gpm with pumping level of 35.3 ft. on Aug. 28, 1956. | |
| | | | | | | S | 16 | 27 | 47 | | | | | | | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|------------------|----------|-----------|--------------|------------|--------------|----|---|----|---------|-----------|---|------|----------------|---|
| 2128704 | W.H. Machen | 333004 | 993712 | | 16 | C | 36 | | | 112SYMR | 1460 | 2 measurements 1936 to 1977 MIN -15.1 MAX -9 | P | W H | Dug well. |
| 2128705 | Frank Knapp | 333006 | 993723 | | 25 | C | 36 | | | 112SYMR | 1460 | 1 measurement 1936 -15 | P | W H | Dug well. |
| 2128706 | L. Loran | 333202 | 993712 | | | C | 14 | | | UNKNOWN | 1405 | 1 measurement 1977 -22.7 | T | E I 5.00 hp | |
| 2128707 | L. Loran | 333218 | 993649 | | | | | | | UNKNOWN | 1410 | | T | E I | |
| 2128708 | R.R. Holder | 333225 | 993517 | | | | | | | UNKNOWN | 1410 | | S | E I | |
| 2128709 | W.M. Huskinson | 333225 | 993531 | 02/00/1956 | 40 | C | 12 | 0 | 30 | 110ALVM | 1410 | 2 measurements 1956 to 1956 MIN -26.3 MAX -24.4 | T | E I 5.00 hp | Casing slotted. Pumping rate measured at 195 gpm with pumping level of 32.0 ft. on Aug. 28, 1956. |
| 2128710 | A.A. Dusterhouse | 333127 | 993712 | | 30 | C | 36 | | | 112SYMR | 1420 | 1 measurement 1936 -23 | N | G | Dug well. Destroyed. |
| 2128711 | A. M. Kuehler | 333203 | 993613 | | 37 | C | 36 | | | 112SYMR | 1424 | 4 measurements 1936 to 2006 MIN -28.5 MAX -17.9 | J | E H | Dug well. MP= +3.00 feet |
| 2128712 | C. Pribyla | 333220 | 993603 | | | | | | | UNKNOWN | 1406 | | T | E I 5.00 hp | |
| 2128713 | J.A. Hendricks | 333116 | 993543 | 00/00/1926 | 26 | C | 36 | | | 112SYMR | 1452 | 2 measurements 1936 to 1977 MIN -21 MAX -20.4 | P | W U | Dug well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | | |
|------------|----------------|----------|-----------|--------------|------------|--------------|---------------|-----------|---|------|-----------|---------|--|-----------------|
| 2128714 | A.A. Brown | 333006 | 993534 | | | | UNKNOWN | 1462 | | T | E | I | 10.00 hp | |
| 2128715 | Mrs. Camp | 333057 | 993509 | | 26 | C 36 | 112SYMR | 1454 | 2 measurements 1936 to 1977 MIN -21.5 MAX -18 | P | W | U | Dug well. | |
| 2128716 | E.F. Payne | 333057 | 993505 | | | C 14 | UNKNOWN | 1455 | | S | E | H | | |
| 2128717 | Joe Bellington | 333144 | 993519 | 08/00/1935 | 19 | C 36 | 112SYMR | 1440 | 1 measurement 1936 -13 | B | H | H | Dug well. | |
| 2128718 | A.L. Roden | 333020 | 993617 | 12/00/1955 | 46 | C 12 S 12 | 0 36 36 46 | 112SYMR | 1464 | | S | E | I | Casing slotted. |
| 2128719 | A.L. Roden | 333004 | 993621 | 03/00/1955 | 41 | C 12 | 112SYMR | 1470 | 4 measurements 1956 to 1977 MIN -33.9 MAX -27 | S | E | I | Casing slotted. 3.00 hp | |
| 2128720 | L. Loran | 333200 | 993713 | 00/00/1900 | 23 | | 112SYMR | 1407 | 1 measurement 1936 -19 | P | W | G | Destroyed. | |
| 2128721 | Herring | 333147 | 993729 | | | C 14 | UNKNOWN | 1414 | | T | E | I | | |
| 2128722 | Bessie McStay | 333004 | 993503 | | | C 16 | UNKNOWN | 1462 | | T | E | I | 5.00 hp | |
| 2128723 | | 333204 | 993721 | | | | UNKNOWN | 1403 | | T | E | I | Pumping rate measured at 102 gpm on Aug. 2, 1976. 15.00 hp | |
| 2128724 | D.C. Osborne | 333021 | 993508 | 00/00/1927 | 547 | | NOT-APPL | 1465 | | N | U | | Test hole. | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|---------------------|----------|-----------|--------------|------------|--------------|----|------|---------|-----------|---|------|-----------|---|
| 2128725 | P.L. Johnson | 333142 | 993502 | | | C | 36 | | UNKNOWN | 1442 | 1 measurement 1977 -15.5 | P | W S | Dug well. |
| 2128726 | Marvin Huskinson | 333221 | 993529 | | | C | 14 | | UNKNOWN | 1411 | 1 measurement 1977 -28.1 | T | L I | |
| 2128801 | C.C. Moorman | 333122 | 993235 | 00/00/1954 | 48 | C | 14 | 0 32 | 112SYMR | 1455 | 3 measurements 1956 to 1977 MIN -34.3 MAX -29.2 | T | E I | Casing slotted. Pumping rate measured at 130 gpm with pumping level of 39.6 ft. on Aug. 28, 1956. |
| 2128802 | C.C. Moorman | 333114 | 993240 | 00/00/1954 | 47 | C | 14 | 0 32 | 112SYMR | 1450 | 3 measurements 1956 to 1959 MIN -26.3 MAX -24.6 | T | L I | Casing slotted. Pumping rate measured at 280 gpm on Aug. 28, 1956. |
| 2128803 | Mrs. Lessie Jackson | 333114 | 993259 | 04/00/1955 | 55 | C | 12 | 0 30 | 112SYMR | 1455 | | T | L I | Casing slotted. Pumping rate measured at 125 gpm on Aug. 28, 1956. |
| 2128804 | C.B. Warren | 333022 | 993247 | | | C | 14 | | UNKNOWN | 1458 | | T | E I | 7.50 hp |
| 2128805 | W.L. Jackson | 333128 | 993301 | 03/00/1952 | 50 | C | 12 | 0 30 | 112SYMR | 1447 | 2 measurements 1956 to 1956 MIN -24.3 MAX -23.3 | T | L I | Casing slotted. Pumping rate measured at 245 gpm with pumping level of 36.6 ft. on Aug. 28, 1956. |
| 2128806 | W.L. Jackson | 333128 | 993254 | | | C | 14 | | UNKNOWN | 1447 | | T | E I | 5.00 hp |
| 2128807 | Mary Pusey | 333101 | 993256 | | | C | 16 | | UNKNOWN | 1453 | | T | E I | 10.00 hp |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|---------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|---|------|-----------|--|
| 2128808 | Ruben Bates | 333148 | 993232 | 11/00/1954 | 49 | C 14 | 0 | 34 | 112SYMR | 1446 | 3 measurements 1956 to 1959 MIN -28.5 MAX -26.3 | N | G | Casing slotted. Pumping rate measured at 110 gpm with pumping level of 40 ft. on Aug. 15, 1956. Destroyed. |
| 2128810 | S. Winchester | 333128 | 993326 | | | C 12 | | | UNKNOWN | 1447 | | S | E I | |
| 2128811 | F.A. Doss | 333028 | 993416 | | 37 | C 36 | | | 112SYMR | 1462 | 1 measurement 1936 -29 | P | W G | Dug well. Destroyed. |
| 2128812 | Boyd Meers | 333024 | 993425 | | | | | | UNKNOWN | 1465 | | T | E I | 3.00 hp |
| 2128813 | Claude Reed | 333026 | 993421 | 12/00/1955 | 52 | C 14 | 0 | 32 | 112SYMR | 1465 | 4 measurements 1956 to 1977 MIN -35.1 MAX -26.4 | T | E I | 7.50 hp Casing slotted. Pumping rate measured at 154 gpm with pumping level of 50 ft. on Aug. 28, 1956. |
| 2128814 | Claude Reed | 333025 | 993459 | 03/00/1955 | 52 | C 14 | 0 | 32 | 112SYMR | 1464 | 5 measurements 1956 to 1977 MIN -31 MAX -24.3 | T | E I | 7.50 hp Casing slotted. Pumping rate measured at 102 gpm with pumping level of 42.4 ft. on Aug. 28, 1956. |
| 2128815 | Claude Reed | 333030 | 993500 | 03/00/1955 | 52 | C 14 | 0 | 32 | 112SYMR | 1460 | | T | E I | Casing slotted. Pumping rate. measured at 85 gpm on Aug. 28, 1956. |
| 2128816 | Claude Reed | 333032 | 993456 | 12/00/1955 | 49 | C 14 | 0 | 32 | 112SYMR | 1460 | | T | E I | Casing slotted. |
| 2128817 | H.L. Butler | 333140 | 993427 | 03/00/1952 | 48 | C 16 | 0 | 33 | 112SYMR | 1448 | 4 measurements 1956 to 1977 MIN -20.3 MAX -19.4 | T | E I | Casing slotted. Pumping rate measured at 176 gpm with pumping level of 36.5 ft. on Aug. 28, 1956. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|----------------|----------|-----------|--------------|------------|--------------|----|-------|---------|-----------|---|------|-----------------|----------------------|
| 2128818 | Laura Butler | 333139 | 993446 | | 30 | C | 36 | | 112SYMR | 1444 | 1 measurement 1936 -24 | P | W U | Dug well. |
| 2128819 | L. Combes | 333139 | 993444 | | | C | 12 | | UNKNOWN | 1446 | | S | E I | Gravel packed. |
| 2128820 | E.L. Tidwell | 333123 | 993444 | | | C | 16 | | UNKNOWN | 1451 | | S | E I | Gravel packed. |
| 2128821 | Mrs. Urbanczyk | 333144 | 993330 | 04/00/1955 | 29 | C | 14 | 0 14 | 112SYMR | 1445 | | T | E I | Casing slotted. |
| | | | | | | S | 14 | 14 29 | | | | | | |
| 2128822 | Mrs. Urbanczyk | 333149 | 993323 | 04/00/1955 | 35 | C | 14 | 0 20 | 112SYMR | 1443 | 4 measurements 1956 to 1977 MIN -27.3 MAX -21.7 | P | E I | Casing slotted. |
| | | | | | | S | 14 | 20 35 | | | | | | |
| 2128823 | Mrs. Urbanczyk | 333150 | 993322 | 04/00/1955 | 36 | C | 14 | 0 21 | 112SYMR | 1443 | | C | E I | Casing slotted. |
| | | | | | | S | 14 | 21 36 | | | | | | |
| 2128824 | G.L. Herd | 333114 | 993256 | | | | | | UNKNOWN | 1450 | | T | E I | |
| 2128825 | Helen Smith | 333057 | 993406 | | 32 | C | 36 | | 112SYMR | 1455 | 1 measurement 1936 -22 | N | G | Dug well. Destroyed. |
| 2128826 | B.M. Brown | 333031 | 993340 | | | | | | UNKNOWN | 1460 | | T | E I | |
| 2128827 | B.M. Smith | 333106 | 993304 | | | | | | UNKNOWN | 1453 | 1 measurement 1977 -32.7 | T | E I 10.00 hp | |
| 2128828 | C.E. Reed | 333049 | 993430 | | | C | 14 | | UNKNOWN | 1460 | | T | E I 7.50 hp | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|----------------------|----------|-----------|--------------|------------|--------------|---|----|----------|-----------|---|------|-----------|---|---|
| 2128829 | B.M. Brown | 333043 | 993359 | 03/00/1955 | 39 | C 14 | 0 | 29 | 112SYMR | 1454 | 1 measurement 1956 -25.1 | T | E | I | Casing slotted. |
| 2128830 | Boyd Meers | 333013 | 993435 | 01/00/1952 | 56 | C 14 | 0 | 36 | 112SYMR | 1464 | | T | E | I | Casing slotted. Pumping rate measured at 190 gpm on Aug. 28, 1956. |
| 2128831 | Boyd Meers | 333003 | 993434 | 03/00/1953 | 51 | C 14 | 0 | 31 | 112SYMR | 1464 | 2 measurements 1956 to 1956 MIN -26.5 MAX -23.7 | T | E | I | Casing slotted. Pumping rate measured at 175 gpm with pumping level of 35.7 ft. on Aug. 28, 1956. |
| 2128832 | William W. Pusey III | 333029 | 993246 | 07/20/1971 | 53 | C 16 | 0 | 48 | 112SYMR | 1458 | 1 measurement 1971 -31 | T | E | I | Casing slotted. Reported drawdown 6 ft. after 24 hrs pumping 500 gpm. |
| 2128833 | Mary Pusey | 333029 | 993304 | | | | | | UNKNOWN | 1451 | 1 measurement 1977 -30.2 | T | L | I | |
| 2128834 | | 333114 | 993301 | | | | | | UNKNOWN | 1450 | | T | E | I | Pumping rate measured at 273 gpm on Aug. 2, 1956. |
| 2128835 | Gaylon Hord | 333047 | 993406 | 01/17/1968 | 55 | C 16 | 0 | 49 | 112SYMR | 1451 | 1 measurement 1968 -26 | T | E | I | Casing slotted. Gravel packed. Drawdown 20 ft. after 24 hrs pumping 140 gpm. |
| 2128836 | J. Michalik | 333217 | 993429 | | 539 | | | | NOT-APPL | 1454 | | N | | U | Test hole. |
| 2128837 | M. Tittsworth | 333217 | 993429 | | | C 36 | | | UNKNOWN | 1427 | 1 measurement 1977 -25.7 | N | | U | Concrete lined dug well. |
| 2128901 | J.T. Murdock | 333211 | 993150 | 01/00/1956 | 47 | C 14 | 0 | 39 | 112SYMR | 1443 | 3 measurements 1956 to 1977 MIN -31.2 MAX -30.3 | T | E | I | Casing slotted. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|--------------------|----------|-----------|--------------|------------|-------------------------|---------|-----------|---|------|----------------|-----------------|
| 2128902 | J.T. Murdock | 333215 | 993147 | 01/00/1956 | 47 | C 14 0 39 S 14 39 47 | 112SYMR | 1441 | | T | E I | Casing slotted. |
| 2128903 | Mrs. Claudia Jones | 333102 | 993149 | 02/00/1953 | 54 | C 14 0 34 S 14 34 54 | 112SYMR | 1450 | 3 measurements 1956 to 1977 MIN -29.9 MAX -25.3 | T | E I 5.00 hp | Casing slotted. |
| 2128904 | C.B. Warren | 333025 | 993211 | | | C 14 | UNKNOWN | 1459 | | T | E I | |
| 2128905 | Mary Pusey | 333059 | 993211 | | | | UNKNOWN | 1453 | | T | E I | |
| 2128906 | Elgin Warren | 333030 | 993141 | 00/00/1905 | 46 | | 112SYMR | 1451 | | J | E H | |
| 2128907 | Elgin Warren | 333111 | 993156 | 00/00/1910 | 45 | | 112SYMR | 1454 | 1 measurement 1977 -32.7 | J | E H | |
| 2128908 | J.B. Stuart | 333158 | 993137 | 00/00/1935 | | | UNKNOWN | 1446 | | J | E H | |
| 2128909 | J.T. Murdock | 333201 | 993147 | | | C 16 | UNKNOWN | 1445 | | S | E I | |
| 2128910 | Les Jameson | 333203 | 993052 | | | C 12 | UNKNOWN | 1442 | 1 measurement 1977 -34.3 | T | L I | |
| 2128911 | Mrs. Ray Jones | 333023 | 993147 | 08/27/1970 | 52 | C 16 | 112SYMR | 1454 | 2 measurements 1970 to 1977 MIN -33.1 MAX -30 | T | E I | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|----------------------------------|----------|-----------|--------------|------------|--------------|----|---|----|----------|-----------|---|------|----------------|--|
| 2128912 | J.C. Koenig | 333157 | 993024 | | | C | 36 | | | UNKNOWN | 1439 | 1 measurement 1977 -34 | J | E S | Dug well. |
| 2128913 | Ross Bates | 333126 | 993041 | | | C | 6 | | | UNKNOWN | 1447 | 1 measurement 1977 -35 | J | E H | |
| 2128914 | R. Bates | 333150 | 993230 | 09/00/1954 | 46 | C | 14 | 0 | 31 | 112SYMR | 1446 | 1 measurement 1977 -30.8 | S | E I 5.00 hp | Casing slotted. Pumping rate measured at 150 gpm on Aug. 28, 1956. |
| 2128915 | Kyle Josselet | 333148 | 993206 | 00/00/1952 | 52 | | | | | 112SYMR | 1456 | 1 measurement 2006 | S | E S | |
| 2129102 | R.D. Atkeison | 333716 | 992951 | 03/00/1956 | 37 | C | 12 | 0 | 27 | 112SYMR | 1424 | 46 measurements 1956 to 2007 MIN -24.7 MAX -16.17 | S | E I | Casing slotted. Historical observation well. |
| 2129401 | Johnson Oil Co.- Haskins No.1 | 333349 | 992915 | 00/00/1950 | 1726 | | | | | NOT-APPL | 1356 | | N | U | Oil test. E-log No. Q-125. |
| 2129402 | A.L. Haskins | 333259 | 992922 | 03/00/1955 | 34 | C | 14 | 0 | 24 | 112SYMR | 1422 | | N | G | Destroyed. |
| 2129403 | H.L. Butler | 333245 | 992929 | | 32 | C | 12 | | | 112SYMR | 1423 | | J | E H | |
| 2129404 | C.E. Haskins | 333256 | 992930 | 09/00/1951 | 33 | C | 14 | 0 | 23 | 112SYMR | 1423 | | C | E I | Casing slotted. |
| 2129405 | C.E. Haskins | 333301 | 992955 | 04/00/1955 | 33 | C | 14 | 0 | 23 | 112SYMR | 1425 | 4 measurements 1956 to 1977 MIN -30.6 MAX -28.5 | T | E I | Casing slotted. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|---------------------------------------|----------|-----------|--------------|------------|-------------------------|----------|-----------|---|------|-----------|---|
| 2129406 | C.E. Haskins | 333259 | 992936 | 00/00/1945 | 30 | C 12 | 112SYMR | 1422 | | J | E H | |
| 2129407 | A.L. Haskins | 333254 | 992922 | 03/00/1955 | 34 | C 14 0 24 S 14 24 34 | 112SYMR | 1422 | 1 measurement 1956 -28.2 | N | G | Casing slotted. Destroyed. |
| 2129408 | Harold Jones | 333239 | 992932 | 00/00/1965 | | C 6 | UNKNOWN | 1426 | 1 measurement 1977 -31.1 | J | E H | |
| 2129702 | Harold Jones | 333218 | 992948 | | | C 14 | UNKNOWN | 1430 | | S | E I | |
| 2129703 | Harold Jones | 333211 | 992948 | 01/00/1955 | 38 | C 12 0 28 S 12 28 38 | 112SYMR | 1429 | 4 measurements 1956 to 1977 MIN -30.5 MAX -28.7 | C | E I | Slotted 28-38 feet. |
| 2129704 | | 333050 | 992953 | | | | NOT-APPL | 1426 | | N | U | Oil test. E-log No. Q-242. |
| 2133201 | Mrs. J.T. Darr | 332751 | 995729 | 00/00/1935 | 22 | C 36 | 318CLFK | 1520 | 1 measurement 1956 -15.9 | J | E U | Rock-lined dug well. Abandoned when visited in Jan. 1976. |
| 2133202 | J.T. Darr | 332754 | 995729 | 00/00/1960 | 20 | | 318CLFK | 1520 | | J | E H | |
| 2133401 | Gertrude L. Howell | 332517 | 995911 | | | C 6 | 318CLFK | 1462 | | P | W S | |
| 2133501 | Continental Oil Co.- Hamilton No.1 | 332713 | 995509 | 00/00/1950 | 6240 | | NOT-APPL | 1496 | | N | U | Oil test. E-log No.243. |
| 2133601 | B.B. Campbell | 332657 | 995255 | | | C 36 | UNKNOWN | 1451 | | J | E S | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-----------------|----------|-----------|--------------|------------|--------------|----|----|--|---------|-----------|---|----------|-----------|--------------------------|
| 2133602 | B.B. Campbell | 332722 | 995249 | 02/00/1956 | 40 | C 14 | 0 | 24 | | 100ALVM | 1415 | 2 measurements 1956 to 1956 MIN -7 MAX -5.2 | T | E I | Casing slotted. |
| | | | | | | S 14 | 24 | 40 | | | | | 10.00 hp | | |
| 2133603 | B.F. Cornett | 332539 | 995307 | 00/00/1956 | 38 | C 14 | 0 | 31 | | 110ALVM | 1481 | | T | E I | Casing slotted. |
| | | | | | | S 14 | 31 | 38 | | | | | | | |
| 2133604 | B.F. Cornett | 332540 | 995304 | 04/00/1956 | 31 | C 14 | 0 | 23 | | 110ALVM | 1479 | 4 measurements 1956 to 1977 MIN -26.4 MAX -24.4 | C | E I | Casing slotted. |
| | | | | | | S 14 | 23 | 31 | | | | | | | |
| 2133605 | W.H. Cornett | 332545 | 995301 | | 34 | C 30 | | | | 110ALVM | 1481 | 1 measurement 1936 -28.5 | J | E H | Concrete-lined dug well. |
| 2133606 | Fred Paperworth | 332526 | 995247 | | 24 | | | | | 110ALVM | 1488 | 1 measurement 1936 -17.5 | P | W H | Dug well. |
| 2133607 | J.B. Ferguson | 332538 | 995406 | | | C 12 | | | | UNKNOWN | 1471 | | J | E H | |
| 2133608 | J.W. Green | 332550 | 995341 | | 12 | | | | | 110ALVM | 1470 | 1 measurement 1936 -9.5 | N | U | Dug well with wood curb. |
| 2133609 | J.W. Green | 332545 | 995408 | | 42 | | | | | 110ALVM | 1453 | | N | G | Dug well. Destroyed. |
| 2133610 | J.W. Henderson | 332524 | 995404 | | 27 | | | | | 110ALVM | 1480 | | N | G | Dug well. Destroyed. |
| 2133611 | Curtis | 332525 | 995406 | | | | | | | UNKNOWN | 1480 | | J | E H | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|------------------------|----------|-----------|--------------|------------|--------------|---------------|-----------|--------------------------------|---|-----------|-------------------------|-----------------|
| 2133612 | L.L. Houston | 332501 | 995240 | | 40 | C 30 | 110ALVM | 1502 | 1 measurement 1936 -25.5 | N | G | Dug well. Destroyed. | |
| 2133613 | Davis | 332607 | 995409 | | 17 | C 6 | 110ALVM | 1421 | 1 measurement 1936 -12.5 | P | W S | | |
| 2133614 | J.B. Ferguson | 332529 | 995430 | 12/14/1936 | 18 | | 110ALVM | 1470 | 1 measurement 1936 -17 | N | U | Test hole. | |
| 2133615 | B.B. Campbell | 332636 | 995244 | | 38 | C 6 | 110ALVM | 1462 | 1 measurement 1936 -22 | N | U | | |
| 2133616 | M.M. Youngblood | 332526 | 995313 | | 26 | C 30 | 110ALVM | 1482 | 1 measurement 1936 -20 | N | U | Dug well. | |
| 2133617 | G.W. Hodges | 332549 | 995344 | | | C 8 | UNKNOWN | 1470 | 1 measurement 1977 -24.2 | N | U | | |
| 2133703 | Sid Katz Lewis No.7 | 332351 | 995858 | 00/00/1954 | 3400 | | NOT-APPL | 1483 | | N | U | Oil test. E-log No.Q-3. | |
| 2133705 | T.H. Burnett | 332445 | 995813 | | 18 | C 30 | 110ALVM | 1476 | | J | E H | Dug well. | |
| 2133707 | J.H. Atterbury | 332401 | 995741 | 03/00/1956 | 19 | C 14 S 14 | 0 13 13 19 | 110ALVM | 1492 | 3 measurements 1956 to 1977 MIN -16.6 MAX -11.8 | T | E I | Casing slotted. |
| 2133708 | Tom Richardson | 332401 | 995746 | | 13 | C 30 | 110ALVM | 1491 | | B | H H | Dug well. | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-------------------|----------|-----------|--------------|------------|--------------|----|------|---------|-----------|---|------|-----------|----------------------------|
| 2133709 | T.H. Burnett | 332358 | 995748 | | 16 | C | 30 | | 110ALVM | 1490 | | N | U | Dug well. |
| 2133710 | G.I. Davis | 332411 | 995900 | | 17 | C | 30 | | 100ALVM | 1481 | 1 measurement 1936 -13 | N | G | Dug well. Destroyed. |
| 2133711 | Mrs. J.T. Osborne | 332409 | 995848 | | | C | 12 | | UNKNOWN | 1481 | | J | E H | |
| 2133712 | Tom Orsborn | 332413 | 995811 | 01/00/1956 | 19 | C | 12 | 0 14 | 110ALVM | 1477 | 3 measurements 1956 to 1977 MIN -12.4 MAX -7.9 | N | U | Casing slotted. |
| 2133713 | J.H. Atterbury | 332407 | 995808 | 03/00/1956 | 19 | C | 14 | 0 13 | 110ALVM | 1476 | 2 measurements 1956 to 1956 MIN -11.9 MAX -11.7 | C | E U | Casing slotted. |
| 2133714 | J.H. Atterbury | 332406 | 995808 | 03/00/1956 | 19 | C | 14 | 0 13 | 110ALVM | 1476 | 1 measurement 1956 -12.1 | C | E U | Casing slotted. |
| 2133715 | J.H. Atterbury | 332405 | 995808 | 03/00/1956 | 19 | C | 14 | 0 13 | 110ALVM | 1477 | 1 measurement 1956 -11.9 | C | E U | Casing slotted. 1.50 hp |
| 2133716 | J.H. Atterbury | 332404 | 995808 | 03/00/1956 | 17 | C | 14 | 0 13 | 110ALVM | 1477 | 1 measurement 1956 -12 | C | E U | Casing slotted. 1.50 hp |
| 2133804 | Bush and Burnett | 332424 | 995630 | 00/00/1955 | 37 | C | 12 | | 110ALVM | 1493 | | J | E H | |
| 2133805 | R.B. Bush | 332408 | 995653 | | 13 | C | 30 | | 110ALVM | 1504 | | J | E H | Dug well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|----------------|----------|-----------|--------------|------------|--------------|----|---|----|---------|-----------|--|------|-----------|--|
| 2133806 | R.B. Bush | 332417 | 995723 | | 31 | C | 30 | | | 110ALVM | 1474 | 1 measurement 1936 -22.5 | N | U | Dug well. |
| 2133807 | R.B. Bush | 332417 | 995617 | | 29 | C | 30 | | | 110ALVM | 1500 | 1 measurement 1936 -27 | N | G | Dug well. Destroyed. |
| 2133808 | R.B. Bush | 332419 | 995621 | | 28 | C | 30 | | | 110ALVM | 1498 | 2 measurements 1936 to 1977 MIN -22 MAX -20.08 | N | U | Dug well. |
| 2133809 | R.B. Bush | 332421 | 995624 | | 35 | C | 30 | | | 110ALVM | 1496 | 1 measurement 1936 -23 | N | U | Dug well. |
| 2133811 | R.B. Bush | 332421 | 995658 | | 24 | C | 30 | | | 110ALVM | 1480 | 1 measurement 1936 -21 | B | H H | Dug well. |
| 2133812 | Greg Clonts | 332402 | 995648 | | 35 | | | | | 110ALVM | 1511 | | S | E H | MP= +1.00 feet |
| 2133901 | E.R. Carpenter | 332420 | 995254 | 11/00/1955 | 50 | C | 14 | 0 | 35 | 110ALVM | 1512 | 32 measurements 1956 to 1994 MIN -41.89 MAX -30.35 | S | E I | Casing slotted. Former water-level observation well. |
| 2133904 | B.F. Farmer | 332447 | 995313 | | 42 | C | 6 | | | 110ALVM | 1502 | 1 measurement 1936 -32 | N | G | Destroyed. |
| 2133906 | G.G. Carpenter | 332429 | 995236 | | 25 | C | 30 | | | 110ALVM | 1500 | 1 measurement 1936 -21 | P | W H | Dug well. |
| 2133907 | E.R. Carpenter | 332430 | 995235 | 11/00/1955 | 37 | C | 14 | | | 110ALVM | 1501 | 1 measurement 1956 -29.4 | S | E I | Casing slotted. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|----------------|----------|-----------|--------------|------------|--------------|----|------|---------|-----------|---|------|-----------|--|
| 2133908 | R.B. Bush | 332419 | 995253 | | 39 | C | 30 | | 110ALVM | 1512 | 1 measurement 1936 -26 | N | G | Dug well. Destroyed. |
| 2133909 | E.R. Carpenter | 332417 | 995244 | 10/00/1955 | 47 | C | 14 | 0 35 | 110ALVM | 1510 | 2 measurements 1956 to 1956 MIN -38.2 MAX -36.6 | T | E I | Casing slotted. |
| 2133917 | B.M. Farmer | 332418 | 995406 | 01/00/1955 | 43 | C | 14 | 0 30 | 110ALVM | 1507 | 3 measurements 1956 to 1959 MIN -33.1 MAX -31.2 | T | E I | Casing slotted. Middle well of 3. |
| 2133918 | B.M. Farmer | 332419 | 995406 | 01/00/1956 | 43 | C | 14 | 0 30 | 110ALVM | 1508 | 1 measurement 1956 -30.1 | T | E I | Casing slotted. Fifth well from the north. |
| 2133919 | B.M. Farmer | 332420 | 995340 | 02/00/1956 | 45 | C | 14 | 0 30 | 110ALVM | 1509 | 1 measurement 1956 -31.6 | C | E I | Casing slotted. |
| 2133920 | B.M. Farmer | 332419 | 995340 | 01/00/1955 | 47 | C | 14 | 0 32 | 110ALVM | 1509 | 3 measurements 1956 to 1977 MIN -37 MAX -28.1 | C | E I | Casing slotted. |
| 2133921 | B.M. Farmer | 332420 | 995328 | 02/00/1956 | 54 | C | 14 | | 110ALVM | 1512 | 1 measurement 1956 -41.3 | C | E I | Casing slotted. |
| 2133922 | B.M. Farmer | 332422 | 995326 | 01/00/1955 | 55 | C | 14 | 0 40 | 110ALVM | 1512 | 2 measurements 1956 to 1956 MIN -45.2 MAX -42.1 | T | E I | Casing slotted. |
| 2133923 | B.M. Farmer | 332425 | 995311 | 01/00/1955 | 55 | C | 14 | 0 40 | 110ALVM | 1512 | 2 measurements 1956 to 1956 MIN -44.1 MAX -41.6 | T | E I | Casing slotted. |
| 2133924 | B.M. Farmer | 332426 | 995309 | 01/00/1956 | 55 | C | 14 | 0 40 | 110ALVM | 1512 | 1 measurement 1956 -41.3 | T | E I | Casing slotted. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|--------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|---|------|-----------|---|---|
| 2133925 | B.M. Farmer | 332443 | 995321 | 02/00/1956 | 36 | C 16 | 0 | 26 | 110ALVM | 1499 | 1 measurement 1956 -23.5 | T | E | I | Casing slotted. |
| 2133926 | B.F. Cornett | 332448 | 995333 | 04/00/1956 | 37 | C 14 | 0 | 29 | 110ALVM | 1496 | 3 measurements 1956 to 1959 MIN -26.4 MAX -21.8 | C | E | I | Casing slotted. |
| 2133927 | B.M. Farmer | 332440 | 995336 | 02/00/1956 | 37 | C 14 | 0 | 27 | 110ALVM | 1499 | 2 measurements 1956 to 1956 MIN -29.4 MAX -23.5 | S | E | I | Casing slotted. |
| 2133928 | B.M. Farmer | 332441 | 995335 | 02/00/1956 | 36 | C 14 | 0 | 26 | 110ALVM | 1499 | | S | E | I | Casing slotted. |
| 2133929 | B.M. Farmer | 332433 | 995348 | 01/00/1956 | 35 | C 14 | 0 | 25 | 110ALVM | 1504 | 2 measurements 1956 to 1956 MIN -28.5 MAX -25.4 | S | E | I | Casing slotted. Pumping rate measured at 92 gpm with pumping level of 33.3 ft. on Aug. 24, 1956. |
| 2133930 | B.M. Farmer | 332430 | 995256 | 01/00/1955 | 56 | C 14 | 0 | 42 | 110ALVM | 1512 | 2 measurements 1956 to 1977 MIN -37.6 MAX -35.9 | T | E | I | Casing slotted. Pumping rate measured at 160 gpm with a pumping level of 45.4 ft. on Aug. 21, 1956. |
| 2133931 | B.M. Farmer | 332438 | 995248 | 01/00/1955 | 50 | C 14 | 0 | 36 | 110ALVM | 1508 | 2 measurements 1956 to 1956 MIN -39.1 MAX -33.6 | T | E | I | Casing slotted. Pumping rate measured at 150 gpm on Aug. 21, 1956. |
| 2133932 | R.B. Bush | 332421 | 995456 | | 26 | C 30 | | | 110ALVM | 1502 | 1 measurement 1936 -24 | N | | G | Destroyed. |
| 2133933 | A.G. Varnell | 332452 | 995400 | | 22 | | | | 110ALVM | 1494 | 1 measurement 1936 -18.5 | P | W | U | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|------------------|----------|-----------|--------------|------------|--------------|----|----|----|---------|-----------|---|------|-----------|-----------------------------------|--|
| 2133935 | B.F. Farmer | 332429 | 995422 | | 20 | C | 30 | | | 110ALVM | 1499 | 1 measurement 1936 -16 | P | W H | Dug well. | |
| 2133936 | Charlie Burleson | 332415 | 995440 | | 24 | C | 30 | | | 110ALVM | 1503 | 1 measurement 1936 -18.5 | B | H H | dug well. | |
| 2133937 | B.M. Farmer | 332444 | 995318 | 03/00/1956 | 35 | C | 14 | 0 | 25 | 110ALVM | 1500 | 2 measurements 1956 to 1956 MIN -27.5 MAX -23.4 | C | E I | Casing slotted. | |
| 2133938 | R.F. Tallant | 332417 | 995339 | 04/00/1956 | 47 | C | 14 | 0 | 38 | 110ALVM | 1510 | | N | U | Casing slotted.eet. | |
| 2133940 | Leo Beason | 332426 | 995242 | 08/00/1955 | 50 | C | 14 | | | 110ALVM | 1512 | 9 measurements 1988 to 1997 MIN -36.16 MAX -30.55 | C | E I | Historical observation well. | |
| 2134101 | B.P. Denton | 332809 | 995014 | | 32 | C | 30 | | | 110ALVM | 1460 | 2 measurements 1936 to 1977 MIN -26 MAX -22.9 | P | W U | Unused domestic well. | |
| 2134102 | David Albus | 332812 | 995034 | | 28 | C | 14 | | | 110ALVM | 1436 | | T | L I | Casing perforated. Gravel packed. | |
| 2134103 | Leon Henderson | 332745 | 995005 | | 35 | C | 14 | | | 110ALVM | 1457 | | J | E H | | |
| 2134104 | David Albus | 332812 | 995012 | 00/00/1950 | 30 | C | 14 | | | 110ALVM | 1455 | | S | E H | Reported yield, 80 to 90 gpm. | |
| 2134105 | David Albus | 332754 | 995004 | 09/05/1981 | 35 | C | 5 | 0 | 23 | 110ALVM | 1460 | | S | E I | | |
| | | | | | | S | 5 | 23 | 35 | | | | | | | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|--------------|----------|-----------|--------------|------------|--------------|------|--|---------|-----------|--|------|-----------|---|
| 2134106 | David Albus | 332758 | 995003 | | | C 14 | | | UNKNOWN | 1460 | | S | E I | |
| 2134201 | A.H. Word | 332812 | 994907 | 12/00/1954 | 31 | C 14 | 0 19 | | 110ALVM | 1454 | 2 measurements 1956 to 1956 MIN -20.3 MAX -18.7 | T | E I | Casing slotted. Pumping rate measured at 100 gpm with pumping level of 27.9 ft. on Aug. 15, 1956. |
| 2134202 | Earl Watson | 332806 | 994823 | 02/00/1956 | 27 | C 16 | 0 20 | | 110ALVM | 1453 | 40 measurements 1956 to 1997 MIN -22.19 MAX -15.05 | N | U | Casing slotted. North well of 2. Historical observation well. well of 2. |
| 2134203 | J.R. White | 332751 | 994749 | 03/00/1955 | 35 | C 14 | 0 25 | | 110ALVM | 1463 | 1 measurement 1956 -16.9 | T | L I | Casing slotted. Pumping rate measured at 145 gpm with pumping level of 29.8 ft. on July 26, 1956. |
| 2134204 | S.S. Darnell | 332732 | 994819 | | 23 | C 30 | | | 110ALVM | 1462 | 1 measurement 1936 -16 | P | W H | Concrete-lined dug well. |
| 2134205 | Earl Watson | 332805 | 994823 | 01/00/1956 | 27 | C 16 | 0 19 | | 110ALVM | 1451 | 1 measurement 1958 -16.9 | N | U | Casing slotted. |
| 2134206 | Clint Jones | 332812 | 994813 | | 27 | C 30 | | | 110ALVM | 1446 | 1 measurement 1936 -14 | J | E U | Concrete-lined dug well. |
| 2134207 | R.H. Herring | 332911 | 994819 | | 28 | C 36 | | | 110ALVM | 1421 | | J | E H | Dug well. |
| 2134208 | J. Albus | 332745 | 994734 | | | | | | UNKNOWN | 1466 | | T | E I | |
| 2134209 | W.H. Clonts | 332923 | 994744 | | 24 | C 30 | | | 110ALVM | 1420 | 1 measurement 1937 -12 | P | W U | Concrete-lined dug well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|----------------|----------|-----------|--------------|------------|-------------------------|--|--|---------|-----------|---|------|-----------|---|
| 2134210 | S.H. Silby | 332823 | 994843 | | 21 | C 30 | | | 110ALVM | 1455 | 1 measurement 1937 -13 | J | E H | Concrete-lined dug well. |
| 2134211 | A.H. Word | 332814 | 994914 | 00/00/1955 | 32 | C 14 0 20 S 14 20 32 | | | 110ALVM | 1454 | | T | E I | Casing slotted. Pumping rate measured at 100 gpm on Aug. 12, 1956 and 80 gpm on Aug. 2, 1976. |
| 2134212 | A.H. Word | 332812 | 994908 | 04/00/1956 | 31 | C 14 0 21 S 14 21 31 | | | 110ALVM | 1454 | | T | E I | Casing slotted. |
| 2134213 | Word Estate | 332804 | 994913 | 01/00/1955 | 29 | C 14 0 19 S 14 19 29 | | | 110ALVM | 1454 | 4 measurements 1956 to 1977 MIN -19.4 MAX -18.4 | C | E I | Casing slotted. |
| 2134214 | H. Hackfield | 332807 | 994913 | | 29 | C 4 | | | 110ALVM | 1457 | | N | G | Destroyed. |
| 2134215 | E.N. Montandon | 332815 | 994940 | 08/00/1955 | 38 | C 14 0 22 S 14 22 38 | | | 110ALVM | 1455 | 2 measurements 1956 to 1956 MIN -22.3 MAX -20.5 | T | E I | Casing slotted. Second well of 4 from west. |
| 2134216 | W.M. Rowan | 332836 | 994926 | 08/00/1955 | 24 | C 14 0 12 S 14 12 24 | | | 110ALVM | 1433 | 4 measurements 1956 to 1977 MIN -16.2 MAX -14.8 | N | U | Casing slotted. |
| 2134217 | W.P. Denton | 332759 | 994942 | 03/00/1956 | 28 | C 14 0 13 S 14 13 27 | | | 110ALVM | 1455 | 2 measurements 1956 to 1956 MIN -17.7 MAX -16.6 | C | E I | Casing slotted. Pumping rate measured at 106 gpm with a pumping level of 23.8 ft. on Aug. 21, 1956. |
| 2134218 | W.P. Denton | 332756 | 994948 | 03/00/1956 | 28 | C 14 0 13 S 14 12 28 | | | 110ALVM | 1456 | 5 measurements 1956 to 1977 MIN -18.2 MAX -17.1 | T | E I | Casing slotted. Pumping rate measured at 195 gpm with pumping level of 26.9 ft. on Aug. 21, 1956. |
| 2134219 | Mrs. A.H. Word | 332808 | 994911 | 04/28/1971 | 40 | C 5 0 30 S 5 30 40 | | | 110ALVM | 1458 | | J | E H | Casing slotted. Gravel packed. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|---------------------------------------|----------|-----------|--------------|------------|-------------------------|----------|-----------|---|------|-----------|-----------------------------------|
| 2134220 | David Albus | 332815 | 995000 | 00/00/1955 | 30 | C 6 | 110ALVM | 1454 | 2 measurements 2006 to 2010 MIN -26.05 MAX -26.05 | S | E H | |
| 2134221 | H. Hackfield | 332813 | 994959 | | 30 | C 30 | 110ALVM | 1455 | 1 measurement 1937 -22 | N | G | Dug well. Destroyed. |
| 2134222 | Earl Watson | 332757 | 994819 | | 20 | C 36 | 110ALVM | 1454 | | N | U | Dug well. |
| 2134223 | E.F. Jones | 332910 | 994851 | | 37 | C 30 | 110ALVM | 1435 | 1 measurement 1937 -19 | N | G | Dug well. Destroyed. |
| 2134224 | Clint Jones | 332916 | 994851 | | 25 | C 30 | 110ALVM | 1420 | 2 measurements 1937 to 1990 MIN -17.25 MAX -16.5 | P | W S | |
| 2134225 | Guy Bradley | 332823 | 994843 | 00/00/1959 | | | UNKNOWN | 1455 | | J | E H | |
| 2134226 | Dr. Tompson | 332807 | 994828 | | | | UNKNOWN | 1451 | | S | E I | |
| 2134227 | Dr. Tompson | 332819 | 994822 | 00/00/1972 | 42 | C 14 0 32 S 14 32 42 | 110ALVM | 1449 | | S | E I | |
| 2134301 | Stanolind Oil & Gas Clonts No. A-3 | 332903 | 994633 | 00/00/1951 | 4382 | | NOT-APPL | 1431 | | N | U | Oil test. E-log No. Q-169. |
| 2134302 | Victor Thomas | 332814 | 994638 | 05/03/1974 | 40 | C 12 | 110ALVM | 1449 | | T | E I | Casing perforated. Gravel packed. |
| 2134303 | Belinghausen | 332731 | 994606 | | | C 12 | UNKNOWN | 1457 | | S | E I | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-----------------|----------|-----------|--------------|------------|--------------|---------------|--|---------|-----------|---|------|-----------|---|
| 2134304 | S.D. Jones | 332756 | 994725 | 03/00/1956 | 40 | C 14 | | | 110ALVM | 1467 | 3 measurements 1956 to 1977 MIN -30.3 MAX -24.2 | T | E I | Pumping rate measured at 295 gpm with pumping level of 38.0 ft. on Aug. 26, 1956. |
| 2134305 | S.D. Jones | 332755 | 994724 | 03/00/1955 | 41 | C 14 S 14 | 0 26 26 41 | | 110ALVM | 1468 | 2 measurements 1956 to 1956 MIN -31.6 MAX -29.3 | T | E I | Casing slotted. Pumping rate measured at 110 gpm with pumping level of 37.6 ft. on Aug 23, 1956. |
| 2134306 | James Albus | 332734 | 994722 | 03/29/1956 | 40 | C 14 S 14 | 0 25 25 40 | | 110ALVM | 1470 | 4 measurements 1956 to 1957 MIN -29.2 MAX -25.6 | T | E I | Reported yield 146 GPM in 1956. Aquifer test results in TWDB R-98 and TDWR R-226. Data in TWDB files |
| 2134307 | S.D. Jones | 332730 | 994722 | 00/00/1952 | 55 | C 14 S 14 | 0 34 34 55 | | 110ALVM | 1474 | | T | E I | Casing slotted. |
| 2134308 | W.D. Thomas | 332753 | 994642 | 12/00/1955 | 36 | C 14 S 14 | 0 22 22 36 | | 110ALVM | 1461 | | C | E I | Casing slotted.eet. |
| 2134309 | W.D. Thomas | 332757 | 994624 | 12/00/1955 | 36 | C 14 S 14 | 0 22 22 36 | | 110ALVM | 1455 | 1 measurement 1956 -19.4 | C | E I | Casing slotted. Pumping rate measured at 80 gpm on Aug.23, 1956. |
| 2134310 | John Moorhouse | 332730 | 994657 | 02/00/1954 | 38 | C 14 S 14 | 0 30 30 38 | | 110ALVM | 1466 | 1 measurement 1956 -23.7 | T | E I | Casing slotted. |
| 2134311 | H.G. Egenbacher | 332738 | 994713 | 08/00/1955 | 36 | C 14 S 14 | 0 30 30 38 | | 110ALVM | 1466 | | T | E I | Casing slotted. Pumping rate measured at 240 gpm on Aug. 29, 1956. |
| 2134312 | M.L. Verhalen | 332909 | 994711 | | 23 | C 30 | | | 110ALVM | 1421 | 2 measurements 1937 to 1977 MIN -12 MAX -8.7 | J | E H | Origionally a dug well 30 in. in diameter and 23 ft. deep. Later drilled deeper. Current depth unknown. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|-----------------|----------|-----------|--------------|------------|--------------|---------|-----------|---|------|-----------|----------|--|
| 2134313 | L. Michels | 332839 | 994516 | | | C 30 | UNKNOWN | 1455 | | P | W S | | |
| 2134314 | Richardson | 332801 | 994729 | | | | UNKNOWN | 1467 | | T | E I | 10.00 hp | |
| 2134315 | C.A. Richardson | 332756 | 994714 | 08/00/1955 | 49 | | 110ALVM | 1461 | 2 measurements 1956 to 1956 MIN -33.1 MAX -26.9 | T | E I | 15.00 hp | Casing slotted. Pumping level measured at 43.4 ft. on Aug. 23, 1956. |
| 2134316 | C.A. Richardson | 332816 | 994726 | | 28 | C 30 | 110ALVM | 1455 | 1 measurement 1936 -23 | N | G | | Destroyed. |
| 2134317 | M.H. Mansfield | 332931 | 994619 | | | | UNKNOWN | 1412 | | J | E H | | House well. |
| 2134318 | M.H. Mansfield | 332931 | 994612 | 00/00/1930 | | C 30 | UNKNOWN | 1442 | | J | E I | | |
| 2134319 | Fred N. Becker | 332907 | 994515 | | 38 | C 30 | 110ALVM | 1442 | 2 measurements 1936 to 1977 MIN -14.7 MAX -13 | P | W H | | Dug well. |
| 2134320 | J.W. Howell | 332739 | 994513 | | 30 | C 30 | 110ALVM | 1467 | 1 measurement 1936 -13.2 | N | G | | Destroyed. |
| 2134321 | J.W. Howell | 332809 | 994512 | | 43 | C 30 | 110ALVM | 1470 | 1 measurement 1936 -22.5 | P | W G | | Destroyed. |
| 2134322 | Vic Thomas | 332814 | 994646 | | | C 14 | UNKNOWN | 1452 | 1 measurement 1977 -17.6 | T | E I | | Pumping rate measured at 152 gpm on Aug. 6, 1976. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|---------------------------------|----------|-----------|--------------|------------|--------------|---------|----------|--|----------|-----------|--|------|-----------------|--|
| 2134323 | Marvin Mansfield | 332933 | 994608 | | | | | | | UNKNOWN | 1405 | | N | U | Spring. Yield estimated at 100 gpm on Feb. 10, 1957. |
| 2134324 | E.B. Bowden | 332915 | 994542 | | | C 36 | | | | UNKNOWN | 1436 | 1 measurement 1977 -13.3 | P | W U | |
| 2134325 | J.W. Ward | 332807 | 994514 | | | C 6 | | | | UNKNOWN | 1470 | 1 measurement 1977 -20.3 | N | U | |
| 2134326 | V.F. Thomas | 332732 | 994643 | | | | | | | UNKNOWN | 1451 | | S | E H | |
| 2134401 | B.B. Campbell | 332722 | 995230 | 02/00/1955 | 40 | C 14 S 14 | 0 24 | 24 40 | | 110ALVM | 1412 | 2 measurements 1956 to 1956 MIN -6.5 MAX -4.8 | C | E I | Casing slotted. Pumping rate measured at 220 gpm on Aug. 24, 1956. |
| 2134402 | Jack Langford | 332642 | 995005 | 10/00/1955 | 39 | C 14 S 14 | 0 27 | 27 39 | | 110ALVM | 1483 | 48 measurements 1956 to 2007 MIN -29.25 MAX -21.85 | S | E I | North well of three. Historical observation well. |
| 2134403 | Jack Langford | 332640 | 995005 | 10/00/1956 | 38 | C 14 S 14 | 0 26 | 26 38 | | 110ALVM | 1485 | 5 measurements 1956 to 1963 MIN -25.4 MAX -23.7 | T | E I 10.00 hp | South well of three. Former Water-level observation well. |
| 2134404 | W.B. Omohundro Anderson No.1 | 332526 | 995024 | 00/00/1958 | 2562 | | | | | NOT-APPL | 1514 | | N | U | Oil test. E-log No. Q-80. |
| 2134405 | L.L. Glenn | 332720 | 995018 | 03/23/1976 | 28 | C 12 | | | | 110ALVM | 1461 | | T | E I | |
| 2134406 | Fletcher | 332711 | 995032 | | | C 12 | | | | UNKNOWN | 1466 | | T | E I 10.00 hp | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | | Remarks |
|------------|--------------------------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|---|------|-----------|---|---|---------|
| 2134407 | Carl Chafin | 332648 | 995119 | 01/00/1956 | 28 | C 12 | 0 | 21 | 110ALVM | 1446 | 4 measurements 1956 to 1977 MIN -19.2 MAX -17.7 | T | E | I | Slotted 21-28 feet. | |
| 2134408 | Carl Chafin | 332646 | 995118 | 12/00/1954 | 29 | C 12 | 0 | 22 | 110ALVM | 1467 | | T | E | I | Casing slotted. | |
| 2134409 | U.S. Department of Agriculture | 332641 | 995134 | 03/00/1956 | 29 | C 14 | 0 | 20 | 110ALVM | 1468 | | S | E | I | Casing slotted. | |
| 2134410 | B.B. Campbell | 332640 | 995126 | 03/00/1955 | 31 | C 14 | 0 | 19 | 110ALVM | 1469 | 4 measurements 1956 to 1959 MIN -22.7 MAX -20.4 | T | E | I | Casing slotted. | |
| 2134411 | U.S. Department of Agriculture | 332641 | 995124 | 03/00/1955 | 31 | C 14 | 0 | 19 | 110ALVM | 1469 | 1 measurement 1956 -21.1 | J | E | H | Casing slotted. .75 hp | |
| 2134412 | Carl Chafin | 332656 | 995050 | 03/00/1956 | 29 | C 12 | 0 | 22 | 110ALVM | 1465 | | T | E | I | Casing slotted. | |
| 2134413 | W.H. Lankford | 332714 | 995058 | 02/00/1956 | 29 | C 12 | 0 | 21 | 110ALVM | 1464 | | C | E | I | Slotted 21-29 feet. | |
| 2134414 | W.H. Lankford | 332709 | 995051 | 02/00/1956 | 41 | C 12 | 0 | 31 | 110ALVM | 1460 | 3 measurements 1956 to 1959 MIN -26 MAX -24.4 | T | E | I | Casing slotted. Pumping rate measured at 325 gpm with pumping level of 33.5 ft. on Aug. 21, 1956. | |
| 2134415 | W.H. Lankford | 332707 | 995051 | 02/00/1956 | 40 | C 12 | 0 | 30 | 110ALVM | 1466 | 3 measurements 1956 to 1957 MIN -27 MAX -24 | T | E | I | Reported yield 181 GPM with 2 feet recovery in 1956. Aquifer test results unnumbered in TWDB R-98. Test results in TDWR R-226. Data in TWD files. | |
| 2134416 | W.H. Lankford | 332706 | 995053 | 02/00/1956 | 37 | | | | 110ALVM | 1468 | | C | E | I | Slotted 27-37 feet. | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|------------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|---|------|-----------|---|--|
| 2134417 | A.P. Denton | 332630 | 995129 | 12/00/1955 | 28 | C 14 | 0 | 18 | 110ALVM | 1469 | 1 measurement 1956 -22.8 | T | E | I | Slotted 18-28 feet. |
| 2134418 | Mrs. J.S. Wilson | 332616 | 995208 | 03/00/1956 | 30 | C 14 | 0 | 17 | 110ALVM | 1470 | 1 measurement 1956 -20.5 | C | E | I | Slotted 17-29 feet. |
| 2134419 | Mrs. J.S. Wilson | 332614 | 995207 | 03/00/1956 | 29 | C 12 | 0 | 19 | 110ALVM | 1471 | 1 measurement 1956 -20.8 | C | E | I | Slotted 19-29 feet. |
| 2134420 | Mrs. J.S. Wilson | 332601 | 995208 | 02/00/1956 | 32 | C 12 | 0 | 22 | 110ALVM | 1475 | | T | E | I | Slotted 22-32 feet. |
| 2134421 | J.C. McGee | 332528 | 995137 | 03/00/1956 | 49 | C 14 | 0 | 34 | 110ALVM | 1500 | 4 measurements 1956 to 1957 MIN -31.6 MAX -28.3 | T | E | I | Slotted 34-49 feet. |
| 2134422 | A.P. Denton | 332528 | 995124 | 07/00/1955 | 55 | C 14 | 0 | 40 | 110ALVM | 1506 | 3 measurements 1956 to 1977 MIN -36.3 MAX -32.8 | N | | U | Slotted 40-55 feet. Pumping rate measured at 204 gpm with pumping level of 39.2 feet on 8-21-56. |
| 2134423 | B.C. Anderson | 332511 | 995018 | | 50 | | | | 110ALVM | 1533 | 1 measurement 1977 -22.5 | J | E | H | |
| 2134424 | Mrs. Ross Oliver | 332506 | 995154 | 02/00/1955 | 50 | C 14 | 0 | 32 | 110ALVM | 1498 | | T | E | I | Casing slotted. |
| 2134425 | Mrs. Ross Oliver | 332511 | 995155 | 02/00/1955 | 50 | C 14 | 0 | 32 | 110ALVM | 1497 | | T | E | I | Casing slotted. |
| 2134426 | Charles Lankford | 332549 | 995205 | | 20 | C 30 | | | 110ALVM | 1476 | 1 measurement 1936 -11.5 | J | E | H | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|-----------------|----------|-----------|--------------|------------|--------------|----|---|----|---------|-----------|---|------|-----------|---------|--|
| 2134427 | Ulrick Lea | 332512 | 995214 | | 17 | C | 30 | | | 110ALVM | 1485 | 1 measurement 1936 -5 | J | E | H | |
| 2134428 | Ross Oliver | 332623 | 995148 | 00/00/1955 | | C | 14 | | | UNKNOWN | 1471 | 1 measurement 1977 -20.7 | T | E | I | |
| 2134429 | A.R. Forsythe | 332506 | 995117 | | 29 | | | | | 110ALVM | 1503 | 1 measurement 1936 -26.5 | P | W | H | |
| 2134430 | O.A. Green | 332613 | 995042 | 12/00/1955 | 43 | C | 14 | 0 | 23 | 110ALVM | 1490 | 4 measurements 1956 to 1977 MIN -24.2 MAX -21.8 | T | E | I | Casing slotted. Pumping level measured at 37.2 ft. on Aug. 25, 1956. |
| 2134431 | Joe S. Smith | 332643 | 995007 | | 26 | C | 30 | | | 110ALVM | 1481 | | J | E | H | Concrete-lined dug well. |
| 2134432 | J.L. Armstrong | 332721 | 995037 | | 26 | C | 30 | | | 110ALVM | 1465 | 2 measurements 1936 to 1977 MIN -30.5 MAX -19 | N | | U | Concrete-lined dug well. |
| 2134433 | J.L. Armstrong | 332713 | 995038 | | 24 | C | 30 | | | 110ALVM | 1464 | 1 measurement 1936 -14 | N | | U | |
| 2134434 | Ross Oliver | 332521 | 995207 | 00/00/1956 | | C | 6 | | | UNKNOWN | 1485 | | J | E | H | |
| 2134435 | J.H. McGee | 332524 | 995206 | 01/13/1936 | 18 | | | | | 110ALVM | 1480 | 1 measurement 1936 -12 | N | | U | Test hole. |
| 2134436 | Benton Anderson | 332508 | 995045 | | 26 | | | | | 110ALVM | 1514 | 1 measurement 1936 -21 | N | | G | Destroyed. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|--------------------|----------|-----------|--------------|------------|--------------|----|------|---------|-----------|---|------|-----------|---|
| 2134437 | Union Grove School | 332525 | 995206 | | 18 | C | 30 | | 110ALVM | 1486 | | N | G | Destroyed. |
| 2134438 | W.O. Griffit | 332501 | 995218 | | 28 | C | 30 | | 110ALVM | 1492 | 1 measurement 1936 -16 | J | E S | Dug well. |
| 2134439 | C.W. Armstrong | 332641 | 995053 | | 28 | C | 30 | | 110ALVM | 1480 | 1 measurement 1936 -19.5 | N | G | Destroyed. |
| 2134440 | B.B. Campbell | 332649 | 995139 | 00/00/1952 | 29 | C | 12 | 0 17 | 110ALVM | 1466 | 1 measurement 1956 -19.1 | N | G | Casing slotted. Destroyed. |
| 2134441 | B.B. Campbell | 332642 | 995125 | 03/00/1955 | 33 | C | 14 | 0 19 | 110ALVM | 1468 | 1 measurement 1956 -20.6 | N | G | Casing slotted. Destroyed. |
| 2134442 | J.C. McGee | 332531 | 995146 | 03/00/1956 | 38 | C | 14 | 0 25 | 110ALVM | 1492 | 2 measurements 1956 to 1956 MIN -23.8 MAX -20.9 | T | E I | Casing slotted. |
| 2134443 | Joe & Dan Godsey | 332533 | 995026 | | | C | 16 | | UNKNOWN | 1505 | | T | E I | |
| 2134444 | Jim Anderson | 332534 | 995023 | | | C | 16 | | UNKNOWN | 1506 | 1 measurement 1977 -35.2 | S | E I | |
| 2134445 | B.B. Campbell | 332722 | 995127 | | | | | | UNKNOWN | 1445 | | N | S | "Chalk Springs". Flow estimated at 75 gpm in March, 1957. |
| 2134446 | Joe & Dan Godsey | 332532 | 995208 | | | C | 6 | | UNKNOWN | 1485 | 1 measurement 1977 -13.9 | J | E H | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|-----------------------------------|----------|-----------|--------------|------------|--------------|----|---|----|----------|-----------|--|------|-----------|---------|--|
| 2134447 | James Jackson | 332638 | 995003 | | | C | 18 | | | UNKNOWN | 1485 | | S | E | H | |
| 2134501 | Knox City Well #2 (S&S) | 332501 | 994911 | 00/00/1948 | 40 | | | | | 110ALVM | 1532 | 50 measurements 1951 to 2007 MIN -32.84 MAX -15.86 | T | E | N | 20 ft. in diameter cement-lined dug well. Historical observation well. |
| 2134503 | Stanolind Oil & Gas Baker No.1 | 332555 | 994915 | 00/00/1949 | 6186 | | | | | NOT-APPL | 1500 | | N | | U | Oil test. E-log No. Q-244. |
| 2134504 | G.F. Stubbs | 332722 | 994823 | 03/00/1955 | 42 | C | 12 | 0 | 30 | 110ALVM | 1465 | 4 measurements 1956 to 1977 MIN -26.9 MAX -18.8 | T | E | I | Casing slotted. Pumping rate measured at 80 gpm with pumping level of 31.4 ft. on Aug. 23, 1956. |
| 2134505 | Jack Stubbs | 332720 | 994830 | 03/21/1970 | 50 | C | 5 | 0 | 40 | 110ALVM | 1466 | | J | E | H | Casing slotted. Gravel packed. |
| 2134506 | Jack Stubbs | 332700 | 994831 | 05/08/1971 | 40 | C | 5 | 0 | 25 | 110ALVM | 1471 | | N | | U | Casing slotted. Gravel packed. |
| 2134507 | Jack Stubbs | 332700 | 994834 | 00/00/1921 | 20 | C | 30 | | | 110ALVM | 1473 | 1 measurement 1936 -6 | P | W | U | Dug well. |
| 2134508 | Roy Smith | 332724 | 994845 | | | C | 6 | | | UNKNOWN | 1472 | | J | E | S | |
| 2134509 | Roy Smith | 332724 | 994846 | | 22 | C | 24 | | | 110ALVM | 1474 | 1 measurement 1937 -11.5 | N | | G | Destroyed. |
| 2134510 | Leon Watson | 332606 | 994841 | | | | | | | UNKNOWN | 1502 | | J | E | H | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-----------------|----------|-----------|--------------|------------|------------------------------------|---------|-----------|---|------|-----------|--|
| 2134511 | Roy Smith | 332727 | 994844 | 02/00/1955 | 42 | C 14 0 30 S 14 30 42 | 110ALVM | 1471 | 2 measurements 1956 to 1956 MIN -19.3 MAX -18.2 | T | E I | Casing slotted. Pumping level measured at 27.1 ft. on Aug. 30, 1958. |
| 2134512 | E.H. Wheeler | 332510 | 994732 | 00/00/1960 | 35 | | 110ALVM | 1531 | | J | E H | |
| 2134513 | Allen McCoughey | 332606 | 994849 | | 50 | | 110ALVM | 1505 | | J | E H | |
| 2134514 | Oldrick Fodick | 332552 | 994848 | 00/00/1968 | 55 | C 14 | 110ALVM | 1506 | | S | E I | |
| 2134515 | Oldrick Fodick | 332543 | 994856 | 09/01/1971 | 40 | C 6 0 20 S 6 20 35 C 6 35 40 | 110ALVM | 1510 | | J | E H | Casing slotted. Gravel packed. |
| 2134516 | John Crownover | 332611 | 994847 | 03/08/1963 | 52 | C 8 | 110ALVM | 1497 | 1 measurement 1963 -26 | J | E H | |
| 2134517 | Roy Smith | 332728 | 994849 | | | | UNKNOWN | 1471 | | T | E I | |
| 2134518 | W.F. Waldrip | 332702 | 994927 | | 26 | C 30 | 110ALVM | 1480 | 1 measurement 1936 -17.5 | N | G | Dug well. Destroyed. |
| 2134519 | Lloyd Waldrip | 332701 | 994919 | 00/00/1955 | 47 | C 6 | 110ALVM | 1480 | | J | E S | |
| 2134520 | J.M. Rea | 332613 | 994846 | | | | UNKNOWN | 1495 | | J | E H | |
| 2134521 | John Crownover | 332614 | 994846 | | | | UNKNOWN | 1495 | | T | E I | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|---|----------|-----------|--------------|------------|--------------|----|----|----|---------|-----------|---|------|---------------|-----------------------------------|--|
| 2134522 | John Crownover | 332612 | 994847 | 00/00/1960 | 50 | | | | | 110ALVM | 1495 | | S | E H .75 hp | | |
| 2134523 | Neil Perdue | 332623 | 994822 | 08/12/1968 | 50 | | | | | 110ALVM | 1490 | | J | E S | | |
| 2134524 | Leon Watson | 332609 | 994842 | | | | | | | UNKNOWN | 1503 | | T | E I | | |
| 2134525 | Fodick | 332546 | 994855 | | | C | 16 | | | UNKNOWN | 1506 | 1 measurement 1977 -33.3 | J | E H | | |
| 2134526 | R.E. Hackfield | 332540 | 994830 | | | | | | | UNKNOWN | 1510 | | J | E H | | |
| 2134527 | Neil Perdue | 332638 | 994823 | 03/29/1956 | 58 | C | 16 | 0 | 50 | 110ALVM | 1485 | 2 measurements 1956 to 1956 MIN -42.7 MAX -40.5 | T | E H | Casing slotted. | |
| | | | | | | S | 16 | 50 | 58 | | | | | | | |
| 2134528 | Leo Harris | 332510 | 994942 | 03/09/1968 | 33 | C | 12 | | | 110ALVM | 1531 | 2 measurements 1968 to 1977 MIN -19.9 MAX -7 | J | E H | | |
| 2134529 | Salem Hutchinson | 332507 | 994809 | 08/10/1970 | 40 | C | 5 | 0 | 30 | 110ALVM | 1532 | | J | E H | Casing slotted. Gravel packed. | |
| | | | | | | S | 5 | 30 | 40 | | | | | | | |
| 2134530 | Lloyd Stephens | 332503 | 994844 | 06/12/1975 | 35 | C | 7 | | | 110ALVM | 1527 | | J | E H | Casing perforated. Gravel packed. | |
| 2134531 | Fred McWhorter | 332506 | 994844 | 04/25/1975 | 30 | C | 6 | | | 110ALVM | 1527 | | J | E H | Casing perforated. Gravel packed. | |
| 2134532 | Christensen Aviation City of Knox City | 332606 | 994856 | | 50 | | | | | 110ALVM | 1499 | | S | E C | | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-----------------------|----------|-----------|--------------|------------|-------------------------|---------|-----------|---|------|-----------|---|
| 2134533 | E.F. Clay | 332729 | 995000 | | | C 14 | UNKNOWN | 1461 | | T | E I | Pumping rate measured at 155 gpm on Aug. 2, 1956. |
| 2134534 | Ancel Waldrip | 332719 | 994926 | 12/00/1954 | 38 | C 14 0 23 S 14 23 38 | 110ALVM | 1469 | 1 measurement 1956 -20.8 | T | E I | Casing slotted. |
| 2134535 | Ancel Waldrip | 332717 | 994927 | 11/00/1954 | 38 | C 12 0 23 S 12 23 38 | 110ALVM | 1469 | 3 measurements 1956 to 1959 MIN -22.6 MAX -20.6 | T | E I | Casing slotted. |
| 2134536 | Ancel Waldrip | 332717 | 994915 | | | C 14 | UNKNOWN | 1468 | 1 measurement 1977 -20.7 | T | E I | |
| 2134537 | Santa Fe Railroad Co. | 332603 | 994857 | 00/00/1936 | 25 | | 110ALVM | 1500 | 1 measurement 1936 -23 | N | U | Test hole. |
| 2134538 | Mrs. Gore | 332503 | 994819 | | 29 | C 30 | 110ALVM | 1530 | 1 measurement 1936 -25 | P | W H | Dug well. |
| 2134539 | Betty G. Davis | 332503 | 994814 | | 30 | C 30 | 110ALVM | 1535 | 1 measurement 1936 -21 | P | W H | Dug well. |
| 2134540 | C.W. Pullig | 332510 | 994937 | | 25 | | 110ALVM | 1522 | 1 measurement 1936 -19 | J | E H | |
| 2134541 | S.W. Graham | 332600 | 994934 | | 22 | | 110ALVM | 1510 | 1 measurement 1936 -19 | N | U | Test hole |
| 2134542 | M.F. Whitten | 332647 | 994925 | 00/00/1916 | 28 | C 30 | 110ALVM | 1485 | | N | G | Destroyed. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|-----------------|----------|-----------|--------------|------------|--------------|----|---|----|---------|-----------|--|------|-----------|---------|------------------------------|
| 2134543 | Knox City | 332553 | 994906 | 00/00/1966 | 34 | | | | | 110ALVM | 1504 | | T | E | P | |
| 2134544 | E. McAuley | 332506 | 994815 | | | C | 36 | | | UNKNOWN | 1534 | 1 measurement 1977 -27.6 | J | E | S | |
| 2134545 | O.M. White | 332614 | 994825 | | | C | 6 | | | UNKNOWN | 1490 | 1 measurement 1977 -27.1 | T | E | H | |
| 2134546 | F. Stubb | 332643 | 994854 | | | C | 14 | | | UNKNOWN | 1485 | 1 measurement 1977 -21.2 | N | | U | |
| 2134547 | David Perdue | 332621 | 994820 | 06/03/1983 | 45 | C | 5 | 0 | 35 | 110ALVM | 1495 | 2 measurements 1983 to 1988 MIN -35 MAX -25 | S | E | H | |
| 2134548 | Charles Escobar | 332633 | 994906 | | 40 | C | 10 | | | 110ALVM | 1487 | | J | E | H | |
| 2134549 | Jack Stubbs | 332712 | 994806 | | | | | | | UNKNOWN | 1473 | | S | E | S | |
| 2134550 | William Vacek | 332722 | 994921 | | 30 | | | | | 110ALVM | 1475 | | S | E | H | .50 hp |
| 2134551 | Dallas Dykes | 332622 | 994845 | | 40 | | | | | 110ALVM | 1490 | | | | H | |
| 2134601 | | 332607 | 994655 | | 35 | C | 12 | | | 110ALVM | 1507 | 38 measurements 1958 to 1997 MIN -18.4 MAX -11.7 | T | E | I | Historical observation well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|---------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|--|------|-----------|----------|---|
| 2134602 | O.L. Jamison | 332511 | 994536 | 12/00/1954 | 52 | C 14 | 0 | 34 | 110ALVM | 1532 | 10 measurements 1955 to 1977 MIN -34.4 MAX -26.57 | T | E I | 5.00 hp | Casing slotted. Pumping rate measured at 210 gpm with pumping level of 35.6 ft. on July 9, 1959. Former water-level observation well. |
| 2134603 | O.L. Jamison | 332512 | 994518 | 12/00/1954 | 51 | C 14 | 0 | 36 | 110ALVM | 1530 | 10 measurements 1955 to 1965 MIN -33.93 MAX -26.26 | T | L I | | Casing slotted. Pumping rate measured at 520 gpm with pumping level of 39.9 ft. on July 9, 1956. Former water-level observation well. |
| 2134604 | Joe Davis | 332703 | 994550 | 08/24/1972 | 6 | | | | 110ALVM | 1470 | | N | U | | Test hole. |
| 2134605 | Joe Davis | 332704 | 994551 | 08/24/1972 | 4 | | | | 110ALVM | 1466 | | N | U | | Test hole. |
| 2134606 | J.W. Ward | 332727 | 994517 | 06/00/1956 | 47 | C 14 | 0 | 38 | 110ALVM | 1468 | 2 measurements 1956 to 1977 MIN -20.1 MAX -14.1 | T | L I | | Casing slotted. |
| 2134607 | Bellinghausen | 332726 | 994612 | | | | | | UNKNOWN | 1459 | | T | E I | | |
| 2134608 | S.N. Reed | 332726 | 994616 | 01/00/1956 | 34 | C 14 | 0 | 19 | 110ALVM | 1459 | | C | E I | 20.00 hp | Casing slotted. |
| 2134609 | S.N. Reed | 332725 | 994616 | 01/00/1956 | 34 | C 16 | 0 | 19 | 110ALVM | 1459 | 3 measurements 1956 to 1959 MIN -14.6 MAX -12.5 | C | E I | 20.00 hp | Casing slotted. |
| 2134610 | S.N. Reed | 332724 | 994616 | 01/00/1956 | 34 | C 16 | 0 | 19 | 110ALVM | 1459 | 2 measurements 1956 to 1977 MIN -12.7 MAX -9.1 | C | E I | 7.50 hp | Casing slotted. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|---------------|----------|-----------|--------------|------------|--------------|----|------|---------|-----------|---|------|-----------|---------|--|
| 2134611 | S.N. Reed | 332726 | 994617 | | | C | 12 | | UNKNOWN | 1459 | | T | E | I | 5.00 hp |
| 2134612 | G.F. Stubbs | 332722 | 994710 | 01/00/1956 | 42 | C | 12 | 0 32 | 110ALVM | 1472 | | T | E | I | Casing slotted. 3.00 hp |
| 2134613 | G.F. Stubbs | 332724 | 994709 | 03/00/1956 | 42 | C | 12 | 0 32 | 110ALVM | 1471 | 3 measurements 1956 to 1977 MIN -32 MAX -25.4 | T | E | I | Casing slotted. 3.00 hp |
| 2134614 | J.C. Saunders | 332652 | 994700 | 12/00/1956 | 41 | C | 14 | 0 24 | 110ALVM | 1473 | 1 measurement 1956 -17.8 | C | E | I | Casing slotted. 3.00 hp |
| 2134615 | G.F. Stubbs | 332724 | 994711 | 01/00/1956 | 41 | C | 12 | 0 31 | 110ALVM | 1472 | 1 measurement 1956 -27.3 | T | E | I | Casing slotted. 3.00 hp |
| 2134616 | C. Bohannon | 332609 | 994653 | 01/00/1956 | 26 | C | 14 | 0 16 | 110ALVM | 1507 | 3 measurements 1956 to 1958 MIN -12.6 MAX -11.8 | N | G | | Casing slotted. Pumping rate measured at 150 gpm with a pumping level of 23.8 ft. on July 26, 1956. Destroyed. |
| 2134617 | J.W. Smith | 332555 | 994709 | | | C | 14 | | UNKNOWN | 1512 | | T | E | I | 5.00 hp |
| 2134618 | W.H. Freeman | 332639 | 994515 | 01/00/1956 | 43 | C | 14 | 0 28 | 110ALVM | 1503 | 3 measurements 1956 to 1977 MIN -17.3 MAX -14.3 | C | E | I | Casing slotted. 10.00 hp |
| 2134619 | V.F. Thomas | 332621 | 994527 | 03/00/1956 | 54 | C | 14 | 0 21 | 110ALVM | 1506 | 2 measurements 1956 to 1956 MIN -22.4 MAX -18.2 | T | E | I | Casing slotted. Pumping rate measured at 260 gpm with a pumping level of 31.0 ft. on Aug. 15, 1956. |
| 2134620 | D.B. Whitford | 332641 | 994506 | 11/00/1954 | 42 | S | 14 | 0 27 | 110ALVM | 1502 | 2 measurements 1956 to 1956 MIN -21.9 MAX -15.2 | T | E | I | Casing slotted. Pumping rate measured at 113 gpm with a pumping level of 35.8 ft. on Aug. 25, 1956. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|--------------|----------|-----------|--------------|------------|--------------|----|---|----|---------|-----------|---|------|-----------|---------|--|
| 2134621 | J.J. Simmons | 332631 | 994519 | | | C | 14 | | | UNKNOWN | 1500 | | T | E | I | 10.00 hp |
| 2134622 | V.S. Moore | 332604 | 994548 | | 51 | C | 16 | | | 100ALVM | 1506 | 1 measurement 1976 -28.7 | T | E | I | 15.00 hp Pumping rate measured at 335 GPM with pumping level of 37 feet on Aug. 20, 1976. Aquifer test results in TDWR R-226. Data in TWDB files. |
| 2134623 | W.C. Elliott | 332606 | 994550 | | 18 | C | 30 | | | 110ALVM | 1505 | 1 measurement 1936 -9 | P | W | H | Concrete-lined dug well. |
| 2134624 | Roy Day | 332627 | 994700 | | 22 | C | 30 | | | 110ALVM | 1488 | 1 measurement 1936 -11 | J | E | H | Dug well. |
| 2134625 | Marvin James | 332557 | 994646 | 04/10/1968 | 38 | C | 18 | | | 110ALVM | 1513 | 1 measurement 1968 -8 | T | E | I | 10.00 hp Casing perforated. Gravel packed. Pump set at 30 ft. Drawdown 4 ft. after 8 hrs pumping 100 gpm. |
| 2134626 | James Albus | 332539 | 994655 | 00/00/1973 | | | | | | UNKNOWN | 1530 | | N | | U | |
| 2134627 | O.L. Jamison | 332519 | 994506 | 00/00/1954 | 51 | C | 14 | 0 | 36 | 110ALVM | 1528 | 1 measurement 1954 -27.5 | T | E | I | Casing slotted. Pumping rate measured at 425 gpm with a pumping level of 40.6 ft. on July 9, 1956. |
| 2134628 | O.L. Jamison | 332546 | 994556 | 00/00/1955 | 45 | C | 14 | 0 | 33 | 110ALVM | 1510 | | N | | U | Casing slotted. |
| 2134629 | O.L. Jamison | 332528 | 994541 | 02/00/1956 | 47 | C | 14 | 0 | 32 | 110ALVM | 1530 | 1 measurement 1956 -30.6 | T | E | I | Casing slotted. |
| 2134630 | O.L. Jamison | 332530 | 994537 | 02/00/1955 | 46 | C | 14 | 0 | 31 | 110ALVM | 1528 | 2 measurements 1956 to 1956 MIN -28 MAX -27.9 | T | E | I | 5.00 hp Casing slotted. Pumping level measured at 36.8 ft. July 9, 1956. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | | Remarks |
|------------|-----------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|---|------|-----------|---|---|---------|
| 2134631 | W.H. Clonts | 332538 | 994524 | 01/00/1956 | 47 | C 14 | 0 | 32 | 110ALVM | 1524 | 2 measurements 1956 to 1956 MIN -23.3 MAX -23.3 | T | E | I | Casing slotted. Pumping rate measured at 245 gpm with a pumping level of 34.9 ft. on July 26, 1956. | |
| 2134632 | W.H. Clonts | 332557 | 994552 | 01/00/1956 | 48 | C 14 | 0 | 33 | 110ALVM | 1507 | | T | E | I | Casing slotted. | |
| 2134633 | W.H. Clonts | 332601 | 994553 | 01/00/1956 | 48 | C 14 | | | 110ALVM | 1503 | 4 measurements 1956 to 1977 MIN -12.7 MAX -10 | T | E | I | Casing slotted. Pumping level measured at 38.5 ft. on July 26, 1956. | |
| 2134634 | C.O. Jameson | 332518 | 994554 | | 29 | C 30 | | | 110ALVM | 1519 | 1 measurement 1936 -22 | N | | U | Cement-lined dug well. | |
| 2134635 | J.E. McPhearson | 332513 | 994650 | | 50 | C 30 | | | 110ALVM | 1540 | 1 measurement 1936 -42 | J | E | H | Cement-lined dug well. | |
| 2134636 | Horace Roberts | 332503 | 994603 | | 31 | | | | 110ALVM | 1525 | 1 measurement 1936 -27 | N | | G | Dug well. Destroyed. | |
| 2134637 | J.P. Hester | 332506 | 994704 | | 44 | C 30 | | | 110ALVM | 1542 | 2 measurements 1936 to 1977 MIN -40 MAX -38.1 | N | | U | Unused domestic well. | |
| 2134638 | W.H. Freeman | 332647 | 994515 | 01/00/1956 | 43 | C 14 | 0 | 28 | 110ALVM | 1498 | 2 measurements 1956 to 1956 MIN -21.5 MAX -13.6 | C | E | I | Casing slotted. Pumping rate measured at 162 gpm with a pumping level of 37.5 ft. on July 27, 1956. | |
| 2134639 | G.F. Branton | 332513 | 994504 | 12/10/1936 | 19 | | | | 110ALVM | 1527 | | N | | U | Test hole. | |
| 2134640 | G.W. Hammons | 332601 | 994615 | | 23 | C 30 | | | 110ALVM | 1512 | 1 measurement 1936 -14.5 | P | W | H | Dug well. | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-----------------|----------|-----------|--------------|------------|--------------|---------|--|---------|-----------|---|------|---------------|--|
| 2134641 | T.F. Dzolferson | 332605 | 994706 | | 21 | C | 30 | | 110ALVM | 1508 | 1 measurement 1936 -13 | P | W H | Dug well. |
| 2134642 | G.F. Stubbs | 332719 | 994710 | 01/00/1956 | 37 | C | 12 0 27 | | 110ALVM | 1472 | 2 measurements 1956 to 1956 MIN -26 MAX -24.3 | N | G | Casing slotted. Destroyed. |
| 2134643 | J.C. Saunders | 332724 | 994658 | 01/00/1956 | 44 | C | 14 0 35 | | 110ALVM | 1463 | 3 measurements 1956 to 1959 MIN -27.1 MAX -25.8 | N | G | Casing slotted. Pumping rate measured at 175 gpm with a pumping level of 38.0 ft. on July 27, 1956. Destroyed. |
| 2134644 | S.S. Darnell | 332511 | 994631 | | | C | 36 | | UNKNOWN | 1524 | 1 measurement 1977 -22.8 | N | U | Dug well. |
| 2134645 | L.W. Cypert | 332527 | 994714 | | | C | 20 | | UNKNOWN | 1519 | 1 measurement 1977 -19.7 | T | L I | |
| 2134646 | Sterling Lewis | 332727 | 994722 | | | C | 14 | | UNKNOWN | 1470 | | S | E I | |
| 2134647 | Sterling Lewis | 332726 | 994723 | | 45 | | | | 110ALVM | 1469 | | J | E H | |
| 2134648 | Jimmy Ray Albus | 332626 | 994637 | | 35 | C | 6 | | 110ALVM | 1497 | | S | E U .50 hp | |
| 2134649 | James Albus | 332539 | 994655 | 08/00/1989 | 57 | | | | 110ALVM | 1530 | 1 measurement 1989 -45 | S | E H | Casing slotted. |
| 2134705 | | 332428 | 995111 | | | C | 6 | | UNKNOWN | 1516 | 1 measurement 1977 -5.5 | P | W S | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|-------------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|---|------|-----------|---|----------------------------------|
| 2134706 | Russell Boyd | 332400 | 995112 | 03/00/1956 | 24 | C 14 | 0 | 12 | 110ALVM | 1535 | 3 measurements 1956 to 1977 MIN -16.3 MAX -7.2 | J | E | I | Casing slotted. North well of 4. |
| 2134712 | J.H. McGee | 332426 | 995013 | | 53 | | | | 110ALVM | 1541 | 1 measurement 1936 -25 | J | E | H | |
| 2134713 | W.R. Jones | 332451 | 995053 | | 19 | | | | 110ALVM | 1520 | 1 measurement 1936 -15 | N | | G | Dug well. Destroyed. |
| 2134715 | Mrs. T.H. Pennell | 332457 | 995153 | | 14 | | | | 110ALVM | 1492 | | P | W | H | |
| 2134716 | W.O. Griffit | 332431 | 995200 | | 42 | C 30 | | | 110ALVM | 1506 | 1 measurement 1936 -22.5 | N | | U | |
| 2134717 | E.R. Carpenter | 332442 | 995205 | 10/00/1955 | 44 | C 14 | 0 | 29 | 110ALVM | 1507 | 2 measurements 1956 to 1956 MIN -36.2 MAX -35.1 | S | E | I | Casing slotted. 10.00 hp |
| 2134718 | E.R. Carpenter | 332434 | 995202 | 10/00/1955 | 43 | C 14 | 0 | 28 | 110ALVM | 1506 | 4 measurements 1956 to 1977 MIN -33.7 MAX -25.8 | T | E | I | Casing slotted. |
| 2134719 | J.M. Tidwell | 332452 | 995119 | | 15 | C 30 | | | 110ALVM | 1513 | 1 measurement 1936 -9 | J | E | S | |
| 2134720 | W.O. Griffit | 332406 | 995146 | | 23 | C 30 | | | 110ALVM | 1515 | 1 measurement 1936 -8.6 | N | | U | Unused domestic well. |
| 2134721 | W.O. Griffit | 332407 | 995144 | | 13 | C 30 | | | 110ALVM | 1514 | 1 measurement 1936 -5 | N | | U | Unused domestic well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|---------------|----------|-----------|--------------|------------|---------------------------------------|--|--|--|---------|-----------|--|-----------------|-----------|---|
| 2134724 | Bernard | 332419 | 995003 | | | | | | | UNKNOWN | 1543 | | N | U | Unused irrigation well. |
| 2134726 | L.C. Hinney | 332411 | 995230 | | 18 | C 30 | | | | 110ALVM | 1513 | 1 measurement 1936 -8.5 | J | E H | Dug well. |
| 2134727 | A.L. Lea | 332456 | 995226 | | 28 | C 6 | | | | 110ALVM | 1490 | 1 measurement 1936 -18 | N | G | Destroyed. |
| 2134729 | J. M. Tidwell | 332452 | 995132 | 11/22/1982 | 39 | C 5 0 29 S 5 29 39 | | | | 110ALVM | 1498 | | S E S .50 hp | | |
| 2134801 | Cornella King | 332454 | 994815 | 00/00/1953 | 54 | C 14 0 20 S 14 20 35 C 14 35 54 | | | | 110ALVM | 1533 | 6 measurements 1954 to 1960 MIN -33.2 MAX -29.43 | J E H .33 hp | | Former water-level observation well. |
| 2134802 | Knox City | 332456 | 994927 | 00/00/1930 | 38 | | | | | 110ALVM | 1530 | 11 measurements 1944 to 1962 MIN -22.94 MAX -17.14 | C E I | | Dug well. 12 x 12 ft., concrete lined . West well of 2. Former water-level observation well. |
| 2134803 | C.H. Cornett | 332417 | 994806 | 03/00/1956 | 56 | C 14 0 36 S 14 36 56 | | | | 110ALVM | 1555 | 2 measurements 1956 to 1977 MIN -40.4 MAX -39.1 | C E I | | Casing slotted. |
| 2134804 | Robert Estate | 332407 | 994753 | 03/00/1955 | 51 | C 14 0 36 S 14 36 51 | | | | 110ALVM | 1548 | 2 measurements 1956 to 1956 MIN -31.1 MAX -30.9 | T E I | | Casing slotted. Pumping rate measured at 100 gpm with a pumping level of 43.5 ft. on July 25, 1956. |
| 2134805 | W.H. Cornett | 332423 | 994759 | | 52 | C 30 | | | | 110ALVM | 1555 | 1 measurement 1936 -40 | N | U | Dug well. |
| 2134806 | Knox City | 332442 | 994835 | | | C 14 | | | | UNKNOWN | 1539 | 1 measurement 1977 -31.3 | N | U | Unused public supply well. West well of 2. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-----------------|----------|-----------|--------------|------------|-------------------------|---------|-----------|---|------|-----------|--|
| 2134807 | Knox City | 332441 | 994833 | | | | UNKNOWN | 1540 | | N | U | Unused public supply well. East well of 2. |
| 2134828 | T.E. Robbins | 332404 | 994905 | | | C 36 | UNKNOWN | 1550 | | J | E H | |
| 2134829 | J.P. Hester | 332413 | 994852 | | 43 | C 30 | 110ALVM | 1546 | 1 measurement 1936 -35 | N | G | Dug well. Destroyed. |
| 2134830 | L.W. Coates | 332414 | 994840 | | 53 | C 30 | 110ALVM | 1550 | 1 measurement 1936 -42 | N | G | Dug well. Destroyed. |
| 2134831 | George McNeil | 332425 | 994842 | 00/00/1960 | 40 | | 110ALVM | 1549 | | J | E H | |
| 2134832 | Gene Burt | 332430 | 994839 | 00/00/1972 | 51 | C 6 | 110ALVM | 1546 | | J | E H | |
| 2134833 | Mrs. C.J. Reese | 332436 | 994818 | | 52 | C 30 | 110ALVM | 1546 | 1 measurement 1936 -39 | J | E H | |
| 2134834 | C. H. Cornett | 332428 | 994819 | | 36 | C 36 | 110ALVM | 1550 | | S | E I | |
| 2134835 | Reed | 332435 | 994838 | 00/00/1954 | 45 | | 110ALVM | 1544 | | T | E U | |
| 2134836 | Goodson | 332423 | 994845 | | | | UNKNOWN | 1545 | | N | U | |
| 2134837 | E.A. Egenbacher | 332419 | 994959 | 01/00/1956 | 45 | C 14 0 15 S 14 15 45 | 110ALVM | 1545 | 4 measurements 1956 to 1977 MIN -26 MAX -20.2 | T | E I | Casing slotted. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|------------------------|----------|-----------|--------------|------------|-----------------------|---------|-----------|------------------------------|------|-----------|----------------------------------|
| 2134839 | W.C. Colson | 332458 | 994832 | 07/26/1963 | 52 | | 110ALVM | 1531 | | J | E H | |
| 2134840 | R.C. Edwards | 332444 | 994933 | 03/12/1972 | 30 | C 5 0 20 S 5 20 30 | 110ALVM | 1533 | | J | E H | Casing slotted. Gravel packed. |
| 2134845 | Steve Pepper | 332419 | 994958 | 00/00/1953 | 55 | C 14 | 110ALVM | 1545 | | J | E H | |
| 2134846 | Knox City Country Club | 332427 | 994922 | 00/00/1958 | | | UNKNOWN | 1539 | 1 measurement 1977 -24 | J | E H | |
| 2134847 | Bernard | 332443 | 994952 | | | | UNKNOWN | 1548 | | T | E I | |
| 2134848 | Mrs. Pyte | 332447 | 994809 | | 46 | C 30 | 110ALVM | 1521 | 1 measurement 1936 -30 | N | G | Dug well. Destroyed. |
| 2134849 | Salem Hutchinson | 332354 | 994750 | | 41 | C 30 | 110ALVM | 1548 | 1 measurement 1936 -32 | P | W H | |
| 2134850 | Webb | 332415 | 994937 | | 24 | C 36 | 110ALVM | 1525 | 1 measurement 1936 -18 | N | G | Brick-lined dug well. Destroyed. |
| 2134853 | Thelma Taylor | 332414 | 994756 | 05/20/1981 | 50 | C 5 | 110ALVM | 1548 | 1 measurement 1981 -6 | | H | |
| 2134854 | Samuel Tankersley | 332428 | 994918 | 00/00/1960 | 45 | | 110ALVM | 1541 | | J | E H | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|--------------------------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|---|------|-----------|---|---|
| 2134855 | City of Knox City park well | 332455 | 994904 | 06/07/2005 | 48 | C 5 | 0 | 36 | 110ALVM | 1529 | 3 measurements 2005 to 2010 MIN -22 MAX -19.5 | S | E | I | |
| 2134914 | D.H. Henry | 332441 | 994524 | 02/00/1955 | 46 | C 14 | 0 | 26 | 110ALVM | 1529 | 2 measurements 1956 to 1956 MIN -22.9 MAX -22.1 | S | E | I | Casing slotted. 10.00 hp |
| 2134915 | D.H. Henry | 332434 | 994516 | 02/00/1955 | 45 | C 14 | 0 | 25 | 110ALVM | 1528 | 1 measurement 1956 -20.5 | T | E | I | Casing slotted. 5.00 hp |
| 2134916 | A.B. Lowry | 332432 | 994540 | | 39 | C 30 | | | 110ALVM | 1544 | 1 measurement 1936 -26 | P | W | H | Dug well. |
| 2134917 | Lynn Tankersley | 332418 | 994534 | 03/00/1954 | 58 | C 14 | 0 | 38 | 110ALVM | 1539 | 3 measurements 1956 to 1977 MIN -32.4 MAX -27.9 | T | E | I | Casing slotted. 7.50 hp |
| 2134918 | Lynn Tankersley | 332406 | 994539 | 07/00/1955 | 54 | C 14 | 0 | 38 | 110ALVM | 1536 | 1 measurement 1956 -24.9 | T | L | I | Casing slotted. Pumping rate measured at 302 gpm with a pumping level of 43.9 ft. on July 25, 1956. |
| 2134919 | E.L. Tankersley | 332359 | 994531 | 02/00/1955 | 58 | C 14 | 0 | 38 | 110ALVM | 1532 | 1 measurement 1956 -20.9 | T | L | I | Casing slotted. |
| 2134920 | A.B. Lowry | 332426 | 994546 | | | C 14 | | | UNKNOWN | 1540 | | T | E | I | Pumping rate measured at 98 gpm on Aug. 2, 1976. |
| 2134921 | Lynn Tanersley | 332420 | 994625 | 03/00/1954 | 58 | C 14 | 0 | 38 | 110ALVM | 1550 | 2 measurements 1956 to 1977 MIN -41 MAX -36 | N | | U | Casing slotted. |
| 2134922 | Lynn Tankersley | 332430 | 994623 | 03/00/1955 | 61 | C 14 | 0 | 41 | 110ALVM | 1540 | 1 measurement 1956 -29.7 | T | E | I | Casing slotted. Pumping rate measured at 220 gpm with a pumping level of 59.9 ft. on July 25, 1976. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | | Remarks |
|------------|-----------------------|----------|-----------|--------------|------------|--------------|---|----|----------|-----------|--|------|-----------|---|---------|---|
| 2134923 | J.M. Bradberry | 332433 | 994651 | 04/00/1955 | 50 | C 14 | 0 | 35 | 110ALVM | 1547 | 3 measurements 1956 to 1959 MIN -35.1 MAX -32.9 | T | E | I | 5.00 hp | Casing slotted. |
| 2134924 | J.M. Bradberry | 332430 | 994652 | 02/00/1956 | 52 | C 14 | 0 | 37 | 110ALVM | 1547 | 1 measurement 1956 -31.5 | N | | U | | Casing slotted. |
| 2134925 | Woodward Brothers | 332418 | 994710 | | 46 | C 30 | | | 110ALVM | 1543 | 2 measurements 1936 to 1977 MIN -30 MAX -24.9 | P | W | H | | Dug well. |
| 2134938 | H.T. Gibbson | 332431 | 994600 | | 34 | C 30 | | | 110ALVM | 1534 | 1 measurement 1936 -7 | N | | U | | Concrete-lined dug well. |
| 2134948 | Mrs. J.B. Watson | 332414 | 994657 | | 54 | C 30 | | | 110ALVM | 1556 | 1 measurement 1936 -40 | P | W | H | | Dug well. |
| 2134949 | Horace Roberts | 332433 | 994601 | | 47 | C 30 | | | 110ALVM | 1534 | 1 measurement 1936 -36 | N | | U | | Dug well. |
| 2134953 | Texas Co.-Teague No.1 | 332416 | 994700 | 00/00/1927 | 3560 | | | | NOT-APPL | 1552 | | N | | U | | Oil test. |
| 2135101 | City of Benjamin | 332922 | 994334 | 08/00/1955 | 51 | C 12 | 0 | 35 | 110ALVM | 1456 | 12 measurements 1957 to 1971 MIN -29.85 MAX -28.27 | T | E | P | 5.00 hp | Casing slotted. East well of 2. Former water-level observation well. |
| 2135102 | H.H. Partridge | 332825 | 994416 | | 40 | C 30 | | | 110ALVM | 1479 | 27 measurements 1955 to 1981 MIN -36.74 MAX -22.68 | P | W | H | | Former water-level observation well. |
| 2135103 | City of Benjamin | 332921 | 994350 | 12/00/1954 | 45 | C 12 | 0 | 35 | 110ALVM | 1450 | 6 measurements 1955 to 2006 MIN -23.48 MAX -15.28 | T | E | P | 5.00 hp | Casing slotted. Former water-level observation well. West Well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|-------------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|--|------|-----------|---|---|
| 2135104 | Herbert Partridge | 332823 | 994418 | 12/00/1954 | 68 | C 14 | 0 | 50 | 110ALVM | 1480 | 8 measurements 1955 to 1962 MIN -33.7 MAX -27.97 | T | E | I | Casing slotted. Former water-level observation well. |
| 2135105 | R.D. Adams | 332959 | 994414 | | | | | | UNKNOWN | 1405 | | N | | U | Spring. |
| 2135106 | R.D. Adams | 332959 | 994435 | | | | | | UNKNOWN | 1415 | | N | | U | Spring. |
| 2135107 | J. Michels | 332925 | 994301 | 02/00/1955 | 46 | C 14 | | | 110ALVM | 1455 | 3 measurements 1956 to 1959 MIN -29.3 MAX -23.8 | T | E | I | Pumping rate measured at 110 gpm with pumping level of 39.7 ft. on Aug. 29, 1956. |
| 2135108 | George Wall | 332905 | 994351 | 02/00/1955 | 54 | C 14 | 0 | 37 | 110ALVM | 1455 | 2 measurements 1956 to 1956 MIN -25.4 MAX -22.7 | T | E | I | Casing slotted. |
| 2135109 | George Wall | 332915 | 994358 | 02/00/1956 | 49 | C 14 | 0 | 34 | 110ALVM | 1453 | 3 measurements 1956 to 1959 MIN -22.4 MAX -19.5 | T | L | I | Casing slotted. Pumping rate measured at 455 gpm with pumping level of 34.7 ft. on Aug. 25, 1956. |
| 2135110 | T. Hertel | 332936 | 994352 | 00/00/1956 | | | | | UNKNOWN | 1448 | 3 measurements 1956 to 1977 MIN -23.9 MAX -23.4 | T | E | I | |
| 2135111 | H. Jungman | 332952 | 994320 | | 42 | | | | 112SYMR | 1442 | | N | | U | |
| 2135112 | J.G. Hawkins | 332824 | 994344 | 10/00/1955 | 55 | C 14 | 0 | 40 | 110ALVM | 1470 | 2 measurements 1956 to 1956 MIN -24.7 MAX -21.4 | T | E | I | Casing slotted. Pumping rate measured at 410 gpm with a pumping level of 42.6 ft. on Aug. 29, 1956. |
| 2135113 | J.G. Hawkins | 332823 | 994318 | 02/00/1955 | 46 | C 14 | 0 | 21 | 110ALVM | 1470 | 4 measurements 1956 to 1977 MIN -24.9 MAX -16.9 | T | E | I | Casing slotted. Pumping rate measured at 140 gpm with a pumping level of 39.4 ft. on Aug. 29, 1956. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|---------------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|---|------|-----------|---------|--|
| 2135114 | J. Hawkins | 332826 | 994304 | | 47 | | | | 110ALVM | 1470 | | T | E | I | |
| 2135115 | J. Michels | 332912 | 994431 | 00/00/1955 | 39 | C 14 | 0 | 24 | 110ALVM | 1447 | 2 measurements 1956 to 1977 MIN -15.8 MAX -15.4 | T | E | I | Casing slotted. |
| 2135116 | League Davis Estate | 332936 | 994427 | 00/00/1956 | 30 | C 10 | 0 | 25 | 110ALVM | 1438 | 2 measurements 1956 to 1977 MIN -16.5 MAX -15.7 | C | E | U | Casing slotted. Abandoned when visited in Feb. 1976. |
| 2135117 | League Davis Estate | 332936 | 994426 | 03/00/1956 | 30 | C 14 | 0 | 25 | 110ALVM | 1438 | 1 measurement 1956 -15.9 | C | E | U | Casing slotted. Abandoned when visited in Feb. 1976. |
| 2135118 | League Davis Estate | 332937 | 994424 | 02/00/1956 | 30 | C 10 | 0 | 25 | 110ALVM | 1438 | 2 measurements 1956 to 1956 MIN -17.6 MAX -15.8 | C | E | U | Casing slotted. Abandoned when visited in Feb. 1976. |
| 2135119 | J.W. Ward | 332803 | 994434 | 08/00/1956 | 55 | C 14 | 0 | 43 | 110ALVM | 1478 | | T | L | I | Casing slotted. |
| 2135120 | J. Michels | 332909 | 994421 | 00/00/1955 | 38 | S 14 | 0 | 23 | 110ALVM | 1452 | | T | E | I | Casing slotted. |
| 2135121 | J.G. Hawkins | 332815 | 994348 | 00/00/1955 | 52 | C 14 | 0 | 37 | 110ALVM | 1471 | | T | L | I | Casing slotted. Pumping rate. measured at 240 gpm with a pumping level of 42.2 ft. on Aug. 29, 1956. |
| 2135122 | R. C. Partridge | 332749 | 994306 | 01/00/1956 | 46 | C 12 | 0 | 30 | 112SYMR | 1471 | 3 measurements 1956 to 1959 MIN -12.5 MAX -10.7 | T | L | I | Casing slotted. Pumping rate measured at 240 gpm with a pumping level of 42.2 ft. on Aug. 29, 1956. |
| 2135123 | R.C. Partridge | 332738 | 994306 | | 24 | C 30 | | | 112SYMR | 1480 | 2 measurements 1936 to 1977 MIN -18 MAX -14.8 | P | W | H | Dug well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|---------------|----------|-----------|--------------|------------|-------------------------|---------|-----------|---|------|-----------|---|
| 2135124 | Jack Idol | 332849 | 994348 | 00/00/1954 | 48 | C 14 0 33 S 14 33 48 | 110ALVM | 1461 | 1 measurement 1956 -16.8 | T | L I | Casing slotted. Pumping level measured at 41.5 ft. on Aug. 8, 1956. |
| 2135125 | Jungman | 332941 | 994316 | 07/26/1964 | 31 | | 110ALVM | 1446 | | N | U | Test hole. |
| 2135126 | Jungman | 332946 | 994318 | 07/26/1964 | 33 | | 110ALVM | 1443 | | N | U | Test hole. |
| 2135127 | Jungman | 332946 | 994309 | 07/26/1964 | | | UNKNOWN | 1443 | | N | U | Test hole. |
| 2135128 | Hertel | 332945 | 994333 | | | | UNKNOWN | 1449 | | J | E H | |
| 2135129 | H.F. Jungman | 332958 | 994320 | 02/00/1956 | 36 | C 14 0 24 S 14 24 36 | 112SYMR | 1440 | 4 measurements 1956 to 1977 MIN -20 MAX -17.1 | T | L I | Casing slotted. Pumping rate measured at 196 gpm on Aug. 21, 1956. |
| 2135130 | Partridge | 332814 | 994417 | | | C 14 | UNKNOWN | 1472 | | T | E I | Pumping rate measured at 382 gpm on Aug. 3, 1976. |
| 2135131 | Jimmy Harper | 332821 | 994433 | 02/02/1973 | 65 | C 16 | 110ALVM | 1475 | | | I | |
| 2135132 | Louise Ingram | 332806 | 994420 | | 22 | C 30 | 110ALVM | 1468 | 1 measurement 1936 -13 | P | W U | Concrete-lined dug well. |
| 2135133 | C.E. Rogers | 332814 | 994319 | | 28 | C 30 | 110ALVM | 1472 | 1 measurement 1936 -13 | P | W H | Concrete-lined dug well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|----------------|----------|-----------|--------------|------------|-------------------------|---------|-----------|--------------------------------|------|-----------|----------------------------|
| 2135134 | John Michels | 332937 | 994407 | | 25 | C 30 | 110ALVM | 1447 | 1 measurement 1936 -21.7 | P | W H | Concrete-lined dug well. |
| 2135135 | T.D. Hertel | 332953 | 994356 | | 40 | C 30 | 110ALVM | 1453 | 1 measurement 1936 -36 | P | W H | Concrete-lined dug well. |
| 2135136 | H.H. Partridge | 332824 | 994416 | 10/11/1954 | | | UNKNOWN | 1480 | | J | E H | |
| 2135137 | Scott | 332849 | 994420 | | | | UNKNOWN | 1466 | | J | E H | |
| 2135138 | H.E. Wall | 332904 | 994357 | | | | UNKNOWN | 1455 | | J | E H | |
| 2135139 | T.B. Hertel | 332921 | 994332 | | | | UNKNOWN | 1455 | | J | E H | |
| 2135140 | G.E. Rodgers | 332904 | 994331 | | | | UNKNOWN | 1454 | | J | E H | |
| 2135141 | League Ranch | 332936 | 994440 | 00/00/1943 | 27 | | 110ALVM | 1436 | | J | E H | |
| 2135142 | E.C. Clayburn | 332814 | 994452 | | | | UNKNOWN | 1469 | | J | E H | |
| 2135143 | Robert Hertel | 332948 | 994324 | | | | UNKNOWN | 1445 | | J | E H | |
| 2135144 | J.W. Ward | 332759 | 994457 | 06/00/1956 | 49 | C 14 0 39 S 14 39 49 | 110ALVM | 1475 | 1 measurement 1956 -20.2 | N | G | Casing slotted. Destroyed. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | | Remarks |
|------------|----------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|---|------|-----------|---|--|---------|
| 2135201 | Joe Voss | 332738 | 994141 | 00/00/1952 | 62 | C 14 | 0 | 32 | 112SYMR | 1503 | 48 measurements 1956 to 2007 MIN -42.2 MAX -24.1 | T | E | I | Casing slotted. Historical observation well. | |
| 2135202 | Lila Stroud | 332749 | 994123 | 07/00/1954 | 66 | C 14 | 0 | 16 | 112SYMR | 1505 | 4 measurements 1956 to 1959 MIN -29.65 MAX -26.29 | T | L | I | Casing slotted. Former water-level observation well. | |
| 2135203 | J.D. Wright | 332931 | 994203 | 02/00/1955 | 51 | C 12 | 0 | 37 | 110ALVM | 1454 | 1 measurement 1956 -22.3 | T | E | I | Casing slotted. | |
| 2135204 | Eugene Michels | 332949 | 994114 | 06/00/1954 | 43 | C 12 | 0 | 28 | 110ALVM | 1448 | | T | E | I | Casing slotted.eet. | |
| 2135205 | Eugene Michels | 332948 | 994122 | 03/00/1953 | 45 | C 12 | 0 | 30 | 110ALVM | 1450 | 1 measurement 1956 -19.4 | T | E | I | Casing slotted. 10.00 hp | |
| 2135206 | C.C. Burns | 332828 | 994048 | | 23 | C 30 | | | 112SYMR | 1487 | 2 measurements 1936 to 1977 MIN -14.8 MAX -10 | P | H | H | Dug well. | |
| 2135207 | H.M. Michael | 332939 | 994104 | 00/00/1910 | 29 | C 36 | | | 110ALVM | 1447 | 1 measurement 1936 -13 | N | | U | Dug well. | |
| 2135208 | Roy Barren | 332742 | 994042 | | 25 | C 30 | | | 110ALVM | 1498 | 1 measurement 1936 -18 | N | | G | Dug well. Destroyed. | |
| 2135209 | J.I. Henderson | 332734 | 994110 | | 54 | C 30 | | | 110ALVM | 1512 | 2 measurements 1936 to 1977 MIN -32.8 MAX -31 | P | W | H | Dug well. | |
| 2135210 | F.A. Hardin | 332744 | 994058 | 03/00/1956 | 61 | C 14 | 0 | 46 | 110ALVM | 1510 | | T | L | I | Casing slotted. Pumping rate measured at 360 gpm on Aug. 27, 1956. | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|---------------------|----------|-----------|--------------|------------|--------------|----|----|---------|-----------|---|------|-----------|---|---|
| 2135211 | W.J. Wallace | 332809 | 994015 | 03/00/1951 | 63 | C 14 | 0 | 33 | 112SYMR | 1492 | | T | E | I | Casing slotted. |
| | | | | | | S 14 | 33 | 63 | | | | | | | |
| 2135212 | C.G. Yost | 332800 | 994014 | 08/00/1952 | 50 | C 16 | 0 | 24 | 110ALVM | 1495 | | T | L | I | Casing slotted. Pumping rate measured at 170 gpm on Aug. 28, 1956. |
| | | | | | | S 16 | 24 | 50 | | | | | | | |
| 2135213 | H.M. Michaels | 332925 | 994011 | | 25 | C 36 | | | 112SYMR | 1455 | 1 measurement 1936 -11 | N | | G | Dug well. Former domestic well. Destroyed when visited in Nov.1976. |
| 2135214 | C.E. Hobert | 332750 | 994133 | | | C 14 | | | UNKNOWN | 1502 | | T | E | I | |
| 2135215 | K.G. Stroud | 332807 | 994202 | | 30 | C 30 | | | 112SYMR | 1495 | 2 measurements 1936 to 1977 MIN -20.4 MAX -14 | P | W | U | Dug well. Abandoned when visited in Feb. 1976. |
| 2135216 | Mrs. A.B. Urbanczyk | 332917 | 994219 | 11/00/1955 | 52 | C 14 | 0 | 28 | 110ALVM | 1455 | 2 measurements 1956 to 1977 MIN -25.8 MAX -23.2 | T | E | I | Casing slotted. Pumping rate measured at 360 gpm with a pumping level of 46.4 ft. on Aug. 27, 1956. |
| | | | | | | S 14 | 28 | 52 | | | | | | | |
| 2135217 | Mrs. A.B. Urbanczyk | 332917 | 994226 | 05/00/1955 | 43 | C 14 | 0 | 30 | 110ALVM | 1455 | 1 measurement 1956 -17.2 | T | E | I | Casing slotted. |
| | | | | | | S 14 | 30 | 43 | | | | | | | |
| 2135218 | | 332733 | 994219 | | | C 14 | | | UNKNOWN | 1495 | | T | E | I | |
| 2135219 | | 332740 | 994111 | | | C 12 | | | UNKNOWN | 1504 | | T | E | I | |
| 2135220 | E.E. Akers | 332831 | 994036 | | 26 | C 30 | | | 112SYMR | 1487 | 1 measurement 1936 -13 | P | W | H | Dug well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|---------------------------------------|----------|-----------|--------------|------------|--------------|---|----|----------|-----------|---|------|-----------|---|--|
| 2135221 | J.D. Wright | 332930 | 994156 | 01/00/1956 | 49 | C 12 | 0 | 39 | 110ALVM | 1454 | 3 measurements 1956 to 1959 MIN -21.9 MAX -19 | T | L | I | Casing slotted. Pumping rate measured at 382 gpm with pumping level of 29.1 ft. on Aug. 27, 1956. |
| 2135301 | Tony Hobert | 332835 | 993731 | 02/00/1952 | 59 | C 14 | 0 | 39 | 112SYMR | 1480 | 52 measurements 1954 to 2007 MIN -35.17 MAX -14.2 | S | E | I | Casing slotted. Pumping rate measured at 406 gpm with a pumping level of 35.4 ft. on Jul. 18, 1956. Historical observation well. |
| 2135302 | Megargel Drilling Co.- Fetsch No.1 | 332944 | 993846 | 00/00/1964 | 2151 | | | | NOT-APPL | 1468 | | N | U | | Oil test. E-log No. Q-100. |
| 2135303 | Cecil Kuehler | 332909 | 993819 | 09/17/1975 | 38 | C 10 | | | 110ALVM | 1480 | 1 measurement 1975 -15 | S | E | H | |
| 2135304 | W.S. Ledbetter | 332901 | 993850 | | 39 | C 36 | | | 110ALVM | 1484 | 1 measurement 1936 -24 | N | U | | Dug well. Abandoned. |
| 2135305 | B.F. Cornett | 332857 | 993858 | 08/00/1955 | 46 | C 14 | 0 | 36 | 110ALVM | 1485 | 1 measurement 1959 -26.5 | T | E | I | Casing slotted. Pumping rate measured at 78 gpm on Aug. 29, 1956. |
| 2135306 | B.F. Cornett | 332859 | 993859 | 09/00/1955 | 28 | C 12 | 0 | 22 | 110ALVM | 1483 | | N | G | | Casing slotted. Destroyed. |
| 2135307 | B.F. Cornett | 332856 | 993856 | 00/00/1956 | 56 | C 14 | | | 110ALVM | 1490 | 4 measurements 1956 to 1977 MIN -34 MAX -24.1 | T | E | I | |
| 2135308 | B.F. Cornett | 332901 | 993855 | 01/00/1956 | 38 | C 14 | | | 110ALVM | 1482 | | T | E | I | 5.00 hp |
| 2135309 | Grady Phillips | 332856 | 993854 | 00/00/1955 | 46 | C 14 | | | 110ALVM | 1494 | 1 measurement 1956 -19.8 | T | E | I | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|----------------------|----------|-----------|--------------|------------|--------------|----|------|---------|-----------|---|------|-----------------|---|
| 2135310 | A.A. Smith Jr. | 332856 | 993849 | 02/00/1956 | 34 | C | 14 | | 110ALVM | 1495 | 1 measurement 1956 -18 | T | E I | Casing slotted. |
| 2135311 | B.F. Cornett | 332918 | 993909 | 08/00/1955 | 35 | C | 14 | 0 22 | 112SYMR | 1473 | 1 measurement 1956 -11.1 | N | G | Casing slotted. Destroyed. |
| 2135312 | B.F. Cornett | 332915 | 993910 | 02/00/1956 | 30 | C | 12 | 0 24 | 112SYMR | 1474 | | N | G | Casing slotted. Destroyed. |
| 2135313 | B.F. Cornett | 332915 | 993907 | 08/00/1955 | 26 | C | 12 | | 112SYMR | 1474 | | C | E I | Casing slotted. |
| 2135314 | B.F. Cornett | 332915 | 993903 | 08/00/1955 | 26 | C | 12 | 0 21 | 112SYMR | 1474 | | C | E I | Casing slotted. |
| 2135315 | Joe Blake | 332939 | 993912 | 00/00/1916 | 20 | C | 36 | | 112SYMR | 1468 | 1 measurement 1936 -13.5 | N | G | Dug well. Destroyed. |
| 2135316 | Zeissel | 332832 | 993802 | | | C | 14 | | UNKNOWN | 1480 | | T | E I | |
| 2135317 | Dan Weaver | 332830 | 993825 | | 29 | C | 36 | | 110ALVM | 1492 | 1 measurement 1936 -19 | N | G | Dug well. Destroyed. |
| 2135318 | Mrs. W.P. Farrington | 332831 | 993841 | 04/00/1956 | 60 | C | 12 | 0 45 | 110ALVM | 1495 | 3 measurements 1956 to 1977 MIN -32.6 MAX -17.2 | T | E I 15.00 hp | Casing slotted. Pumping rate measured at 330 gpm on Aug. 3, 1976. |
| 2135319 | Mrs. W.P. Farrington | 332822 | 993902 | | | | | | UNKNOWN | 1491 | | T | E I | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|----------------|----------|-----------|--------------|------------|--------------|----|-------|---------|-----------|---|------|-----------|--|
| 2135320 | W.C. Hill | 332832 | 993913 | | 31 | C | 30 | | 110ALVM | 1495 | 1 measurement 1936 -23 | N | G | Dug well. Destroyed. |
| 2135321 | D.W. Farrinton | 332818 | 993836 | | 31 | C | 30 | | 110ALVM | 1483 | 1 measurement 1936 -16 | J | E H | Dug well. |
| 2135322 | Partridge | 332818 | 993940 | | | | | | UNKNOWN | 1493 | | T | E I | 15.00 hp |
| 2135323 | L.W. Hobert | 332854 | 993731 | | | C | 36 | | UNKNOWN | 1481 | | J | E S | 0.33 hp |
| 2135324 | L. Offuth | 332809 | 993746 | | | C | 14 | | UNKNOWN | 1478 | | T | E I | |
| 2135325 | E.H. Nelson | 332744 | 993740 | 06/17/1969 | 40 | C | 14 | | 112SYMR | 1481 | 1 measurement 1969 -24 | T | E I | Casing slotted and gravel packed. Open or screened intervals not reported. |
| 2135326 | E.H. Nelson | 332738 | 993800 | 03/00/1956 | 40 | C | 12 | 0 25 | 112SYMR | 1483 | 2 measurements 1956 to 1956 MIN -20.8 MAX -17.1 | T | E I | Casing slotted. Pumping rate measured at 90 gpm with a pumping level of 35.4 ft. on May 29, 1956. |
| | | | | | | S | 12 | 25 40 | | | | | | |
| 2135327 | E.H. Nelson | 332742 | 993829 | 03/00/1956 | 41 | C | 14 | 0 25 | 110ALVM | 1487 | 2 measurements 1956 to 1956 MIN -19.1 MAX -17.2 | T | E I | Casing slotted. |
| | | | | | | S | 14 | 25 40 | | | | | | |
| 2135328 | E.H. Nelson | 332738 | 993820 | 04/00/1956 | 37 | C | 14 | 0 22 | 112SYMR | 1487 | | T | E I | Casing slotted. Reported yield 300 gpm in 1956. |
| | | | | | | S | 14 | 22 37 | | | | | | |
| 2135329 | E.H. Nelson | 332748 | 993811 | 03/00/1956 | 42 | C | 14 | 0 24 | 112SYMR | 1485 | 2 measurements 1956 to 1956 MIN -19.3 MAX -15.7 | T | E I | Casing slotted. Pumping rate measured at 98 gpm with a pumping level of 40.4 ft. on Aug. 29, 1956. |
| | | | | | | S | 14 | 24 42 | | | | | | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|-----------------|----------|-----------|--------------|------------|--------------|----|----|---------|-----------|---|----------|-----------|---|--|
| 2135330 | E.H. Nelson | 332733 | 993810 | 03/00/1956 | 42 | C 12 | 0 | 27 | 112SYMR | 1485 | | T | E | I | Casing slotted. Pumping rate measured at 115 gpm on Aug. 27, 1956. |
| | | | | | | S 12 | 27 | 42 | | | | 5.00 hp | | | |
| 2135331 | A.J. Johnson | 332744 | 993916 | | 36 | C 30 | | | 110ALVM | 1493 | 1 measurement 1936 -18 | J | E | H | Dug well. |
| 2135332 | J.B. Roberts | 332737 | 993847 | 03/00/1955 | 40 | C 14 | 0 | 28 | 110ALVM | 1488 | 3 measurements 1956 to 1977 MIN -23.1 MAX -22.9 | T | E | I | Casing slotted. |
| | | | | | | S 14 | 28 | 40 | | | | 25.00 hp | | | |
| 2135333 | J.B. Roberts | 332741 | 993835 | | 32 | C 30 | | | 110ALVM | 1488 | 1 measurement 1936 -19 | P | W | H | Dug well. |
| 2135334 | Clyde Yost | 332800 | 993853 | 08/00/1952 | 41 | C 12 | 0 | 29 | 110ALVM | 1486 | | N | | U | Casing slotted. Pumping rate measured at 40 gpm on Aug. 29, 1956. |
| | | | | | | S 12 | 29 | 41 | | | | | | | |
| 2135335 | J.K. Johnson | 332740 | 993948 | | 38 | C 6 | | | 110ALVM | 1497 | 1 measurement 1936 -22.5 | P | H | H | |
| 2135336 | C. Hobert | 332832 | 993733 | 02/03/1964 | 57 | C 14 | | | 112SYMR | 1481 | | T | E | I | Casing slotted, intervals not reported. Reported yield 250 gpm when drilled. |
| 2135337 | Eugene Michaels | 332839 | 993954 | 02/00/1956 | 37 | C 12 | 0 | 25 | 112SYMR | 1487 | | N | | G | Casing slotted. Destroyed. |
| | | | | | | S 12 | 25 | 37 | | | | | | | |
| 2135338 | Eugene Michaels | 332836 | 993956 | 02/00/1956 | 36 | C 12 | 0 | 24 | 112SYMR | 1488 | 4 measurements 1956 to 1977 MIN -21 MAX -14.4 | T | E | I | Slotted 24-36 feet. |
| | | | | | | S 12 | 24 | 36 | | | | 5.00 hp | | | |
| 2135339 | Clyde Yost | 332744 | 993839 | 00/00/1961 | | | | | UNKNOWN | 1488 | | S | E | H | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|---------------|----------|-----------|--------------|------------|--------------|---------|-----------|--------------------------------|------|-----------|---------|--|
| 2135340 | Clyde Yost | 332802 | 993858 | | | | UNKNOWN | 1486 | | T | E | U | |
| 2135341 | Clyde Kuehler | 332911 | 993817 | | 30 | | 110ALVM | 1480 | | J | E | H | |
| 2135342 | Summers | 332741 | 993938 | | | C 16 | 100ALVM | 1493 | 1 measurement 1977 -28 | T | E | I | Pumping rate measured at 63 GPM with pumping level of 36 feet on Aug. 3, 1976. Aquifer test results in TDWR R-226. Data in TWDB files. |
| 2135343 | Albert Fetsch | 332937 | 993829 | | | C 12 | UNKNOWN | 1471 | 1 measurement 1977 -13.3 | C | E | I | |
| 2135344 | Albert Fetsch | 332937 | 993821 | | | | UNKNOWN | 1472 | | C | E | I | |
| 2135345 | Albert Fetsch | 332937 | 993817 | | | | UNKNOWN | 1472 | | C | E | I | |
| 2135346 | Albert Fetsch | 332943 | 993831 | | | | UNKNOWN | 1471 | | C | E | I | |
| 2135347 | Albert Fetsch | 332940 | 993828 | | | | UNKNOWN | 1471 | | C | E | I | |
| 2135348 | Albert Fetsch | 332942 | 993828 | | | | UNKNOWN | 1471 | | C | E | I | |
| 2135349 | Albert Fetsch | 332944 | 993827 | | | | UNKNOWN | 1471 | | C | E | I | |
| 2135350 | Albert Fetsch | 332944 | 993822 | | | | UNKNOWN | 1472 | | C | E | I | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|---------------|----------|-----------|--------------|------------|--------------|---------|-----------|--------------|------|-----------|-----------------|
| 2135351 | Albert Fetsch | 332945 | 993828 | | | | UNKNOWN | 1471 | | C | E I | |
| 2135352 | Albert Fetsch | 332953 | 993815 | 00/00/1957 | 40 | | 112SYMR | 1468 | | C | E I | Dug well. |
| 2135353 | Albert Fetsch | 332957 | 993815 | | | | UNKNOWN | 1469 | | C | E I | |
| 2135354 | Albert Fetsch | 332957 | 993816 | | | | UNKNOWN | 1469 | | C | E I | |
| 2135355 | C. Yost | 332804 | 993857 | 09/11/1972 | | | UNKNOWN | 1486 | | N | U | Test-hole No.1. |
| 2135356 | C. Yost | 332802 | 993852 | 09/11/1972 | | | UNKNOWN | 1486 | | T | E I | Test-hole No.2. |
| 2135357 | C. Yost | 332808 | 993858 | 09/11/1972 | | | UNKNOWN | 1486 | | N | U | Test-hole No.3. |
| 2135358 | C. Yost | 332800 | 993847 | 09/11/1972 | | | UNKNOWN | 1486 | | N | U | Test-hole No.4. |
| 2135359 | C. Yost | 332811 | 993904 | 09/11/1972 | | | UNKNOWN | 1487 | | T | E I | Test-hole No.5. |
| 2135360 | C. Yost | 332802 | 993849 | 09/11/1972 | | | UNKNOWN | 1486 | | N | U | Test-hole No.6. |
| 2135361 | C. Yost | 332806 | 993859 | | 43 | | 110ALVM | 1487 | | T | E I | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-----------------|----------|-----------|--------------|------------|--------------|----|------|---------|-----------|---|------|-----------|---|
| 2135362 | Albert Fetsch | 332938 | 993839 | | 45 | C | 30 | | 112SYMR | 1470 | 1 measurement 1959 -10.8 | C | E H | Dug well. 1.00 hp |
| 2135363 | Roberts | 332730 | 993938 | | | C | 14 | | UNKNOWN | 1496 | | T | E I | 5.00 hp |
| 2135364 | W.B. Johnson | 332804 | 993924 | 04/11/1968 | 47 | C | 12 | 0 38 | 110ALVM | 1492 | | T | E I | Casing torch-slotted. Gravel packed. Drawdown 8 ft. after 8 hrs. pumping 200 gpm. 10.00 hp |
| 2135365 | Stewart | 332758 | 993950 | | | C | 14 | | UNKNOWN | 1492 | | S | E I | |
| 2135366 | Dickerson | 332808 | 993954 | | | | | | UNKNOWN | 1495 | | T | E I | 10.00 hp |
| 2135367 | Doris Dickerson | 332820 | 993836 | 04/06/1974 | 47 | C | 12 | | 110ALVM | 1483 | | J | E H | Casing perforated, interval not reported. |
| 2135368 | John Fetsch | 332940 | 993741 | | | C | 30 | | UNKNOWN | 1467 | 1 measurement 1977 -13.8 | N | U | Dug well. |
| 2135369 | W.H. McBride | 332833 | 993832 | 00/00/1936 | 30 | | | | 110ALVM | 1496 | | N | U | Test hole. |
| 2135372 | A.A. Smith, Jr | 332905 | 993825 | | 60 | C | 6 | | 110ALVM | 1486 | 1 measurement 1959 -27.8 | P | W H | |
| 2135373 | Joe B. Roberts | 332742 | 993836 | 12/00/1953 | 40 | C | 14 | 0 22 | 110ALVM | 1487 | 3 measurements 1956 to 1959 MIN -20.4 MAX -15.8 | N | G | Casing slotted. Destroyed. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|--------------------------------------|----------|-----------|--------------|------------|--------------|----|----|----------|-----------|--|------|-----------|---|---|
| 2135401 | C.H. Clarke | 332542 | 994433 | 03/00/1952 | 50 | C 14 | 0 | 35 | 112SYMR | 1524 | 9 measurements 1953 to 1962 MIN -39.34 MAX -24 | T | E | I | Casing slotted. Former water-level observation well. |
| 2135402 | C.H. Clarke | 332513 | 994445 | 12/00/1954 | 50 | C 14 | 0 | 35 | 110ALVM | 1530 | 42 measurements 1955 to 1997 MIN -37.33 MAX -23.25 | S | E | I | Casing slotted. Historical observation well. |
| 2135403 | Mid Continent Petroleum-Partridge | 332721 | 994410 | 00/00/1952 | 5850 | | | | NOT-APPL | 1470 | | N | | U | Oil test. E-log No. Q-47. |
| 2135404 | Dorman Anderson- Branton No.1 | 332544 | 994358 | 00/00/1964 | 2210 | | | | NOT-APPL | 1519 | | N | | U | Oil test. E-log No. Q-115. |
| 2135405 | H.E. Jungman | 332725 | 994239 | 01/00/1955 | 52 | C 14 | 0 | 37 | 112SYMR | 1493 | 2 measurements 1956 to 1956 MIN -20.9 MAX -20.1 | T | E | I | Casing slotted. Pumping rate measured at 289 gpm with pumping level of 36.6 ft. on July 27, 1956. |
| 2135406 | W.H. Walling | 332656 | 994249 | | 32 | C 30 | | | 112SYMR | 1500 | 1 measurement 1936 -23 | N | | G | Dug well. Destroyed. |
| 2135407 | Alvie Ressel | 332714 | 994247 | 06/00/1953 | 52 | C 14 | 0 | 37 | 112SYMR | 1496 | 3 measurements 1956 to 1959 MIN -20.7 MAX -19.6 | T | E | I | Casing slotted. |
| 2135408 | Mrs. A.L. Ressel | 332710 | 994245 | 00/00/1908 | 30 | C 36 | | | 112SYMR | 1497 | | J | E | H | |
| 2135409 | R.C. Partridge | 332723 | 994321 | 00/00/1952 | 42 | C 12 | 0 | 27 | 112SYMR | 1480 | 2 measurements 1956 to 1956 MIN -17.9 MAX -16 | T | L | I | Casing slotted. Pumping rate measured at 130 gpm on Aug. 29, 1956. |
| 2135410 | G.A. Branton | 332643 | 994409 | 02/00/1955 | 46 | C 14 | 0 | 31 | 112SYMR | 1497 | | T | E | I | Casing slotted. South well of 3 on the corner. |
| | | | | | | S 14 | 31 | 46 | | | | | | | 5.00 hp |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-------------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|---|------|-----------|--|
| 2135411 | G.A. Branton | 332647 | 994409 | 02/00/1956 | 41 | C 14 | 0 | 26 | 112SYMR | 1497 | 4 measurements 1956 to 1977 MIN -25 MAX -21.1 | T | E I | Casing slotted. Pumping rate measured at 36.3 ft. on July 27, 1956. |
| 2135412 | J.G. Hawkins | 332639 | 994417 | 02/00/1955 | 44 | C 14 | 0 | 21 | 112SYMR | 1497 | 2 measurements 1956 to 1956 MIN -23.7 MAX -19.2 | T | E I | Casing slotted. Pumping rate measured at 185 gpm with a pumping level of 44.1 ft. on May 27, 1956. |
| 2135413 | J.G. Hawkins | 332636 | 994428 | 02/00/1955 | 47 | C 14 | 0 | 22 | 112SYMR | 1499 | | T | E I | Casing slotted. |
| 2135414 | E. Partridge | 332606 | 994426 | | 54 | C 30 | | | 112SYMR | 1514 | 1 measurement 1956 -29.8 | J | E H | Dug well. |
| 2135415 | Mrs. M. Partridge | 332606 | 994428 | 03/00/1956 | 26 | C 10 | 0 | 20 | 112SYMR | 1514 | 1 measurement 1956 -13.3 | N | G | Casing slotted. Destroyed. |
| 2135416 | W.H. Clonts | 332533 | 994450 | 01/00/1956 | 47 | C 14 | 0 | 32 | 112SYMR | 1527 | | T | E I | Casing slotted. |
| 2135417 | W.H. Clonts | 332535 | 994450 | 01/00/1956 | 47 | C 14 | 0 | 32 | 112SYMR | 1526 | | T | E I | Casing slotted. |
| 2135418 | C.A. Hull | 332514 | 994420 | 12/00/1955 | 56 | C 16 | | | 110ALVM | 1531 | 2 measurements 1956 to 1956 MIN -31.4 MAX -27.6 | T | E I | Pumping rate measured at 210 gpm with pumping level of 31.4 ft. on Aug. 23, 1956. |
| 2135419 | C.A. Hull | 332518 | 994410 | | 43 | C 30 | | | 110ALVM | 1527 | 1 measurement 1936 -30 | N | G | Dug well. Destroyed. |
| 2135420 | A.O. Hull | 332528 | 994405 | | | C 4 | | | UNKNOWN | 1523 | | T | E I | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|---------------|----------|-----------|--------------|------------|--------------|----|----|---------|-----------|---|------|-----------|---|--|
| 2135421 | G.A. Branton | 332517 | 994349 | 02/00/1955 | 51 | C 14 | 0 | 36 | 110ALVM | 1531 | | S | E | I | Casing slotted. |
| | | | | | | S 14 | 36 | 51 | | | | | | | |
| 2135422 | G.A. Branton | 332522 | 994346 | 02/00/1955 | 51 | C 14 | 0 | 36 | 110ALVM | 1531 | 2 measurements 1956 to 1956 MIN -34.6 MAX -34.1 | S | E | I | Casing slotted. |
| | | | | | | S 14 | 36 | 51 | | | | | | | |
| 2135423 | G.A. Branton | 332516 | 994346 | | 47 | C 30 | | | 110ALVM | 1529 | 1 measurement 1936 -33 | P | W | U | Dug well. |
| | | | | | | | | | | | | | | | |
| 2135424 | Ada M. Jarvis | 332603 | 994257 | 11/00/1955 | 49 | C 12 | 0 | 34 | 110ALVM | 1516 | 1 measurement 1956 -18.8 | T | L | I | Casing slotted. Pumping level measured at 33.1 ft. on July 27, 1956. |
| | | | | | | S 12 | 34 | 49 | | | | | | | |
| 2135425 | Ada M. Jarvis | 332609 | 994258 | 11/00/1956 | 46 | C 14 | 0 | 26 | 110ALVM | 1514 | 2 measurements 1957 to 1976 MIN -23.8 MAX -20.3 | N | | U | Reported yield 255 GPM in 1957. Aquifer test results unnumbered in TWDB R-98. Results in TDWR R-226. Data in TWDB files. |
| | | | | | | S 14 | 26 | 46 | | | | | | | |
| 2135426 | Ada M. Jarvis | 332608 | 994321 | 07/00/1952 | 56 | C 14 | 0 | 36 | 110ALVM | 1524 | 1 measurement 1956 -26.7 | T | E | I | Casing slotted. |
| | | | | | | S 14 | 36 | 56 | | | | | | | |
| 2135427 | Ada M. Jarvis | 332603 | 994317 | 01/00/1956 | 47 | C 12 | 0 | 38 | 110ALVM | 1523 | 1 measurement 1956 -28.9 | T | L | I | Casing slotted. Pumping rate measured at 180 gpm with a pumping level of 45.8 ft. on May 27, 1956. |
| | | | | | | S 12 | 38 | 51 | | | | | | | |
| 2135428 | G.A. Branton | 332607 | 994348 | 04/00/1955 | 36 | C 14 | 0 | 26 | 112SYMR | 1512 | 1 measurement 1956 -18.4 | N | | U | Casing slotted. Abandoned. |
| | | | | | | S 14 | 26 | 36 | | | | | | | |
| 2135429 | G.A. Branton | 332519 | 994330 | 02/00/1955 | 70 | C 14 | 0 | 55 | 110ALVM | 1531 | 4 measurements 1956 to 1977 MIN -39.2 MAX -33.2 | S | E | I | Casing slotted. |
| | | | | | | S 14 | 55 | 70 | | | | | | | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|----------------|----------|-----------|--------------|------------|--------------|----|------|---------|-----------|---|------|-----------|---|---|
| 2135430 | Joe W. Warren | 332600 | 994334 | | 45 | C | 30 | | 110ALVM | 1525 | 1 measurement 1936 -27 | J | E | H | Dug well. |
| 2135431 | Joe W. Warren | 332548 | 994331 | 02/00/1956 | 50 | C | 12 | 0 35 | 110ALVM | 1523 | 2 measurements 1956 to 1956 MIN -29.7 MAX -27.6 | T | E | I | Casing slotted. Pumping rate measured at 110 gpm with a pumping level of 45.3 ft. on Aug. 27, 1956. |
| 2135432 | Morris Wallace | 332549 | 994321 | 01/00/1956 | 56 | C | 14 | 0 41 | 110ALVM | 1523 | 1 measurement 1956 -29.65 | T | E | I | Reported yield 543 GPM in 1957. Aquifer test results unnumbered in TWDB R-98. Test results in TDWR R-226. Data in TWDB files. |
| 2135433 | Johnson | 332534 | 994336 | | | C | 14 | | UNKNOWN | 1531 | | S | E | I | |
| 2135434 | Morris Wallace | 332539 | 994320 | 08/00/1952 | 61 | C | 16 | 0 41 | 110ALVM | 1528 | | S | E | I | Casing slotted. Pumping rate measured at 455 gpm on Aug. 25, 1956. |
| 2135435 | E.T. Jarvis | 332619 | 994300 | | 36 | C | 30 | | 110ALVM | 1514 | 1 measurement 1936 -20 | N | | G | Dug well. Destroyed. |
| 2135436 | R.T. Walling | 332647 | 994257 | | 30 | C | 30 | | 112SYMR | 1507 | | N | | U | Dug well. |
| 2135437 | A.P. Garrett | 332649 | 994300 | | 32 | C | 30 | | 112SYMR | 1505 | | C | E | H | Dug well. |
| 2135438 | R.R. Jarvis | 332638 | 994312 | 12/00/1954 | 53 | C | 12 | 0 37 | 112SYMR | 1503 | | N | | U | Casing slotted. |
| 2135439 | R.R. Jarvis | 332635 | 994312 | 00/00/1922 | 40 | C | 36 | | 112SYMR | 1508 | 3 measurements 1936 to 1956 MIN -32 MAX -18.4 | C | E | I | Dug well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|--------------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|---|------|-----------|--|
| 2135440 | R.R. Jarvis | 332637 | 994304 | 12/00/1954 | 51 | C 12 | 0 | 22 | 112SYMR | 1511 | 4 measurements 1956 to 1977 MIN -26.7 MAX -23 | N | U | Casing slotted. |
| 2135441 | G.A. Branton | 332618 | 994328 | 04/00/1955 | 34 | C 14 | 0 | 24 | 112SYMR | 1510 | 1 measurement 1956 -14 | N | G | Casing slotted. Pumping rate measured at 335 gpm with a pumping level of 32.8 ft. on July 27, 1956. Destroyed. |
| 2135442 | Ada M. Jarvis | 332617 | 994310 | 11/00/1954 | 48 | C 12 | 0 | 22 | 110ALVM | 1520 | | T | L I | Casing slotted. |
| 2135443 | F.T. Jarvis | 332635 | 994306 | | 35 | C 30 | | | 112SYMR | 1515 | 1 measurement 1936 -25 | N | G | Dug well. Caved in and destroyed when visited in March, 1976. |
| 2135444 | C. Anderson | 332632 | 994308 | 00/00/1957 | 51 | | | | 112SYMR | 1515 | | J | E H | |
| 2135445 | Howard Myers | 332530 | 994255 | | | C 12 | | | UNKNOWN | 1519 | | T | E I | 3.00 hp |
| 2135446 | M. Merrick | 332535 | 994254 | | 46 | C 30 | | | 110ALVM | 1519 | 1 measurement 1936 -26.5 | J | E H | Dug well. |
| 2135447 | Claburn | 332500 | 994341 | | | C 16 | | | UNKNOWN | 1529 | | T | E I | 25.00 hp |
| 2135448 | R.B. Burton Estate | 332503 | 994242 | 01/00/1956 | 51 | C 14 | 0 | 36 | 110ALVM | 1517 | 3 measurements 1956 to 1957 MIN -23.3 MAX -19.2 | S | E I | Casing slotted. |
| 2135449 | David Brown | 332507 | 994439 | | 43 | C 30 | | | 110ALVM | 1532 | 1 measurement 1936 -27 | J | E H | Dug well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|--------------------|----------|-----------|--------------|------------|--------------|----|----|---------|-----------|--|------|-----------|---|---|
| 2135450 | R.B. Burton Estate | 332505 | 994253 | 02/00/1952 | 54 | C 14 | 0 | 24 | 110ALVM | 1521 | | T | E | I | Slotted 24-54 feet. |
| | | | | | | S 14 | 24 | 54 | | | | | | | |
| 2135451 | R.V. Burton | 332512 | 994302 | | 47 | C 30 | | | 110ALVM | 1523 | 1 measurement 1936 -27 | P | W | H | Dug well. |
| 2135452 | R.V. Burton | 332513 | 994247 | | 47 | C 30 | | | 110ALVM | 1518 | 1 measurement 1936 -23 | P | W | H | Dug well. |
| 2135453 | Myers | 332600 | 994247 | | | C 30 | | | UNKNOWN | 1519 | | J | E | S | Dug well. |
| 2135454 | J.C. Sweatt | 332509 | 994357 | | 32 | C 30 | | | 110ALVM | 1530 | 1 measurement 1936 -21 | N | | G | Concrete-lined dug well. Destroyed. |
| 2135455 | Pennetton and Neff | 332650 | 994413 | | 25 | C 30 | | | 112SYMR | 1495 | 1 measurement 1936 -18.7 | P | W | H | Dug well. |
| 2135456 | D.B. Whitford | 332644 | 994459 | 00/00/1955 | 45 | C 14 | 0 | 30 | 110ALVM | 1501 | | N | | G | Casing slotted. Destroyed. |
| | | | | | | S 14 | 30 | 45 | | | | | | | |
| 2135457 | Don L. Partridge | 332603 | 994446 | | | C 36 | | | UNKNOWN | 1515 | 1 measurement 1977 -22.4 | N | | U | Dug well. |
| 2135458 | Harold Partridge | 332651 | 994309 | 00/00/1923 | | C 30 | | | UNKNOWN | 1496 | | J | E | H | |
| 2135501 | A.C. Tackitt | 332619 | 994216 | 12/00/1954 | 59 | C 14 | 0 | 44 | 110ALVM | 1525 | 51 measurements 1955 to 2007 MIN -42.45 MAX -32.37 | S | E | I | Casing slotted. Pumping level measured at 46.9 ft. on July 25, 1956. Historical observation well. |
| | | | | | | S 14 | 44 | 59 | | | | | | | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | | Remarks |
|------------|--------------------------------|----------|-----------|--------------|------------|--------------|---|----|----------|-----------|---|------|-----------|---|---|---------|
| 2135502 | R.M. Myer | 332643 | 994028 | 12/00/1954 | 48 | C 14 | 0 | 33 | 110ALVM | 1509 | 41 measurements 1955 to 1997 MIN -34.71 MAX -21.8 | T | E | I | Casing slotted. Historical observation well. | |
| 2135503 | Marvin Ziessel | 332640 | 994028 | 12/00/1954 | 50 | C 14 | 0 | 23 | 110ALVM | 1507 | 5 measurements 1958 to 1962 MIN -26.43 MAX -24.3 | T | E | I | Casing slotted. Former water-level observation well. | |
| 2135504 | Skelly Oil Co.-Michels No.1 | 332554 | 994030 | 00/00/1953 | 5820 | | | | NOT-APPL | 1509 | | N | | U | Oil test. E-log No. Q-146. | |
| 2135505 | R.L. Myers | 332654 | 994118 | | 42 | C 30 | | | 110ALVM | 1510 | 2 measurements 1936 to 1977 MIN -26.8 MAX -22 | P | W | U | Dug well. | |
| 2135506 | Gene Woods | 332638 | 994133 | | | | | | UNKNOWN | 1513 | | S | E | I | | |
| 2135507 | H.E. Jungman | 332725 | 994216 | 01/00/1955 | 52 | C 14 | 0 | 37 | 112SYMR | 1497 | 2 measurements 1956 to 1977 MIN -21.7 MAX -20.7 | T | E | I | Casing slotted. Pumping rate measured at 335 gpm with a pumping level of 33.2 ft. on July 27, 1956. | |
| 2135508 | G.L. Hunter | 332600 | 994113 | 00/00/1915 | 47 | C 12 | 0 | 20 | 110ALVM | 1506 | 3 measurements 1956 to 1977 MIN -22.9 MAX -15.6 | T | E | I | Casing slotted. Pumping rate measured at 288 gpm with a pumping level of 29.6 ft. on July 20, 1956. | |
| 2135509 | C. Tackitt | 332618 | 994221 | | 55 | C 36 | | | 110ALVM | 1526 | | J | E | H | Dug well. | |
| 2135510 | Howard Myers | 332604 | 994230 | | 51 | C 30 | | | 110ALVM | 1522 | 1 measurement 1936 -14 | C | E | H | Dug well. | |
| 2135511 | A.C. Tackitt | 332604 | 994149 | 00/00/1956 | 56 | C 16 | | | 110ALVM | 1515 | | T | E | I | | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|------------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|---|------|-----------|---|---|
| 2135512 | A.C. Tackitt | 332604 | 994207 | 01/00/1956 | 56 | C 14 | 0 | 44 | 110ALVM | 1524 | 3 measurements 1956 to 1959 MIN -31.5 MAX -27.4 | C | E | I | Casing slotted. Pumping level measured at 42.6 ft. on Aug. 25, 1956. |
| 2135513 | A.C. Tackitt | 332605 | 994156 | | 56 | C 14 | | | 110ALVM | 1519 | | T | E | I | |
| 2135514 | Ida Voss | 332607 | 994145 | | | C 36 | | | UNKNOWN | 1513 | | N | | U | Dug well. |
| 2135515 | C.A. Hull | 332631 | 994148 | 12/00/1955 | 47 | C 14 | 0 | 32 | 110ALVM | 1510 | 1 measurement 1956 -24.9 | S | E | I | Casing slotted. |
| 2135516 | Mrs. Smith | 332536 | 994151 | | 39 | C 30 | | | 110ALVM | 1514 | 1 measurement 1936 -23 | N | | G | Dug well. Destroyed. |
| 2135517 | Voss | 332537 | 994201 | | | C 14 | | | UNKNOWN | 1513 | | T | E | H | 5.00 hp |
| 2135518 | Mary Smith Busey | 332525 | 994230 | 12/00/1955 | 49 | C 14 | 0 | 32 | 110ALVM | 1517 | 3 measurements 1956 to 1977 MIN -25.5 MAX -18.6 | T | L | I | Casing slotted. Pumping rate measured at 370 gpm with a pumping level of 45.2 ft. on July 20, 1956. |
| 2135519 | R.L. Myers | 332709 | 994152 | | 40 | C 30 | | | 110ALVM | 1508 | | N | | G | Dug well. Abandoned and destroyed when visited in Feb. 1976. |
| 2135520 | C.N. Coates | 332526 | 994038 | 07/22/1976 | 54 | | | | 110ALVM | 1504 | 1 measurement 1977 -23.4 | T | E | I | Casing slotted, interval not reported. Gravel packed. |
| 2135522 | Elmer Dickerson | 332702 | 994008 | 09/00/1951 | 58 | C 14 | 0 | 38 | 110ALVM | 1509 | 3 measurements 1956 to 1959 MIN -28 MAX -26.6 | T | E | I | Casing slotted. Pumping rate measured at 130 gpm with a pumping level of 36.9 ft. on Aug. 30, 1956. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|-----------------|----------|-----------|--------------|------------|--------------|----|----|---------|-----------|---------------------|----------|-----------|---------|-------------------------------------|
| 2135528 | Mrs. Allie Wire | 332625 | 994057 | 03/00/1955 | 41 | C 12 | 0 | 26 | 110ALVM | 1504 | | T | L | I | Casing slotted. |
| | | | | | | S 12 | 26 | 41 | | | | | | | |
| 2135529 | R.M. Myer | 332633 | 994024 | 12/00/1954 | 51 | C 12 | 0 | 34 | 110ALVM | 1511 | 1 measurement | T | E | I | Casing slotted. |
| | | | | | | S 12 | 34 | 49 | | | 1956 | 10.00 hp | | | |
| | | | | | | C 12 | 49 | 51 | | | -22.8 | | | | |
| 2135530 | H.F. Jungman | 332627 | 994034 | 01/00/1956 | 49 | C 12 | 0 | 34 | 110ALVM | 1508 | | T | L | I | Casing slotted. |
| | | | | | | S 12 | 34 | 49 | | | | | | | |
| 2135531 | H.F. Jungman | 332608 | 994021 | 03/00/1956 | 48 | C 12 | 0 | 33 | 110ALVM | 1511 | 2 measurements | T | L | I | Casing slotted. |
| | | | | | | S 12 | 33 | 48 | | | 1956 to 1956 | | | | |
| | | | | | | | | | | | MIN -29.2 MAX -26.2 | | | | |
| 2135532 | Claude Hill | 332644 | 994004 | 02/00/1955 | 49 | C 12 | | | 110ALVM | 1511 | 2 measurements | T | E | I | Casing perforated. |
| | | | | | | | | | | | 1956 to 1956 | | | | |
| | | | | | | | | | | | MIN -26.9 MAX -24.1 | | | | |
| 2135533 | Clay F. Grove | 332627 | 994002 | 06/00/1954 | 49 | C 12 | 0 | 32 | 110ALVM | 1502 | | T | E | I | Casing slotted. |
| | | | | | | S 12 | 32 | 47 | | | | | | | |
| 2135534 | W.G. Leflar | 332551 | 994003 | 00/00/1953 | 48 | C 12 | 0 | 33 | 110ALVM | 1502 | 2 measurements | T | L | I | Casing slotted. |
| | | | | | | S 12 | 33 | 48 | | | 1956 to 1956 | | | | |
| | | | | | | | | | | | MIN -23.8 MAX -20 | | | | |
| 2135535 | Clay F. Grove | 332603 | 994008 | 01/00/1954 | 49 | C 12 | 0 | 34 | 110ALVM | 1504 | 3 measurements | T | E | I | Casing slotted. Pumping rate. |
| | | | | | | S 12 | 34 | 49 | | | 1956 to 1977 | | | | measured at 258 gpm with a pumping |
| | | | | | | | | | | | MIN -26.2 MAX -18.5 | | | | level of 35.9 ft. on July 20, 1956. |
| 2135536 | T.D.L. Johnson | 332554 | 994002 | | 46 | C 30 | | | 110ALVM | 1502 | 1 measurement | P | W | U | Dug well. |
| | | | | | | | | | | | 1936 | | | | |
| | | | | | | | | | | | -18 | | | | |
| 2135537 | Ed Whittemore | 332544 | 994057 | 08/00/1952 | 55 | C 16 | 0 | 25 | 110ALVM | 1512 | 4 measurements | T | E | I | Casing slotted. Pumping rate |
| | | | | | | S 16 | 25 | 55 | | | 1956 to 1959 | | | | measured at 275 gpm with a pumping |
| | | | | | | | | | | | MIN -27.7 MAX -23.1 | | | | level of 44.65 ft. on July 20, |
| | | | | | | | | | | | | | | | 1956. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|--------------------|----------|-----------|--------------|------------|--------------|----|----|---------|-----------|--------------------------------|------|-----------|---|--|
| 2135538 | J. Michels | 332530 | 994141 | 02/00/1956 | 54 | C 16 | 0 | 42 | 110ALVM | 1519 | | T | E | I | Casing slotted. Pumping rate measured at 210 gpm on July 20, 1956. |
| | | | | | | S 16 | 42 | 54 | | | | | | | |
| 2135539 | Mrs. H.C. Campbell | 332532 | 994139 | | 35 | C 30 | | | 110ALVM | 1521 | 1 measurement 1936 -8 | J | E | H | Dug well. |
| 2135540 | Whittemore | 332541 | 994129 | | | C 12 | | | UNKNOWN | 1510 | | T | E | I | 10.00 hp |
| 2135541 | B.F. Burnison | 332515 | 994149 | | | | | | UNKNOWN | 1514 | | J | E | I | |
| 2135542 | Larry Lain | 332503 | 994055 | | | | | | UNKNOWN | 1508 | | T | L | I | |
| 2135543 | John Michels | 332513 | 994126 | 02/00/1954 | 62 | C 14 | 0 | 47 | 110ALVM | 1519 | 1 measurement 1977 -34.9 | T | E | I | Casing slotted. Pumping rate measured at 430 gpm on July 20, 1956. |
| | | | | | | S 14 | 47 | 62 | | | | | | | |
| 2135544 | Mrs. L. Ammerman | 332650 | 994206 | 00/00/1936 | 16 | | | | 110ALVM | 1512 | | N | | U | Test hole. |
| 2135545 | J.B. Scott | 332633 | 994148 | | 45 | C 30 | | | 110ALVM | 1515 | | N | | G | Dug well. Destroyed. |
| 2135546 | W.W. McCarty | 332652 | 994212 | | 36 | C 30 | | | 110ALVM | 1510 | 1 measurement 1936 -23 | N | | G | Dug well. Destroyed. |
| 2135547 | Oscar Spann | 332609 | 994009 | | | C 16 | | | UNKNOWN | 1504 | | T | E | I | Pumping rate measured at 58 gpm on Aug. 3, 1976. |
| | | | | | | | | | | | | | | | 5.00 hp |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | | |
|------------|---------------------------|----------|-----------|--------------|------------|--------------|----|----|---------|-----------|--------------|-----------------|-----------|---------|---|--|
| 2135548 | W.B. Leflar | 332530 | 994004 | | | C | 14 | | UNKNOWN | 1499 | | T | E | I | Pumping rate measured at 120 gpm on Aug. 3, 1976. | |
| 2135601 | City of Munday | 332649 | 993803 | 00/00/1952 | 38 | C | 36 | 0 | 24 | 112SYMR | 1488 | 4 measurements | T | E | P | Casing slotted. Gravel packed. |
| | | | | | | C | 12 | 0 | 26 | | | 1955 to 1962 | 5.00 hp | | | Former water-level observation well |
| | | | | | | S | 12 | 26 | 38 | | | MIN -27.22 | | | | MAX -14.66 |
| 2135602 | City of Munday Well #3 | 332648 | 993759 | 00/00/1952 | 39 | C | 12 | 0 | 26 | 112SYMR | 1484 | 46 measurements | N | | U | Casing slotted. Historical observation well. |
| | | | | | | S | 12 | 26 | 38 | | | 1954 to 2007 | | | | |
| | | | | | | | | | | | | MIN -33.93 | | | | MAX -11.05 |
| 2135603 | City of Munday | 332651 | 993759 | 00/00/1952 | 43 | C | 24 | | | 112SYMR | 1484 | 5 measurements | T | E | P | Former water-level observation well. |
| | | | | | | | | | | | | 1953 to 1960 | 5.00 hp | | | |
| | | | | | | | | | | | | MIN -25.52 | | | | MAX -12.23 |
| 2135606 | Melvin Strickland | 332644 | 993736 | | 44 | C | 10 | | | 112SYMR | 1482 | 1 measurement | C | E | I | Waters lawn and garden. |
| | | | | | | | | | | | | 1969 | 0.50 hp | | | |
| | | | | | | | | | | | | -23.5 | | | | |
| 2135607 | Jester Bowman Estate | 332643 | 993734 | | | C | 30 | | | UNKNOWN | 1482 | 1 measurement | N | | U | Concrete-lined dug well. |
| | | | | | | | | | | | | 1969 | | | | |
| | | | | | | | | | | | | -21.6 | | | | |
| 2135608 | City of Munday | 332622 | 993758 | 00/00/1966 | 55 | C | 36 | 0 | 24 | 112SYMR | 1484 | | T | E | P | Cemented from 24 ft. to surface. |
| | | | | | | C | 14 | 0 | 55 | | | | 7.50 hp | | | Casing perforated, interval not known. Gravel packed. North well of 2. |
| 2135609 | City of Munday | 332619 | 993758 | 00/00/1965 | 61 | C | 36 | 0 | 24 | 110ALVM | 1485 | | T | E | P | Cemented from 24 ft. to surface. |
| | | | | | | C | 14 | 0 | 61 | | | | 10.00 hp | | | Casing perforated. Gravel packed. South well of 2. |
| 2135610 | M.L. Wiggins | 332642 | 993741 | | | C | 6 | | | UNKNOWN | 1483 | | J | E | H | |
| 2135611 | Ed Johnson | 332630 | 993749 | 00/00/1967 | 49 | C | 7 | | | 112SYMR | 1484 | | S | E | H | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|---------------|----------|-----------|--------------|------------|--------------|----|----|---------|-----------|---|------|-----------|---------|---|
| 2135612 | A.E. Bowley | 332712 | 993731 | 00/00/1956 | 45 | | | | 112SYMR | 1482 | | J | E | H | |
| 2135613 | E.H. Nelson | 332716 | 993810 | 03/00/1956 | 42 | C 12 | 0 | 31 | 112SYMR | 1486 | 2 measurements 1956 to 1977 MIN -27.4 MAX -17.8 | T | E | I | Casing slotted. |
| | | | | | | S 12 | 31 | 42 | | | | | 5.00 hp | | |
| 2135614 | E.H. Nelson | 332710 | 993820 | 03/00/1956 | 44 | C 12 | 0 | 28 | 112SYMR | 1487 | 3 measurements 1956 to 1959 MIN -22.6 MAX -18.6 | T | E | I | Casing slotted. Pumping rate measured at 122 gpm with a pumping level of 41.7 ft. on Aug. 29, 1956. |
| | | | | | | S 12 | 28 | 43 | | | | | 5.00 hp | | |
| 2135615 | G.P. Hill | 332653 | 993859 | | | C 12 | | | UNKNOWN | 1490 | 1 measurement 1977 -20 | S | E | I | |
| 2135616 | E.G. Thompson | 332700 | 993914 | | | C 8 | | | UNKNOWN | 1497 | | S | E | I | |
| 2135617 | J.E. Nelson | 332713 | 993912 | 04/00/1956 | 42 | C 14 | 0 | 30 | 110ALVM | 1496 | | S | E | I | Casing slotted. |
| | | | | | | S 14 | 30 | 42 | | | | | | | |
| 2135618 | J.E. Nelson | 332708 | 993914 | 08/00/1955 | 46 | C 12 | 0 | 31 | 110ALVM | 1497 | 2 measurements 1956 to 1956 MIN -25.6 MAX -24.6 | T | L | I | Casing slotted. |
| | | | | | | S 12 | 31 | 46 | | | | | | | |
| 2135619 | C.M. Thompson | 332653 | 993931 | 08/00/1954 | 48 | C 14 | | | 110ALVM | 1502 | 3 measurements 1956 to 1977 MIN -28 MAX -20.2 | T | E | I | |
| 2135620 | C.M. Thompson | 332716 | 993937 | 03/00/1955 | 40 | C 12 | 0 | 25 | 110ALVM | 1497 | 3 measurements 1956 to 1959 MIN -23.3 MAX -19.7 | T | E | I | Casing slotted. |
| | | | | | | S 12 | 25 | 40 | | | | | | | |
| 2135621 | E. Dickerson | 332653 | 993939 | 00/00/1901 | 41 | C 30 | | | 110ALVM | 1502 | 1 measurement 1936 -27.5 | P | W | H | Dug well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-----------------------------|----------|-----------|--------------|------------|-------------------------|---------|-----------|------------------------------|------|-----------|--|
| 2135622 | J.C. Wallace | 332656 | 993833 | 00/00/1906 | 37 | C 30 | 112SYMR | 1488 | 1 measurement 1936 -21 | T | E H | Dug well. |
| 2135623 | E. Dickerson | 332656 | 993957 | | | C 14 | UNKNOWN | 1503 | | S | E I | |
| 2135624 | Eugene Michels | 332715 | 993849 | 03/00/1953 | 38 | C 12 0 25 S 12 25 38 | 110ALVM | 1494 | | T | L I | Casing slotted. |
| 2135625 | Ronnie Stewart | 332651 | 993903 | | | C 8 | UNKNOWN | 1492 | | J | E H | |
| 2135626 | Ronnie Stewart | 332651 | 993846 | | | | UNKNOWN | 1487 | | J | E U | |
| 2135627 | TxDOT | 332656 | 993840 | | | C 8 | UNKNOWN | 1488 | | T | E U | Gravel packed. 2.00 hp |
| 2135628 | D.A. Melton | 332652 | 993843 | 00/00/1963 | 40 | C 8 | 112SYMR | 1488 | | J | E H | Not used for human consumption. 2.00 hp Garden use only. |
| 2135629 | Tidwell | 332657 | 993848 | | | C 8 | UNKNOWN | 1489 | | J | E H | |
| 2135630 | Howard Voss and B. Meers | 332655 | 993852 | 00/00/1964 | 43 | C 12 | 112SYMR | 1489 | | J | E H | 0.75 hp |
| 2135631 | Boyd Meers | 332655 | 993849 | | | | UNKNOWN | 1488 | | N | G | Destroyed. |
| 2135632 | Michels | 332717 | 993844 | | | | UNKNOWN | 1492 | | T | E I | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|-----------------|----------|-----------|--------------|------------|--------------|----|----|--|---------|-----------|--------------------------------|------|-----------|---------|--|
| 2135633 | Wallace | 332655 | 993847 | | | | | | | UNKNOWN | 1488 | | N | U | | |
| 2135634 | Smith | 332654 | 993903 | | | | | | | UNKNOWN | 1493 | | S | E | I | |
| 2135635 | Smith | 332658 | 993845 | | | | | | | UNKNOWN | 1488 | | N | U | | |
| 2135636 | Michels | 332715 | 993835 | | | | | | | UNKNOWN | 1488 | | J | E | H | |
| 2135637 | Smith | 332658 | 993849 | | | | | | | UNKNOWN | 1489 | | N | U | | |
| 2135638 | B.B. Bowden | 332609 | 993756 | 00/00/1956 | 59 | | | | | 112SYMR | 1487 | 1 measurement 1977 -25.1 | T | E | I | |
| 2135639 | Gene Thompson | 332726 | 993819 | | | | | | | UNKNOWN | 1487 | | T | E | I | |
| | | | | | | | | | | | | | | | 5.00 hp | |
| 2135640 | G.S. Wyatt | 332634 | 993832 | | | | | | | UNKNOWN | 1487 | | S | E | I | |
| 2135641 | G.S. Wyatt | 332629 | 993821 | 03/00/1956 | 45 | C 14 | 0 | 30 | | 112SYMR | 1488 | | S | E | I | |
| | | | | | | S 14 | 30 | 45 | | | | | | | | Casing slotted. Pumping rate measured at 175 gpm on Aug. 29, 1956. |
| 2135642 | Marion Waggoner | 332702 | 993739 | 04/04/1974 | 38 | C 7 | | | | 112SYMR | 1480 | | J | E | H | Casing perforated, interval not reported. Gravel packed. |
| 2135643 | Dorse Collins | 332702 | 993733 | 04/28/1974 | 40 | C 6 | | | | 112SYMR | 1480 | | J | E | H | Casing perforated, interval not reported. Gravel packed. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | | | |
|------------|------------------|----------|-----------|--------------|------------|--------------|----|---|---------|-----------|--------------------------------|---|-----------|---------|--|----------|---|
| 2135644 | Vernal Zeissel | 332655 | 993815 | 05/05/1942 | 42 | C | 6 | | 112SYMR | 1486 | | J | E | H | Casing perforated, interval not reported. Gravel packed. | | |
| 2135645 | John Reneau, Jr. | 332540 | 993937 | | | | | | UNKNOWN | 1495 | | T | E | I | 5.00 hp | | |
| 2135646 | John Reneau, Jr | 332541 | 993918 | | | | | | UNKNOWN | 1495 | 1 measurement 1977 -22.1 | T | E | I | 5.00 hp | | |
| 2135647 | J.R. Hill | 332640 | 993938 | | | | | | UNKNOWN | 1505 | | T | E | I | | | |
| 2135648 | Clay F. Grove | 332617 | 993937 | 01/00/1954 | 47 | C | 12 | 0 | 32 | 110ALVM | 1498 | 4 measurements 1956 to 1959 MIN -21.2 MAX -16.4 | T | E | I | 15.00 hp | Casing slotted. Pumping rate measured at 212 gpm with a pumping level of 38.3 ft. on July 20, 1956. |
| 2135649 | G. Haynie | 332607 | 993902 | | | | | | UNKNOWN | 1491 | 1 measurement 1977 -22.1 | T | E | I | 5.00 hp | | |
| 2135650 | G.C. Pruitt | 332609 | 993834 | | 38 | C | 30 | | 112SYMR | 1490 | 1 measurement 1936 -19.5 | P | W | H | | | |
| 2135651 | W.G. Leflar | 332516 | 993940 | 06/00/1952 | 60 | C | 14 | 0 | 40 | 112SYMR | 1496 | 2 measurements 1956 to 1956 MIN -19.3 MAX -13.2 | T | L | I | | Casing slotted. |
| 2135652 | W.G. Leflar | 332517 | 993924 | 03/00/1952 | 59 | C | 14 | 0 | 39 | 112SYMR | 1495 | | T | L | I | | Casing slotted. |
| 2135653 | W.G. Leflar | 332517 | 993910 | 04/00/1956 | 59 | C | 14 | 0 | 44 | 112SYMR | 1494 | 4 measurements 1956 to 1977 MIN -23.7 MAX -15 | T | L | I | | Casing slotted. Pumping rate measured at 511 gpm on July 19, 1956. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | | Remarks |
|------------|--------------------|----------|-----------|--------------|------------|--------------|----|----|----|---------|-----------|---|------|-----------|---|---|---------|
| 2135654 | G.W. Holloway | 332538 | 993947 | | 43 | C | 30 | | | 112SYMR | 1497 | 1 measurement 1936 -15 | J | E | H | Dug well. | |
| 2135655 | W.G. Leflar | 332527 | 993954 | 06/00/1952 | 61 | C | 14 | 0 | 41 | 112SYMR | 1498 | | T | L | I | Casing slotted. | |
| | | | | | | S | 14 | 41 | 61 | | | | | | | | |
| 2135656 | Floyd Reed | 332533 | 993748 | | | C | 12 | | | UNKNOWN | 1490 | | T | L | I | | |
| 2135657 | G.L. Pruitt | 332557 | 993753 | | | C | 12 | | | UNKNOWN | 1487 | | T | E | I | | |
| 2135658 | Mrs. N.H. Campbell | 332502 | 993947 | 04/00/1956 | 62 | C | 16 | 0 | 47 | 112SYMR | 1500 | 3 measurements 1956 to 1959 MIN -22.3 MAX -17 | T | E | I | Casing slotted. Pumping level measured at 35.2 ft. on Feb. 19, 1956. | |
| | | | | | | S | 16 | 47 | 62 | | | | | | | | |
| 2135659 | C.A. Steinniale | 332534 | 993754 | | 32 | C | 36 | | | 110ALVM | 1490 | | J | E | H | Dug well. | |
| 2135660 | L.L. Huckabee | 332523 | 993756 | 01/00/1955 | 63 | C | 12 | 0 | 43 | 110ALVM | 1490 | 3 measurements 1956 to 1959 MIN -21.4 MAX -15.7 | T | E | I | Casing slotted. | |
| | | | | | | S | 12 | 43 | 63 | | | | | | | | |
| 2135661 | Griess | 332512 | 993800 | | 29 | C | 36 | | | 110ALVM | 1490 | 1 measurement 1936 -23 | J | E | H | Dug well. | |
| 2135662 | K.L. Caughran | 332508 | 993811 | 09/00/1955 | 62 | C | 13 | 0 | 46 | 110ALVM | 1491 | 4 measurements 1956 to 1977 MIN -31.5 MAX -19.1 | T | L | I | Casing slotted. Pumping rate measured at 851 gpm with a pumping level of 36.7 ft. on July 19, 1956. | |
| | | | | | | S | 13 | 46 | 61 | | | | | | | | |
| 2135663 | J.B. Reneau | 332553 | 993825 | 03/00/1953 | 48 | C | 14 | 0 | 28 | 112SYMR | 1492 | 3 measurements 1956 to 1959 MIN -21.7 MAX -16.7 | T | E | I | Casing slotted. | |
| | | | | | | S | 14 | 28 | 48 | | | | | | | | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|-----------------|----------|-----------|--------------|------------|--------------|----|----|---------|-----------|---|------|-----------|---|---|
| 2135664 | J.B. Reneau | 332537 | 993842 | 01/00/1952 | 47 | C 14 | 0 | 27 | 112SYMR | 1491 | | T | E | I | Casing slotted. |
| | | | | | | S 14 | 27 | 47 | | | | | | | |
| 2135665 | J.B. Reneau | 332535 | 993844 | 01/00/1955 | 52 | C 14 | 0 | 32 | 112SYMR | 1493 | 2 measurements 1956 to 1956 MIN -20.5 MAX -15.4 | T | E | I | Casing slotted. |
| | | | | | | S 14 | 32 | 52 | | | | | | | |
| 2135666 | J.B. Reneau | 332531 | 993848 | 04/00/1956 | 61 | C 14 | 0 | 41 | 112SYMR | 1494 | 2 measurements 1956 to 1956 MIN -22.8 MAX -16.7 | T | E | I | Casing slotted. Pumping rate measured at 650 gpm on July 20, 1956. |
| | | | | | | S 14 | 41 | 61 | | | | | | | |
| 2135667 | W.H. Gaither | 332534 | 993831 | 02/00/1956 | 58 | C 14 | 0 | 43 | 110ALVM | 1492 | 2 measurements 1956 to 1956 MIN -22.7 MAX -16.8 | T | E | I | Casing slotted. Pumping rate measured at 850 gpm on July 19, 1956. |
| | | | | | | S 14 | 43 | 58 | | | | | | | |
| 2135668 | J.B. Reneau | 332602 | 993945 | | | C 22 | | | UNKNOWN | 1497 | | T | E | I | |
| 2135669 | L.R. Burnison | 332515 | 993745 | 08/00/1955 | 56 | C 12 | 0 | 42 | 110ALVM | 1490 | 2 measurements 1956 to 1956 MIN -21.8 MAX -15.8 | T | L | I | Casing slotted. Pumping rate measured at 452 gpm with a pumping level of 27.4 ft. on July 10, 1956. |
| | | | | | | S 12 | 42 | 56 | | | | | | | |
| 2135670 | Mrs. Sheety | 332553 | 993926 | | 42 | C 30 | | | 112SYMR | 1495 | 1 measurement 1936 -14 | N | | U | Concrete-lined dug well. |
| 2135671 | T.D. Johnson | 332601 | 993935 | | 39 | C 30 | | | 112SYMR | 1494 | 1 measurement 1936 -17 | P | H | H | Concrete lined dug well. |
| 2135672 | B.F. Tankersley | 332630 | 993951 | 00/00/1906 | 47 | C 30 | | | 110ALVM | 1500 | 1 measurement 1936 -24 | P | W | H | Dug well. |
| 2135673 | W.F. Leflar | 332553 | 993950 | 03/00/1955 | 50 | C 12 | 0 | 35 | 110ALVM | 1498 | 1 measurement 1956 -19.5 | N | | G | Casing slotted. Destroyed. |
| | | | | | | S 12 | 35 | 50 | | | | | | | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | | Lift | Power Use | Remarks |
|------------|---------------------|----------|-----------|--------------|------------|--------------|---------|----------|--|---------|-----------|---|--|-------|-----------|---|
| 2135674 | City of Munday | 332711 | 993805 | | 36 | | | | | 112SYMR | 1491 | | | N | U | Located in roping arena. Now abandoned. |
| 2135675 | Glenn Weaver | 332646 | 993750 | 00/00/1963 | 38 | | | | | 112SYMR | 1484 | | | N | U | Abandoned. |
| 2135704 | D. Johnson | 332434 | 994349 | 12/00/1955 | 62 | C 14 S 14 | 0 47 | 47 62 | | 110ALVM | 1527 | 3 measurements 1956 to 1977 MIN -29.1 MAX -23.3 | | T E I | | Casing slotted. Pumping rate measured at 277 gpm with a pumping level of 51.8 ft. on July 25, 1956. |
| 2135705 | Mrs. Leona Thomison | 332426 | 994348 | 01/00/1952 | 61 | C 14 S 14 | 0 43 | 43 61 | | 110ALVM | 1527 | 2 measurements 1956 to 1956 MIN -28 MAX -22.8 | | T E I | | Casing slotted. |
| 2135706 | E.H. Tankersley | 332424 | 994301 | 02/00/1955 | 51 | C 14 S 14 | 0 30 | 30 50 | | 110ALVM | 1520 | 2 measurements 1956 to 1956 MIN -23.5 MAX -16.9 | | T E I | | Casing slotted. Pumping rate measured at 406 gpm with a pumping level of 43.8 ft. on July 25, 1956. |
| 2135707 | F.M. Harrison | 332419 | 994351 | | 53 | C 30 | | | | 110ALVM | 1532 | 1 measurement 1936 -30 | | N | U | Dug well. |
| 2135708 | Howard Myers | 332431 | 994247 | | | C 16 | | | | UNKNOWN | 1522 | | | T E I | | 5.00 hp |
| 2135709 | Hutchinson | 332429 | 994237 | | | C 14 | | | | UNKNOWN | 1518 | | | T E I | | 10.00 hp |
| 2135710 | J.R. Gaines | 332450 | 994233 | | | C 14 | | | | UNKNOWN | 1519 | | | T E I | | 3.00 hp |
| 2135711 | J.P. Jones | 332422 | 994401 | 02/00/1952 | 74 | C 16 S 16 | 0 44 | 44 74 | | 110ALVM | 1536 | 2 measurements 1956 to 1956 MIN -36.2 MAX -32.8 | | T E I | | Reported yield 917 GPM in 1956. Aquifer test results unnumbered in TWDB R-98. Test results in TDWR R-226. Data in TWDB files. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|-----------------|----------|-----------|--------------|------------|--------------|----|----|---------|-----------|---|------|-----------|---|--|
| 2135712 | E.H. Tankersley | 332436 | 994252 | 02/00/1955 | 60 | C 14 | 0 | 40 | 110ALVM | 1521 | 2 measurements 1956 to 1956 MIN -29.3 MAX -25.9 | T | E | I | Casing slotted. Pumping rate measured at 241 gpm with a pumping level of 48.6 ft. on July 20, 1956. |
| 2135713 | G.A. Branton | 332358 | 994314 | 01/00/1956 | 70 | C 14 | 0 | 55 | 110ALVM | 1525 | | T | E | I | Casing slotted. |
| | | | | | | S 14 | 55 | 70 | | | | | | | 15.00 hp |
| 2135715 | B.L. Lowery | 332356 | 994447 | | 46 | C 30 | | | 110ALVM | 1530 | 1 measurement 1936 -22 | N | | G | Destroyed. |
| 2135716 | B.L. Lowery | 332400 | 994446 | 03/00/1954 | 58 | C 14 | 0 | 38 | 110ALVM | 1529 | | T | E | I | Casing slotted. |
| | | | | | | S 14 | 38 | 58 | | | | | | | |
| 2135717 | G.A. Branton | 332355 | 994449 | | 55 | C 14 | | | 110ALVM | 1529 | | T | E | I | |
| | | | | | | | | | | | | | | | 20.00 hp |
| 2135718 | B.L. Lowery | 332418 | 994446 | 01/00/1956 | 58 | C 14 | 0 | 38 | 110ALVM | 1529 | 3 measurements 1956 to 1977 MIN -26.3 MAX -22.1 | T | E | I | Casing slotted. |
| | | | | | | S 14 | 38 | 58 | | | | | | | 15.00 hp |
| 2135720 | G.A. Branton | 332359 | 994357 | 01/00/1956 | 68 | C 14 | 0 | 53 | 110ALVM | 1536 | 2 measurements 1956 to 1956 MIN -20.2 MAX -16.1 | T | E | I | Casing slotted. Pumping rate measured at 125 gpm on Aug. 3, 1976. Pumping level measured at 48 ft. on May 9, 1956. |
| | | | | | | S 14 | 53 | 68 | | | | | | | 15.00 hp |
| 2135721 | G.A. Branton | 332408 | 994312 | 01/00/1956 | 68 | C 14 | 0 | 53 | 110ALVM | 1523 | 4 measurements 1956 to 1977 MIN -24.6 MAX -17.3 | S | E | I | Casing slotted. Pumping level measured at 34.8 ft. on July 25, 1956. |
| | | | | | | S 14 | 53 | 68 | | | | | | | 15.00 hp |
| 2135735 | J.G. Hawkins | 332458 | 994436 | 02/00/1955 | 62 | C 14 | 0 | 47 | 110ALVM | 1531 | | T | E | I | Casing slotted. |
| | | | | | | S 14 | 47 | 62 | | | | | | | |
| 2135736 | J.G. Hawkins | 332458 | 994429 | 01/00/1952 | 71 | C 14 | 0 | 51 | 110ALVM | 1531 | 2 measurements 1956 to 1956 MIN -32.3 MAX -30.3 | T | E | I | Casing slotted. |
| | | | | | | S 14 | 51 | 71 | | | | | | | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-------------------|----------|-----------|--------------|------------|-------------------------|--|--|---------|-----------|---|-------|-----------|---|
| 2135737 | Mrs. W.L. Hamm | 332447 | 994437 | 02/00/1956 | 60 | C 14 | | | 110ALVM | 1531 | 2 measurements 1956 to 1956 MIN -27.8 MAX -23.4 | T L I | | Casing slotted. Pumping rate measured at 298 gpm with a pumping level of 42.0 ft. on Aug. 30, 1956. |
| 2135738 | Bertha Sweatt | 332452 | 994414 | 02/00/1956 | 62 | C 16 0 47 S 16 47 62 | | | 110ALVM | 1532 | 2 measurements 1956 to 1956 MIN -30.7 MAX -26.2 | T E I | 15.00 hp | Casing slotted. |
| 2135739 | Bertha Sweatt | 332500 | 994403 | 02/00/1952 | 64 | C 14 0 36 S 14 36 61 | | | 110ALVM | 1531 | 2 measurements 1956 to 1956 MIN -32.7 MAX -28.2 | T L I | | Casing slotted. |
| 2135740 | J.P. Jones | 332447 | 994354 | 01/00/1955 | 60 | C 14 0 40 S 14 40 60 | | | 110ALVM | 1531 | 3 measurements 1956 to 1959 MIN -31.3 MAX -21.8 | T E I | | Casing slotted. |
| 2135741 | D.H. Henry | 332426 | 994456 | 01/00/1956 | 58 | C 14 0 38 S 14 38 58 | | | 110ALVM | 1529 | 3 measurements 1956 to 1957 MIN -25.6 MAX -22.2 | T E I | 15.00 hp | Reported yield 335 GPM in 1956. Aquifer test results unnumbered in TWDB R-98. Test results in TDWR R-226. Data in TWDB files. |
| 2135742 | E.G. Parkhill | 332410 | 994432 | 00/00/1933 | 40 | C 36 0 25 S 36 25 40 | | | 110ALVM | 1530 | 3 measurements 1956 to 1959 MIN -27.1 MAX -22.3 | T E I | 15.00 hp | Iron and cement lined dug well. Casing slotted. Pumping rate measured at 812 gpm with a pumping level of 35.9 ft. on July 25, 1956. |
| 2135743 | Mrs. Harris | 332446 | 994247 | | 32 | C 30 | | | 110ALVM | 1521 | 1 measurement 1936 -27 | J E H | | Rock-lined dug well. |
| 2135744 | L.E. Hudson | 332425 | 994249 | | 50 | C 30 | | | 110ALVM | 1521 | 1 measurement 1936 -28 | P W H | | Dug well. |
| 2135745 | W.D. Smith Estate | 332417 | 994313 | | 32 | C 30 | | | 110ALVM | 1521 | 1 measurement 1936 -7 | N G | | Concrete-lined dug well. Destroyed. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|------------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|---|------|-----------|---|---|
| 2135746 | Clifford Cornett | 332437 | 994248 | 08/00/1952 | 58 | C 16 | 0 | 32 | 110ALVM | 1522 | 2 measurements 1956 to 1977 MIN -22.1 MAX -21.2 | S | E | I | Casing slotted. Pumping rate measured at 266 gpm with a pumping level of 36.5 ft. on July 20, 1956. |
| 2135802 | C. Hutchinson | 332425 | 994217 | | | | | | UNKNOWN | 1518 | | T | E | I | |
| 2135803 | J.H. Jones | 332426 | 994146 | | 35 | C 30 | | | 110ALVM | 1518 | 1 measurement 1936 -23 | J | E | H | |
| 2135804 | Ed Whittlemore | 332454 | 994153 | 03/00/1956 | 56 | C 12 | 0 | 41 | 110ALVM | 1516 | 3 measurements 1956 to 1957 MIN -23.3 MAX -19 | T | E | I | Casing slotted. Pumping rate measured at 395 gpm with a pumping level of 40.9 ft. on July 20, 1956. |
| 2135806 | Griffin | 332355 | 994106 | 02/00/1955 | 78 | C 14 | 0 | 62 | 110ALVM | 1513 | 2 measurements 1956 to 1956 MIN -22.4 MAX -17 | T | L | I | Casing slotted. Pumping level measured at 31.1 ft. on July 23, 1956. |
| 2135807 | Fred Lane | 332458 | 994111 | 03/00/1953 | 53 | C 16 | 0 | 33 | 110ALVM | 1509 | | T | L | I | Casing slotted. |
| 2135808 | Fred Lane | 332454 | 994102 | 03/00/1954 | 54 | C 16 | | | 110ALVM | 1507 | 2 measurements 1956 to 1956 MIN -20.5 MAX -15.3 | T | L | I | Pumping rate measured at 530 gpm with a pumping level of 30 ft. on July 23, 1956 |
| 2135809 | B.F. Cornett | 332440 | 994111 | 08/00/1955 | 65 | C 14 | 0 | 50 | 110ALVM | 1508 | 2 measurements 1956 to 1956 MIN -21.3 MAX -15.8 | T | E | I | Casing slotted. Pumping rate measured at 800 gpm with a pumping level of 40.0 ft. on July 23, 1956. |
| 2135810 | B.F. Cornett | 332427 | 994110 | 03/00/1956 | 60 | C 16 | 0 | 50 | 110ALVM | 1508 | 1 measurement 1977 -22.8 | T | L | I | Casing slotted. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|-------------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|---|------|-----------|---------|---|
| 2135811 | Lee R. Burnison | 332448 | 994124 | 08/00/1955 | 56 | C 12 | 0 | 41 | 110ALVM | 1513 | 3 measurements 1956 to 1959 MIN -28.1 MAX -22.5 | T | E | I | Casing slotted. Pumping level measured at 46.1 ft. on July 23, 1956. |
| 2135812 | John Michels | 332432 | 994046 | | | C 14 | | | UNKNOWN | 1512 | | T | E | I | |
| 2135813 | B.F. Cornett | 332430 | 994010 | 07/00/1955 | 56 | C 14 | 0 | 41 | 110ALVM | 1512 | 4 measurements 1956 to 1977 MIN -33.7 MAX -20.4 | T | E | I | Casing slotted. Pumping level measured at 36.1 ft. on July 20, 1956. |
| 2135819 | J.E. Hunter | 332419 | 994221 | 01/00/1953 | 71 | C 16 | 0 | 56 | 110ALVM | 1518 | 3 measurements 1956 to 1977 MIN -27.5 MAX -15.1 | T | E | I | Casing slotted. Pumping rate measured at 450 gpm with a pumping level of 40.4 ft. on July 23, 1956. |
| 2135822 | W.A. Smith | 332408 | 994202 | 03/00/1956 | 64 | C 16 | | | 110ALVM | 1518 | 3 measurements 1956 to 1959 MIN -21.8 MAX -14.6 | T | L | I | Pumping rate measured at 850 gpm with a pumping level of 52.2 ft. on July 23, 1956. |
| 2135823 | H.R. Hicks | 332356 | 994139 | 03/00/1955 | 68 | C 14 | 0 | 53 | 110ALVM | 1516 | 2 measurements 1956 to 1956 MIN -22.9 MAX -17.1 | T | L | I | Casing slotted. |
| 2135828 | S. Myers | 332416 | 994052 | | | C 14 | | | UNKNOWN | 1508 | | T | E | I | 10.00 hp |
| 2135829 | Tolbie Winchester | 332356 | 994011 | 02/00/1956 | 65 | C 14 | 0 | 52 | 110ALVM | 1511 | 3 measurements 1956 to 1977 MIN -28.2 MAX -16.8 | T | L | I | Casing slotted. Pumping rate measured at 800 gpm with a pumping level of 41.3 ft. on Aug. 23, 1956. |
| 2135830 | Tolbie Winchester | 332356 | 994050 | 02/00/1955 | 78 | C 14 | | | 110ALVM | 1510 | | T | E | I | |
| 2135831 | Clifford Rhoads | 332438 | 994035 | | | C 16 | | | UNKNOWN | 1507 | | T | E | I | 15.00 hp |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks | |
|------------|-------------------|----------|-----------|--------------|------------|--------------|----|---------|-----------|------------------------------|---|-----------|---|-------------------------------------|---|
| 2135832 | H.H. Nicholson | 332355 | 994212 | | 46 | C | 30 | 110ALVM | 1517 | 1 measurement 1936 -14 | P | H | H | Concrete-lined dug well. | |
| 2135833 | B.L. Burnison | 332459 | 994144 | | 49 | C | 30 | 110ALVM | 1516 | 1 measurement 1936 -27 | P | W | H | Concrete-lined dug well. | |
| 2135834 | J.R. Huckleby | 332428 | 994039 | | 35 | C | 30 | 110ALVM | 1508 | 1 measurement 1936 -15 | N | | G | Concrete-lined dug well. Destroyed. | |
| 2135836 | C. Smith | 332426 | 994149 | 00/00/1980 | 65 | | | 110ALVM | 1518 | | S | E | H | | |
| 2135901 | J.E. Nelson | 332429 | 993911 | | | C | 12 | UNKNOWN | 1498 | | T | E | I | 15.00 hp | |
| 2135902 | T.J. Thompson | 332430 | 993955 | | 43 | C | 30 | 110ALVM | 1505 | 1 measurement 1936 -19 | P | W | H | Dug well. | |
| 2135903 | E.H. Nelson | 332434 | 993928 | 03/01/1956 | 62 | C | 12 | 0 47 | 110ALVM | 1499 | 4 measurements 1956 to 1977 MIN -21.9 MAX -14.3 | T | E | I | Casing slotted. Pumping rate measured at 520 gpm with a pumping level of 31.7 ft. on July 19, 1956. |
| 2135904 | Mrs. M.C. Hardin | 332459 | 993939 | | 48 | C | 30 | 110ALVM | 1499 | 1 measurement 1936 -25 | N | | U | Dug well. | |
| 2135905 | E.H. Nelson | 332445 | 993859 | 04/00/1956 | 59 | C | 14 | 0 45 | 110ALVM | 1498 | 2 measurements 1956 to 1956 MIN -22.1 MAX -17.2 | T | E | I | Casing slotted. |
| 2135906 | Mrs. Lee Burnison | 332438 | 993846 | 00/00/1956 | 60 | C | 12 | 0 45 | 110ALVM | 1498 | 4 measurements 1956 to 1977 MIN -23.4 MAX -16.7 | T | E | I | Casing slotted. Pumping rate measured at 450 gpm with a pumping level of 31.4 ft. on July 19, 1956. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|-------------------|----------|-----------|--------------|------------|--------------|----|----|---------|-----------|---|------|-----------|---|---|
| 2135907 | Mrs. Emma Nelson | 332442 | 993837 | 03/00/1956 | 69 | C 12 | 0 | 55 | 110ALVM | 1498 | 1 measurement 1956 -23.5 | T | L | I | Casing slotted. |
| 2135908 | J.R. Nelson | 332448 | 993900 | 00/00/1895 | 43 | C 36 | | | 110ALVM | 1497 | 1 measurement 1936 -32 | P | W | U | Dug well. |
| 2135909 | Grady Phillips | 332420 | 993933 | 10/00/1955 | 54 | C 13 | | | 110ALVM | 1499 | 3 measurements 1956 to 1957 MIN -19.7 MAX -12.4 | T | E | I | Pumping rate measured at 520 gpm with a pumping level of 32.7 ft. on July 19, 1956. |
| 2135910 | M.A. Bumpus | 332407 | 993932 | 04/00/1956 | 52 | C 14 | 0 | 37 | 110ALVM | 1499 | 4 measurements 1956 to 1977 MIN -20.6 MAX -14.7 | T | E | I | Reported yield 356 GPM in 1956. Aquifer test results unnumbered in TWDB R-98. Test results in TDWR R-226. Data in TWDB files. |
| 2135911 | Jerome Hall | 332427 | 993820 | 00/00/1928 | 43 | C 36 | | | 110ALVM | 1495 | 1 measurement 2001 -31.9 | J | E | H | Dug well. MP= +2.00 feet 1.00 hp |
| 2135912 | M.A. Bumpus | 332402 | 993917 | 04/00/1956 | 50 | C 14 | 0 | 34 | 110ALVM | 1497 | | T | E | I | Casing slotted. |
| | | | | | | S 14 | 34 | 49 | | | | | | | |
| 2135913 | Samuel Tankersley | 332414 | 994001 | 03/00/1956 | 68 | C 16 | 0 | 33 | 110ALVM | 1508 | 2 measurements 1956 to 1956 MIN -24.2 MAX -19 | T | E | I | Casing slotted. |
| | | | | | | S 16 | 33 | 68 | | | | | | | |
| 2135914 | Samuel Tankersley | 332413 | 993948 | 03/00/1955 | 59 | C 14 | 0 | 44 | 110ALVM | 1504 | | T | E | I | Casing slotted. |
| | | | | | | S 14 | 44 | 59 | | | | | | | |
| 2135916 | J.B. Reneau | 332428 | 993812 | | 28 | C 36 | | | 110ALVM | 1496 | 2 measurements 1936 to 1977 MIN -18.7 MAX -18.5 | N | | U | |
| 2135917 | W.E. McNiel | 332423 | 993731 | | 30 | | | | 110ALVM | 1486 | | P | W | H | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|-----------------|----------|-----------|--------------|------------|--------------|----|------|----------|-----------|--|------|-----------|------------|---|
| 2135918 | L.R. Burnison | 332458 | 993747 | | 581 | | | | NOT-APPL | 1489 | | N | U | Test hole. | |
| 2136101 | C. Welch | 332836 | 993648 | 00/00/1934 | 47 | C | 30 | | 112SYMR | 1475 | 3 measurements 1936 to 1975 MIN -26.3 MAX -20 | J | E | H | Concrete-lined dug well. |
| 2136102 | V.S. Moore | 332837 | 993549 | | 35 | C | 36 | | 112SYMR | 1477 | 2 measurements 1975 to 1975 MIN -31.2 MAX -31.1 | J | E | U | Concrete-lined dug well. |
| 2136103 | Helen McClure | 332838 | 993558 | | 37 | C | 12 | | 112SYMR | 1474 | 39 measurements 1975 to 1989 MIN -28.34 MAX -24.76 | N | | U | Former water-level observation well. |
| 2136104 | Coughran Estate | 332929 | 993558 | 03/00/1956 | 52 | C | 14 | 0 37 | 112SYMR | 1469 | 4 measurements 1956 to 1977 MIN -28.6 MAX -15.7 | T | E | I | Casing slotted. Pumping rate measured at 406 gpm with a pumping level of 38.8 ft. on July 18, 1956. |
| 2136105 | Frank Russell | 332846 | 993711 | 08/00/1952 | 46 | C | 14 | 0 26 | 112SYMR | 1475 | | T | L | I | Casing slotted. Pumping rate measured at 615 gpm on July 18, 1956. |
| 2136106 | L.D. Offutt | 332810 | 993724 | 00/00/1950 | | C | 14 | | UNKNOWN | 1483 | | J | E | H | |
| 2136107 | L.D. Offutt | 332810 | 993722 | | 38 | C | 36 | | 112SYMR | 1483 | 1 measurement 1936 -25.5 | N | | G | Dug well. Destroyed. |
| 2136108 | L.D. Offutt | 332833 | 993728 | 00/00/1950 | | C | 12 | | UNKNOWN | 1480 | | T | E | I | 7.50 hp |
| 2136109 | L.D. Offutt | 332833 | 993712 | 11/00/1955 | 44 | C | 14 | 0 29 | 112SYMR | 1478 | 2 measurements 1956 to 1956 MIN -23.4 MAX -18.7 | T | E | I | Casing slotted. Pumping rate measured at 331 gpm with a pumping level of 37.1 ft. on July 18, 1956. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-------------------|----------|-----------|--------------|------------|--------------|---------------|---------|-----------|---|------|----------------|---|
| 2136110 | H. Jungman | 332835 | 993620 | 12/29/1936 | 18 | | | 112SYMR | 1474 | | N | U | Test hole. |
| 2136111 | H.M. Michaels | 332835 | 993610 | | 35 | | | 112SYMR | 1474 | 1 measurement 1936 -24 | N | G | Destroyed. |
| 2136112 | L.D. Offutt | 332820 | 993718 | 00/00/1954 | 49 | C 14 | | 112SYMR | 1482 | 2 measurements 1956 to 1956 MIN -28.7 MAX -27.1 | T | L I | Pumping level measured at 46.1 ft. on July 18, 1956. |
| 2136113 | F.G. Offutt | 332904 | 993548 | | 38 | C 36 | | 112SYMR | 1475 | 1 measurement 1936 -25 | N | G | Dug well. Destroyed. |
| 2136114 | A. Lowrance | 332742 | 993728 | | 36 | | | 112SYMR | 1484 | | T | E I 3.00 hp | |
| 2136115 | A. Lowrance | 332801 | 993655 | 00/00/1960 | 45 | C 16 | | 112SYMR | 1481 | | T | E I 5.00 hp | |
| 2136116 | A. Lowrance | 332749 | 993659 | 00/00/1960 | 45 | C 16 | | 112SYMR | 1481 | | T | E I 3.00 hp | |
| 2136117 | Coughran Estate | 332937 | 993550 | 00/00/1950 | | | | UNKNOWN | 1467 | | T | E I | |
| 2136118 | George Reidenbach | 332940 | 993511 | | 42 | C 36 | | 112SYMR | 1465 | 1 measurement 1936 -30 | P | W H | Dug well. |
| 2136119 | Floyd Reed | 332845 | 993545 | 01/00/1955 | 46 | C 14 S 14 | 0 21 21 46 | 112SYMR | 1476 | | S | E I | Casing slotted. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|----------------------|----------|-----------|--------------|------------|--------------|----|----|---------|-----------|---|---------|-----------|---|--|
| 2136120 | Boyd Meers | 332917 | 993533 | 02/00/1955 | 48 | C 14 | 0 | 30 | 112SYMR | 1466 | 3 measurements 1956 to 1977 MIN -26.5 MAX -17 | T | E | I | Casing slotted. Pumping level measured at 40.2 ft. on July 7, 1956. |
| 2136121 | Boyd Meers | 332907 | 993526 | 02/00/1956 | 48 | C 14 | 0 | 15 | 112SYMR | 1471 | 2 measurements 1956 to 1956 MIN -27.8 MAX -25.9 | T | E | I | Casing slotted. Pumping level measured at 44.5 ft. on July 18, 1956. |
| 2136122 | Floyd Reed | 332849 | 993524 | 12/00/1954 | 53 | C 14 | 0 | 39 | 112SYMR | 1469 | 4 measurements 1956 to 1977 MIN -31 MAX -27 | T | E | I | Casing slotted. Pumping level measured at 44.5 ft. on July 18, 1956. |
| 2136123 | Frank Russell | 332855 | 993711 | 08/00/1952 | 41 | C 14 | 0 | 21 | 112SYMR | 1476 | 4 measurements 1956 to 1977 MIN -26.4 MAX -16.9 | T | E | I | Casing slotted. Pumping rate measured at 257 gpm on July 18, 1956. |
| 2136124 | Frank Russell | 332907 | 993634 | 08/00/1952 | 43 | C 14 | 0 | 23 | 112SYMR | 1472 | 2 measurements 1956 to 1977 MIN -26.7 MAX -16.4 | T | L | I | Casing slotted. |
| 2136125 | Mrs. W.P. Farrington | 332920 | 993619 | 01/00/1956 | 37 | C 14 | 0 | 20 | 112SYMR | 1469 | | T | E | I | Casing slotted. |
| 2136126 | Floyd Reed | 332850 | 993519 | | | S 14 | 20 | 37 | | | | 5.00 hp | | | |
| 2136126 | Floyd Reed | 332850 | 993519 | | | C 14 | | | UNKNOWN | 1468 | | T | E | I | |
| 2136127 | Mrs. Huskison | 332906 | 993711 | | 43 | C 36 | | | 112SYMR | 1476 | 1 measurement 1936 -24 | N | | G | Dug well. Destroyed. |
| 2136128 | H. McClure | 332739 | 993600 | | | C 14 | | | UNKNOWN | 1477 | 1 measurement 1977 -28 | T | L | I | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|--------------|----------|-----------|--------------|------------|--------------|--|--|---------|---------|---|--------------------------------|------|-----------|----------------------|
| 2136129 | H. McClure | 332744 | 993528 | | | | | | | UNKNOWN | 1475 | 1 measurement 1977 -27.8 | T | L I | |
| 2136130 | Don Roberts | 332905 | 993651 | | | C 14 | | | | UNKNOWN | 1474 | | T | E I | 15.00 hp |
| 2136131 | W.L. Hobert | 332825 | 993654 | 12/00/1955 | 42 | C 14 0 22 | | | 112SYMR | 1477 | 2 measurements 1956 to 1977 MIN -25 MAX -18.2 | T | E I | 5.00 hp | Casing slotted. |
| 2136132 | J.F. Hendrix | 332948 | 993629 | 12/00/1955 | 39 | C 14 0 27 | | | 112SYMR | 1473 | | T | E I | 3.00 hp | Casing slotted. |
| 2136133 | J.F. Hendrix | 332950 | 993627 | 01/00/1956 | 37 | C 14 0 26 | | | 112SYMR | 1473 | 1 measurement 1977 -32.4 | T | E I | 3.00 hp | Casing slotted. |
| 2136134 | Val Warren | 332807 | 993642 | | 33 | C 36 | | | 112SYMR | 1479 | 1 measurement 1936 -23 | N | G | | Dug well. Destroyed. |
| 2136135 | Boyd Meers | 332927 | 993546 | | | | | | UNKNOWN | 1467 | | T | E I | 3.00 hp | |
| 2136136 | Leland Floyd | 332947 | 993515 | | | C 12 | | | UNKNOWN | 1463 | | T | E I | | |
| 2136137 | Hobert | 332821 | 993654 | | | C 16 | | | UNKNOWN | 1477 | | J | E I | | |
| 2136138 | Gollehon | 332912 | 993530 | | | | | | UNKNOWN | 1471 | | J | E H | | |
| 2136139 | Gollehon | 332909 | 993533 | | | | | | UNKNOWN | 1475 | | | E I | | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|----------------|----------|-----------|--------------|------------|--------------|---------|-----------|--------------------------------|------|----------------|-----------|
| 2136140 | Smith | 332923 | 993609 | | | | UNKNOWN | 1468 | | T | E I | |
| 2136141 | Smith | 332913 | 993617 | | | | UNKNOWN | 1469 | | T | L I | |
| 2136142 | C. Reed | 332901 | 993531 | | | | UNKNOWN | 1474 | | J | E H | |
| 2136143 | Offutt | 332833 | 993720 | | | | UNKNOWN | 1480 | | T | E I | |
| 2136144 | Redder | 332806 | 993730 | | | | UNKNOWN | 1483 | | T | E I | |
| 2136145 | Lowrance | 332755 | 993655 | | | | UNKNOWN | 1481 | 1 measurement 1977 -27.5 | T | E I | |
| 2136146 | Robert A. Beck | 332837 | 993633 | 00/00/1933 | 30 | C 30 | 112SYMR | 1474 | | J | E H | Dug well. |
| 2136147 | Robert A. Beck | 332845 | 993633 | | | | UNKNOWN | 1475 | | S | E I | |
| 2136148 | Hobert | 332834 | 993651 | | | | UNKNOWN | 1476 | | T | E I | |
| 2136149 | J.T. Offutt | 332805 | 993631 | | | | UNKNOWN | 1478 | | T | E I 5.00 hp | |
| 2136150 | C.E. Hobert | 332826 | 993627 | | | | UNKNOWN | 1475 | | T | E I | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|----------------------|----------|-----------|--------------|------------|--------------|----|---|----|----------|-----------|---|------|-----------|---------|---|
| 2136151 | C.E. Hobert | 332820 | 993637 | | | | | | | UNKNOWN | 1478 | | T | E | I | |
| 2136152 | C.E. Hobert | 332826 | 993644 | | | | | | | UNKNOWN | 1473 | | S | E | I | |
| 2136153 | F.R. Bennett | 332828 | 993612 | | 597 | | | | | NOT-APPL | 1474 | | N | | U | Test hole. |
| 2136154 | C.E. Hobert | 332838 | 993719 | 02/00/1952 | 59 | C | 14 | | | 112SYMR | 1477 | 1 measurement 1956 -19.4 | T | L | I | |
| 2136155 | J.F. Lowrance | 332748 | 993722 | | 609 | | | | | NOT-APPL | 1487 | | N | | U | Test hole. |
| 2136156 | Petty Flying Service | 332812 | 993511 | 00/00/1981 | 45 | C | 6 | | | 112SYMR | 1474 | | S | E | H | |
| 2136201 | Tom Price | 332948 | 993300 | 02/00/1952 | 69 | C | 14 | 0 | 39 | 112SYMR | 1470 | 51 measurements 1952 to 2007 MIN -49.9 MAX -31.91 | S | E | I | Casing slotted. Pumping rate measured at 276 gpm on Aug. 4, 1976. Historical observation well. |
| 2136202 | C.L. Mays | 332838 | 993445 | | 40 | C | 30 | | | 112SYMR | 1472 | | N | | G | Dug well. Destroyed. |
| 2136203 | George Reidenbach | 332941 | 993500 | 02/00/1955 | 58 | C | 14 | 0 | 37 | 112SYMR | 1464 | 3 measurements 1956 to 1959 MIN -20.8 MAX -18.3 | T | L | I | Casing slotted. Pumping rate measured at 173 gpm with pumping level of 43.5 ft. on July 18, 1956. |
| 2136204 | Elliott | 332805 | 993414 | | 32 | C | 30 | | | 112SYMR | 1466 | | N | | G | Dug well. Destroyed. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|----------------------|----------|-----------|--------------|------------|--------------|----|------|---------|-----------|---|------|-----------|---|
| 2136205 | Mason Harlan | 332750 | 993348 | 00/00/1961 | 54 | C | 16 | | 112SYMR | 1467 | 1 measurement 1977 -27.6 | T | E I | Irrigated 60 acres in 1975. 20.00 hp |
| 2136206 | J.T. Harlan | 332739 | 993257 | 07/15/1970 | 53 | C | 8 | | 112SYMR | 1465 | 1 measurement 1977 -25.1 | J | E H | |
| 2136207 | Ed Melton | 332901 | 993414 | | 41 | C | 36 | | 112SYMR | 1470 | 1 measurement 1936 -31.5 | N | G | Dug well. Destroyed. |
| 2136208 | Ed Melton | 332909 | 993419 | 02/00/1952 | 48 | C | 14 | | 112SYMR | 1472 | 2 measurements 1956 to 1956 MIN -33.2 MAX -30.1 | T | E I | Pumping rate measured at 250 gpm with a pumping level of 41.9 ft. on July 11, 1956. |
| 2136209 | Calhoun-Campbell | 332931 | 993414 | | 42 | C | 36 | | 112SYMR | 1466 | 2 measurements 1936 to 1977 MIN -33.6 MAX -28.5 | N | U | Concrete-lined dug well. |
| 2136210 | W.S. Campbell Estate | 332934 | 993414 | 02/00/1955 | 43 | C | 12 | 0 25 | 112SYMR | 1467 | 3 measurements 1956 to 1959 MIN -27.2 MAX -25.3 | T | E I | Casing slotted. Pumping rate measured at 195 gpm with a pumping level of 39.8 ft. on July 18, 1956. 5.00 hp |
| 2136211 | W.S. Campbell Estate | 332949 | 993423 | 05/00/1954 | 43 | C | 12 | 0 25 | 112SYMR | 1470 | | T | E I | Casing slotted. 5.00 hp |
| 2136212 | M. Cerveny | 332930 | 993455 | | | C | 14 | | UNKNOWN | 1464 | 1 measurement 1977 -26.1 | T | E I | 3.00 hp |
| 2136213 | G.W. Maples | 332755 | 993245 | | | C | 8 | | UNKNOWN | 1464 | | S | E I | Reported pumps lots of sand. |
| 2136214 | M.J. Gass | 332858 | 993328 | 12/00/1954 | 53 | C | 12 | 0 33 | 112SYMR | 1464 | 4 measurements 1956 to 1977 MIN -29.9 MAX -21.6 | T | L I | Casing slotted. Pumping rate measured at 518 gpm with a pumping level of 36.1 ft. on July 11, 1956. S 12 33 53 |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-----------------|----------|-----------|--------------|------------|--------------|----|------|---------|-----------|---|------|-----------|---|
| 2136215 | J.R. Hill | 332848 | 993341 | | | C | 14 | | UNKNOWN | 1465 | | T | E I | 15.00 hp |
| 2136216 | J.R. Hill | 332829 | 993340 | 01/00/1956 | 53 | C | 12 | 0 38 | 112SYMR | 1465 | 2 measurements 1956 to 1956 MIN -23.2 MAX -20 | T | L I | Casing slotted. Pumping rate measured at 497 gpm with a pumping level of 44.5 ft. on July 11, 1956. |
| 2136217 | J.R. Hill | 332829 | 993406 | | | | | | UNKNOWN | 1471 | | T | E I | 10.00 hp |
| 2136218 | Ed Melton | 332812 | 993343 | | | | | | UNKNOWN | 1467 | | T | E I | 10.00 hp |
| 2136219 | G.C. Spann | 332852 | 993253 | | | | | | UNKNOWN | 1462 | | T | E I | 5.00 hp |
| 2136220 | John Spann | 332852 | 993246 | 04/00/1955 | 50 | C | 14 | | 112SYMR | 1459 | | T | E I | 5.00 hp |
| 2136221 | T.W. Greenwood | 332806 | 993244 | | | | | | UNKNOWN | 1462 | | T | E I | 15.00 hp |
| 2136222 | Dude Coffman | 332914 | 993253 | 00/00/1918 | 41 | | | | 112SYMR | 1460 | | J | E H | Dug well. Formerly equipped with a windmill. |
| 2136223 | Mason Harlan | 332804 | 993323 | | | C | 16 | | UNKNOWN | 1463 | | S | E I | |
| 2136224 | John Spann | 332847 | 993251 | 08/00/1957 | 50 | C | 16 | 0 35 | 112SYMR | 1459 | | T | E I | Casing slotted. |
| 2136225 | F.M. Rutherford | 332855 | 993459 | | 50 | | | | 112SYMR | 1468 | | T | E I | Reported yield 258 GPM in 1976. Aquifer test results in TDWR R-226. Data in TWDB files. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-------------------|----------|-----------|--------------|------------|--------------|---|----|---------|-----------|---|------|-----------|---|
| 2136226 | Lonnie Offutt | 332838 | 993447 | 08/00/1955 | 46 | C 12 | 0 | 39 | 112SYMR | 1475 | 3 measurements 1956 to 1959 MIN -28.6 MAX -26.7 | T | E I | Casing slotted. 3.00 hp |
| 2136227 | L.D. Offutt | 332844 | 993446 | 01/00/1953 | 50 | C 14 | | | 112SYMR | 1472 | 2 measurements 1956 to 1977 MIN -33.2 MAX -26.6 | T | E I | Pumping level measured at 36.9 ft. on July 11, 1956. |
| 2136228 | Mrs. Ord Coffman | 332907 | 993254 | 03/00/1952 | 54 | C 14 | 0 | 40 | 112SYMR | 1461 | 1 measurement 1956 -23.3 | T | E I | Casing slotted. 3.00 hp |
| 2136229 | Mrs. Ord Coffman | 332921 | 993254 | 03/00/1955 | 60 | C 14 | 0 | 39 | 112SYMR | 1458 | 2 measurements 1956 to 1956 MIN -23.5 MAX -18.9 | T | L I | Casing slotted. Pumping rate measured at 190 gpm with a pumping level of 42.9 ft. on July 11, 1956. |
| 2136230 | D.A. Melton | 332812 | 993333 | 04/00/1955 | 53 | C 14 | | | 112SYMR | 1465 | 3 measurements 1956 to 1959 MIN -23.3 MAX -19.8 | T | L I | Casing slotted. Pumping rate measured at 185 gpm with a pumping level of 30.9 ft. on July 11, 1956. |
| 2136231 | Virginia S. Moore | 332836 | 993405 | 01/00/1956 | 50 | | | | 112SYMR | 1475 | 2 measurements 1956 to 1956 MIN -32.9 MAX -30.7 | T | E I | Casing slotted. Pumping rate measured at 122 gpm with a pumping level of 42.1 ft. on July 11, 1956. |
| 2136232 | M.J. Glass | 332905 | 993310 | 01/00/1951 | 59 | C 14 | 0 | 39 | 112SYMR | 1466 | 1 measurement 1956 -29.3 | T | L I | Casing slotted. |
| 2136233 | B. Meers | 332957 | 993432 | | | | | | UNKNOWN | 1466 | | J | E H | |
| 2136234 | B. Meers | 332957 | 993425 | | | | | | UNKNOWN | 1465 | | T | E I | |
| 2136235 | Melton | 332907 | 993416 | | | | | | UNKNOWN | 1471 | | T | E I | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | | |
|------------|----------------------------|----------|-----------|--------------|------------|--------------|----|---|---------|-----------|--|---|-----------|---------|---|---|
| 2136236 | Melton | 332905 | 993415 | | | | | | UNKNOWN | 1470 | | J | E | H | | |
| 2136237 | Gass | 332859 | 993348 | | | | | | UNKNOWN | 1469 | | J | E | H | | |
| 2136238 | Gass | 332901 | 993337 | | | | | | UNKNOWN | 1462 | | J | E | H | | |
| 2136239 | Gass | 332918 | 993331 | | | | | | UNKNOWN | 1459 | | T | L | I | | |
| 2136240 | Hill | 332831 | 993358 | | | | | | UNKNOWN | 1476 | 1 measurement 1977 -39.6 | T | E | I | | |
| 2136241 | Tom Price | 332939 | 993300 | | | C | 12 | | UNKNOWN | 1466 | | T | L | I | | |
| 2136242 | Essie M. Moore | 332830 | 993238 | | | C | 16 | | UNKNOWN | 1460 | 1 measurement 1977 -26.7 | T | L | I | | |
| 2136243 | G. Tidwell | 332807 | 993242 | | | | | | UNKNOWN | 1462 | 19 measurements 1998 to 2012 MIN -37.33 MAX -28.75 | S | E | | | |
| 2136301 | City of Goree Well No.4 | 332814 | 993135 | 07/00/1956 | 49 | C | 14 | 0 | 39 | 112SYMR | 1453 | 2 measurements 1957 to 1958 MIN -27.04 MAX -22.16 | T | E | P | Casing perforated. Former water-level observation well. |
| 2136302 | City of Goree Well No.3 | 332821 | 993129 | 00/00/1952 | 55 | C | 14 | 0 | 33 | 112SYMR | 1453 | 10 measurements 1953 to 1963 MIN -23.9 MAX -17.72 | T | E | P | Casing slotted. Abandoned when visited in Aug. 1975. Former water-level observation well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|----------------------------|----------|-----------|--------------|------------|--------------|----|---|----|---------|-----------|--|------|-----------|---|---|
| 2136303 | City of Goree Well No.2 | 332808 | 993130 | 00/00/1940 | 45 | C | 12 | | | 112SYMR | 1454 | 39 measurements 1944 to 1991 MIN -31.37 MAX -20.31 | N | U | Abandoned when visited in Aug., 1975. | |
| 2136304 | City of Goree Well No.1 | 332807 | 993129 | 00/00/1925 | 45 | | | | | 112SYMR | 1455 | 1 measurement 1944 -25.5 | N | U | Dug well. 12 ft. in diameter. Lined with concrete blocks. Abandoned when visited in Aug., 1975. | |
| 2136305 | City of Goree | 332809 | 993135 | | | | | | | UNKNOWN | 1455 | | T | E | P 15.00 hp | |
| 2136306 | Georgia Maples | 332801 | 993157 | 01/00/1956 | 56 | C | 12 | 0 | 46 | 112SYMR | 1455 | 1 measurement 1956 -23.1 | T | E | I 5.00 hp | Casing slotted. |
| 2136307 | Georgia Maples | 332759 | 993223 | 01/00/1956 | 51 | C | 12 | 0 | 41 | 112SYMR | 1458 | 2 measurements 1956 to 1956 MIN -21.6 MAX -18.4 | T | E | I | Casing slotted. Pumping rate measured at 212 gpm with a pumping level of 30.1 ft. on July 11, 1956. |
| 2136308 | T.L. Moore | 332852 | 993154 | 12/00/1955 | 45 | C | 14 | | | 112SYMR | 1454 | 1 measurement 1956 -19.9 | T | E | I | |
| 2136309 | T.L. Moore | 332846 | 993154 | 12/00/1955 | 45 | C | 12 | 0 | 20 | 112SYMR | 1454 | 1 measurement 1956 -19.1 | T | E | I | Casing slotted. |
| 2136310 | Billy Good | 332836 | 993150 | 03/00/1956 | 47 | C | 12 | 0 | 37 | 112SYMR | 1454 | | T | E | I | Casing slotted. |
| 2136311 | Orb Coffman | 332900 | 993126 | 00/00/1955 | 46 | C | 16 | 0 | 35 | 112SYMR | 1447 | 2 measurements 1956 to 1977 MIN -21.5 MAX -17.6 | T | E | N | Casing slotted. Pumping rate measured at 175 gpm on Aug. 28, 1956. |
| 2136312 | W.L. Orsak | 332932 | 993210 | 00/00/1956 | 58 | C | 16 | | | 112SYMR | 1470 | | T | E | I | Reported yield 125 gpm. 7.50 hp |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|-----------------|----------|-----------|--------------|------------|--------------|---------------|--|---------|-----------|---|------|-----------------|--|
| 2136313 | W.L. Orsak | 332927 | 993211 | 03/00/1955 | 57 | C 12 | | | 112SYMR | 1465 | 4 measurements 1956 to 1977 MIN -34.4 MAX -28.9 | T | E I | |
| 2136314 | G.W. Hunt | 332900 | 993226 | 12/00/1955 | 49 | C 12 S 12 | 0 35 35 49 | | 112SYMR | 1458 | 4 measurements 1956 to 1977 MIN -28.4 MAX -21.1 | T | E I 5.00 hp | Casing slotted. |
| 2136315 | John Spann | 332853 | 993228 | 00/00/1951 | 51 | C 14 S 14 | 0 36 36 51 | | 112SYMR | 1462 | | T | E I | Casing slotted. |
| 2136316 | J.C. Spann | 332847 | 993229 | | | | | | UNKNOWN | 1458 | | T | E I 10.00 hp | |
| 2136317 | M.J. Glass | 332836 | 993123 | 00/00/1956 | 52 | C 16 | | | 112SYMR | 1451 | | T | E I 5.00 hp | |
| 2136318 | G.W. Maples | 332748 | 993227 | | | C 12 | | | UNKNOWN | 1459 | | S | E I | |
| 2136319 | Dr. W.M. Taylor | 332842 | 993136 | 00/00/1956 | 50 | C 14 | | | 112SYMR | 1453 | 3 measurements 1956 to 1959 MIN -24.1 MAX -19.3 | T | E I 7.50 hp | Pumping rate measured at 185 gpm with a pumping level of 42.3 ft. on July 11, 1956. |
| 2136320 | Tom Price | 332957 | 993229 | 08/00/1954 | 51 | C 12 S 12 | 0 31 31 51 | | 112SYMR | 1462 | | T | L I | Casing slotted. |
| 2136321 | G.W. Hunt | 332925 | 993227 | 03/00/1956 | 50 | C 12 S 12 | 0 35 35 50 | | 112SYMR | 1452 | 1 measurement 1956 -19.3 | T | E I 5.00 hp | Casing slotted. Pumping rate measured at 75 gpm with a pumping level of 35.2 ft. on Aug. 15, 1956. |
| 2136322 | W.M. Taylor | 332833 | 993135 | 12/00/1954 | 50 | C 14 | | | 112SYMR | 1453 | 3 measurements 1956 to 1977 MIN -25.4 MAX -20.8 | T | E I 7.50 hp | Irrigated 35 acres in 1955 |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|---------------------------|----------|-----------|--------------|------------|--------------|---|----|----------|-----------|---|------|-----------|---|
| 2136323 | M.J. Gass | 332836 | 993119 | 00/00/1955 | 41 | C 12 | 0 | 26 | 112SYMR | 1450 | 3 measurements 1956 to 1959 MIN -22.1 MAX -18.1 | N | G | Casing slotted. Pumping rate measured at 211 gpm with a pumping level of 34.4 ft. on July 11, 1956. Destroyed. |
| 2136324 | Bill Lisle Mooney No.4 | 332943 | 993214 | 00/00/1959 | 1927 | | | | NOT-APPL | 1459 | | N | U | Oil test. E-log No. Q-205. |
| 2136325 | Eldin Moore | 332917 | 993034 | 00/00/1931 | 15 | C 36 | | | 112SYMR | 1415 | | J | E H | Dug well. |
| 2136326 | Texas A&M University | 332806 | 993207 | 09/08/1976 | 50 | C 12 | 0 | | 112SYMR | 1457 | 1 measurement 1976 -27.2 | T | E I | Reported yield 191 GPM in 1976. Aquifer test results in TDWR R-226. Data in TWDB files. |
| 2136327 | F.F. Goode | 332743 | 993128 | | 40 | C 6 | | | 112SYMR | 1447 | | P | W H | |
| 2136328 | B.B. Bowden | 332835 | 993117 | 00/00/1955 | 53 | C 12 | | | 110ALVM | 1449 | 2 measurements 1956 to 1959 MIN -21.5 MAX -18.2 | T | E I | |
| 2136329 | Eldin Moore | 332909 | 993042 | | | C 8 | | | UNKNOWN | 1420 | 1 measurement 1977 -10.2 | P | W U | |
| 2136330 | Wally Roberts | 332737 | 993156 | | | C 14 | | | UNKNOWN | 1453 | 1 measurement 1977 -17.6 | T | E I | |
| 2136401 | City of Munday | 332652 | 993718 | 00/00/1922 | 37 | | | | 112SYMR | 1481 | 33 measurements 1951 to 1985 MIN -31.46 MAX -10.5 | N | G | Dug well, 20 ft. in diameter and lined with reinforced concrete. Reported will yield 1000 gpm for 8 to 10 hrs. Used as emergency supply. Former water-level observation well. Destroyed in 1984 |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | | Remarks |
|------------|-------------------------------|----------|-----------|--------------|------------|--------------|----|----|---------|-----------|---|------|-----------|---|---|
| 2136402 | Leroy Lefler | 332639 | 993704 | 04/00/1952 | 55 | C 14 | 0 | 35 | 112SYMR | 1481 | 3 measurements 1956 to 1959 MIN -17.7 MAX -13.9 | T | E | I | Casing slotted. Gravel packed. |
| | | | | | | S 14 | 35 | 55 | | | | | | | |
| 2136403 | City of Munday | 332643 | 993711 | 00/00/1952 | 36 | C 36 | 0 | 24 | 112SYMR | 1480 | | N | | G | Abandoned and plugged with concrete. |
| | | | | | | C 12 | 0 | 36 | | | | | | | |
| 2136404 | C.E. Butler | 332639 | 993714 | 00/00/1962 | 45 | C 7 | 0 | 45 | 112SYMR | 1480 | | J | E | H | |
| | | | | | | | | | | | | | | | 0.50 hp |
| 2136405 | Thompson Hayward Chemical Co. | 332642 | 993727 | | | | | | UNKNOWN | 1482 | | N | | G | Destroyed. Reported filled with concrete and sealed in Feb. 1969. |
| 2136406 | W. Leflar | 332655 | 993648 | | 40 | | | | 112SYMR | 1479 | 1 measurement 1969 -23.6 | J | E | H | Concrete-lined dug well. |
| | | | | | | | | | | | | | | | 1.00 hp |
| 2136407 | Petty Flying Service | 332722 | 993654 | 00/00/1951 | 51 | C 5 | | | 112SYMR | 1480 | 1 measurement 1969 -17.7 | J | E | H | |
| | | | | | | | | | | | | | | | 0.50 hp |
| 2136408 | W.F. McNobb | 332721 | 993652 | 00/00/1923 | 32 | C 36 | | | 112SYMR | 1480 | 1 measurement 1936 -13 | N | | G | Dug well. Destroyed when visited in Sept. 1975. |
| | | | | | | | | | | | | | | | |
| 2136409 | F. Reed | 332713 | 993628 | | | C 12 | | | UNKNOWN | 1477 | 1 measurement 1977 -24.7 | T | E | I | |
| | | | | | | | | | | | | | | | 3.00 hp |
| 2136410 | Charles Yeats | 332626 | 993504 | 00/00/1954 | 52 | C 16 | | | 112SYMR | 1472 | 1 measurement 1977 -28.4 | T | E | I | |
| | | | | | | | | | | | | | | | 10.00 hp |
| 2136411 | James Smith | 332655 | 993618 | | | C 6 | | | UNKNOWN | 1477 | | J | E | I | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|-----------------|----------|-----------|--------------|------------|--------------|----|------|---------|-----------|---|------|-----------|---------|---|
| 2136412 | J.R. Reeves | 332657 | 993634 | | | C | 14 | | UNKNOWN | 1477 | | T | E | I | 10.00 hp |
| 2136413 | E. Thompson | 332603 | 993603 | 03/12/1971 | 45 | C | 8 | | 110ALVM | 1477 | | T | E | I | Casing slotted. Gravel packed. |
| 2136414 | W.C. Crocker | 332524 | 993604 | | | C | 12 | | UNKNOWN | 1479 | | S | E | I | |
| 2136415 | J.B. King | 332526 | 993553 | 10/00/1955 | 50 | C | 14 | | 110ALVM | 1480 | 4 measurements 1956 to 1977 MIN -26.3 MAX -18.2 | T | E | I | Pumping rate measured at 429 gpm with a pumping level of 41.5 ft. on July, 9, 1956. |
| 2136416 | J.R. King | 332526 | 993526 | | | C | 36 | | UNKNOWN | 1474 | 1 measurement 1977 -24.6 | J | E | S | Concrete-lined dug well. |
| 2136417 | B.B. Bowden | 332607 | 993702 | 01/00/1956 | 60 | C | 12 | 0 45 | 112SYMR | 1484 | 2 measurements 1956 to 1956 MIN -21.7 MAX -16.5 | T | E | I | Reported yield 540 GPM in 1957. Aquifer test results unnumbered in TWDB R-98. Test results in TDWR R-226. Data in TWDB files. |
| 2136418 | Gene Thompson | 332534 | 993535 | | | C | 16 | | UNKNOWN | 1480 | | T | E | I | 3.00 hp |
| 2136419 | J.B. King | 332549 | 993604 | 00/00/1955 | 49 | C | 14 | | 110ALVM | 1482 | 3 measurements 1956 to 1977 MIN -27.5 MAX -15.2 | T | E | I | Casing slotted. Pumping rate measured at 475 gpm with a pumping level of 28.3 ft. on July 9, 1956. |
| 2136420 | J.B. King | 332547 | 993636 | 00/00/1955 | 54 | C | 14 | | 110ALVM | 1486 | 3 measurements 1956 to 1959 MIN -24.6 MAX -19.5 | T | E | I | Pumping rate measured at 623 gpm with a pumping level of 34.4 ft. on July 9, 1956. |
| 2136421 | Mrs. J. Beavers | 332528 | 993638 | | | | | | UNKNOWN | 1484 | 1 measurement 1977 -32.4 | T | E | I | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|-------------------------------------|----------|-----------|--------------|------------|--------------|----|---|----|----------|-----------|---|------|-----------|---------|--|
| 2136422 | J.O. Bowden | 332551 | 993542 | | | C | 14 | | | UNKNOWN | 1478 | | T | E | I | 7.00 hp |
| 2136423 | E.B. Bowden | 332621 | 993715 | | | C | 12 | | | UNKNOWN | 1481 | | T | E | I | 7.50 hp |
| 2136424 | E.N. Thompson | 332548 | 993721 | | | C | 16 | | | UNKNOWN | 1485 | | T | E | I | 10.00 hp |
| 2136425 | E.N. Thompson | 332524 | 993729 | | | | | | | UNKNOWN | 1487 | | T | E | I | 7.50 hp |
| 2136426 | Magnolia Petroleum Co. King No.4 | 332536 | 993538 | 00/00/1959 | 1902 | | | | | NOT-APPL | 1482 | | N | | U | Oil test. E-log No. Q-186. |
| 2136428 | Wallace Reid | 332525 | 993608 | 08/00/1951 | 49 | C | 14 | | | 110ALVM | 1478 | 2 measurements 1956 to 1956 MIN -19.1 MAX -13.9 | T | L | I | Casing slotted. Pumping rate measured at 406 gpm with a pumping level of 31.6 ft. on July 9, 1956. |
| 2136429 | Oscar Spann | 332507 | 993730 | 11/00/1952 | 60 | C | 14 | 0 | 30 | 110ALVM | 1489 | 3 measurements 1956 to 1959 MIN -26 MAX -21.3 | T | L | I | Casing slotted. Pumping level measured at 34.9 ft. on July 10, 1956. |
| 2136430 | B.B. Bowden | 332559 | 993718 | 04/00/1955 | 59 | C | 6 | 0 | 43 | 112SYMR | 1486 | 3 measurements 1956 to 1977 MIN -26.7 MAX -16.1 | T | E | H | Casing slotted. |
| 2136431 | B.B. Bowden | 332611 | 993547 | | 60 | C | 12 | 0 | 45 | 110ALVM | 1476 | 4 measurements 1956 to 1977 MIN -27.1 MAX -16.5 | T | L | I | Casing slotted. |
| 2136432 | J.M. Simpson | 332618 | 993513 | | 38 | C | 30 | | | 112SYMR | 1473 | 1 measurement 1936 -14 | P | W | H | Dug well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|----------------------|----------|-----------|--------------|------------|--------------|----|------|---------|-----------|---|------|-----------|---------|---|
| 2136433 | Texas A&M University | 332715 | 993654 | | | | | | UNKNOWN | 1480 | | J | E | H | |
| 2136434 | M.V. Smith | 332724 | 993521 | | | C | 16 | | UNKNOWN | 1472 | 1 measurement 1977 -25.6 | T | E | I | Pumping rate measured at 30 gpm on Aug. 4, 1976. |
| 2136435 | L.D. Offutt | 332614 | 993622 | | 59 | C | 12 | | 110ALVM | 1484 | | T | L | I | |
| 2136436 | C.E. Hobert | 332621 | 993706 | 07/12/1972 | 67 | C | 14 | | 112SYMR | 1481 | 1 measurement 1972 -45 | T | E | I | Casing slotted. Gravel packed. |
| 2136437 | Leroy Lefler | 332633 | 993648 | | | | | | UNKNOWN | 1481 | | T | L | I | |
| 2136438 | G.W. Hawkins | 332656 | 993547 | 00/00/1915 | 60 | C | 30 | | 112SYMR | 1475 | 1 measurement 1977 -29.1 | J | E | H | Dug well. |
| 2136439 | G.W. Hawkins | 332643 | 993539 | | | | | | UNKNOWN | 1474 | | T | E | I | Gravel packed. |
| 2136440 | Leland Floyd | 332609 | 993532 | 03/00/1952 | 58 | C | 14 | 0 38 | 112SYMR | 1475 | 2 measurements 1956 to 1956 MIN -20.2 MAX -16.7 | T | E | I | Casing slotted. Pumping rate measured at 680 gpm with pumping level of 26.1 ft. on July 10, 1956. |
| 2136441 | E.B. Bowden | 332605 | 993704 | 00/00/1914 | 42 | C | 36 | | 112SYMR | 1484 | | N | | G | Brick-lined dug well with concrete curb. Destroyed. |
| 2136442 | J.W. Reid | 332606 | 993651 | | | C | 14 | | UNKNOWN | 1484 | 1 measurement 1977 -29.3 | T | L | I | |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|---------------|----------|-----------|--------------|------------|--------------|----|---|----|---------|-----------|---|------|-----------|---------|--|
| 2136443 | G. Reid | 332519 | 993659 | | | | | | | UNKNOWN | 1483 | 1 measurement 1977 -25.7 | T | E | I | |
| 2136444 | E. Hertel | 332658 | 993620 | | | C | 14 | | | UNKNOWN | 1480 | 1 measurement 1977 -28.1 | T | E | I | |
| 2136445 | Western Motel | 332714 | 993655 | 07/12/1977 | 45 | C | 5 | | | 112SYMR | 1480 | | | | H | Casing slotted. Gravel packed. |
| 2136446 | James Merrell | 332655 | 993642 | | | | | | | UNKNOWN | 1479 | | S | E | H | |
| 2136501 | E.J. Smith | 332644 | 993409 | 12/00/1952 | 55 | C | 14 | 0 | 30 | 112SYMR | 1468 | 44 measurements 1954 to 1997 MIN -32.9 MAX -11.39 | T | E | I | Casing slotted. Pumping rate measured at 445 gpm with pumping level of 39.1 ft. on July 11, 1956. Historical observation well. 1954. |
| 2136502 | E.J. Smith | 332636 | 993409 | 12/00/1952 | 50 | C | 14 | 0 | 25 | 112SYMR | 1468 | 6 measurements 1956 to 1965 MIN -20.06 MAX -16.5 | T | L | I | Casing slotted. Former water-level observation well. |
| 2136503 | Edward Smith | 332721 | 993410 | | 27 | C | 30 | | | 112SYMR | 1469 | 1 measurement 1936 -19 | P | W | H | Dug well. |
| 2136504 | Ezra Harland | 332707 | 993358 | | 30 | | | | | 112SYMR | 1466 | 1 measurement 1936 -12 | N | | G | Dug well with brick curb. Destroyed. |
| 2136505 | E.W. Coffman | 332625 | 993408 | | 40 | C | 30 | | | 112SYMR | 1464 | 2 measurements 1936 to 1977 MIN -31 MAX -25.9 | N | | U | Dug well. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks | |
|------------|-----------------------------|----------|-----------|--------------|------------|--------------|----|------|---------|-----------|---|------|-----------|---------|---|
| 2136506 | Ed Smith | 332706 | 993315 | 00/00/1955 | 51 | C | 14 | | 112SYMR | 1467 | | T | E | I | 10.00 hp |
| 2136507 | James Smith | 332706 | 993304 | 00/00/1955 | | C | 6 | | UNKNOWN | 1470 | | J | E | H | "House well". |
| 2136508 | B.E. Smith | 332703 | 993445 | 01/00/1955 | 60 | C | 12 | 0 40 | 112SYMR | 1470 | 4 measurements 1956 to 1977 MIN -27.1 MAX -19.8 | T | E | I | Casing slotted. |
| 2136509 | B.E. Smith | 332643 | 993425 | 10/00/1952 | 56 | C | 12 | 0 26 | 112SYMR | 1466 | 4 measurements 1956 to 1977 MIN -27.1 MAX -20.4 | T | E | I | Casing slotted. 10.00 hp |
| 2136510 | B.E. Smith | 332652 | 993446 | 00/00/1952 | 52 | C | 14 | | 112SYMR | 1469 | 3 measurements 1956 to 1957 MIN -23.5 MAX -18.8 | T | E | I | Pumping rate measured at 620 gpm with pumping level of 39.9 ft. on July 11, 1956. |
| 2136511 | Ed Smith | 332640 | 993459 | 00/00/1968 | | | | | UNKNOWN | 1468 | | J | E | H | 0.50 hp |
| 2136512 | C.W. Browning & J. Smith | 332601 | 993457 | 02/02/1955 | 55 | C | 14 | 0 33 | 112SYMR | 1472 | 3 measurements 1956 to 1959 MIN -23 MAX -19.1 | T | E | I | Casing slotted. Pumping rate measured at 896 gpm with pumping level of 37.2 ft. on July 10, 1956. |
| 2136513 | C.W. Browning & J. Smith | 332703 | 993427 | 12/00/1955 | 50 | C | 14 | | 112SYMR | 1472 | 3 measurements 1956 to 1977 MIN -28.5 MAX -18.5 | S | E | I | Pumping rate measured at 392 gpm with pumping level of 39.7 ft. on July 10, 1956. |
| 2136514 | B.E. Smith | 332640 | 993445 | 12/00/1955 | 58 | C | 12 | | 112SYMR | 1470 | 1 measurement 1956 -20.5 | T | L | I | |
| 2136515 | H.F. Jungman | 332607 | 993434 | 03/00/1956 | 49 | C | 12 | 0 24 | 112SYMR | 1467 | 2 measurements 1956 to 1956 MIN -14.8 MAX -14.8 | T | E | I | Casing slotted. Pumping rate measured at 151 gpm with pumping level of 45.5 ft. on July 10, 1956. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|---------------|----------|-----------|--------------|------------|--------------|----|--------------|-----------|---|------|-----------------|---|
| 2136516 | V.V. Routon | 332657 | 993416 | 11/00/1955 | 50 | C | 14 | 112SYMR | 1464 | | T | L I | Discharge reported at 700 gpm. |
| 2136517 | V.V. Routon | 332610 | 993353 | 00/00/1955 | 50 | C | 14 | 112SYMR | 1465 | | T | L I | Discharge reported at 600 gpm. |
| 2136518 | M. Price | 332703 | 993446 | 05/21/1970 | 53 | C | 14 | 112SYMR | 1474 | 1 measurement 1977 -29.7 | T | E I 15.00 hp | Casing slotted and gravel packed. |
| 2136519 | Edward Smith | 332642 | 993425 | 11/12/1973 | 53 | C | 16 | 112SYMR | 1471 | 1 measurement 1973 -32 | T | L I | Casing slotted. |
| 2136520 | Charles Yates | 332652 | 993446 | 00/00/1906 | 31 | C | 30 | 112SYMR | 1473 | 1 measurement 1936 -20.5 | N | G | Dug well. Destroyed when visited in Sept., 1975. |
| 2136521 | Charles Yates | 332640 | 993500 | 00/00/1956 | 55 | C | 16 | 112SYMR | 1472 | | T | E I | |
| 2136522 | J.A. Hill | 332600 | 993458 | 08/00/1953 | 50 | C | 14 | 0 35 112SYMR | 1475 | 3 measurements 1956 to 1977 MIN -30 MAX -19.5 | T | E I | Casing slotted. Pumping rate measured at 445 gpm with pumping level of 37.4 ft. on July 10, 1956. |
| 2136523 | Moryce Price | 332703 | 993458 | 11/09/1973 | 52 | | | 112SYMR | 1469 | 1 measurement 1973 -38 | T | L I | Casing perforated. |
| 2136524 | C.B. Yates | 332640 | 993446 | | | C | 14 | UNKNOWN | 1472 | | T | E I 10.00 hp | Pumping rate measured at 178 gpm on August 4, 1976. |
| 2136525 | R.E. Foshee | 332607 | 993434 | 01/00/1956 | 48 | C | 14 | 0 33 112SYMR | 1471 | 3 measurements 1956 to 1959 MIN -22.2 MAX -16.3 | T | L I | Casing slotted. |

| State Well | Owner | Latitude | Longitude | Date Drilled | Well Depth | Casing Info. | | | | Aquifer | Elevation | Water Levels | Lift | Power Use | Remarks |
|------------|----------------|----------|-----------|--------------|------------|--------------|----|---|----|---------|-----------|--------------------------------|------|-----------|--|
| 2136526 | A.W. Coffman | 332615 | 993346 | | 499 | | | | | 310PRMN | 1469 | | N | U | Test hole. |
| 2136527 | J.B. Baker | 332610 | 993354 | | | C | 5 | 0 | 45 | UNKNOWN | 1461 | 1 measurement 1977 -18.5 | P | W | S |
| 2136528 | Moryce Price | 332702 | 993413 | 02/19/1982 | 57 | C | 5 | 0 | 45 | 112SYMR | 1468 | 1 measurement 1982 -30 | S | E | H |
| 2136601 | Mrs. Nix | 332711 | 993158 | 00/00/1960 | | | | | | UNKNOWN | 1451 | | J | E | H |
| 2136602 | J.F. Lowrance | 332658 | 993134 | | | | | | | UNKNOWN | 1412 | 1 measurement 1994 -25.1 | N | U | Spring. Flow estimated at 1/8 gpm on Nov. 6, 1975. |
| 2136603 | B. Coffman | 332717 | 993135 | | | C | 36 | | | UNKNOWN | 1440 | 1 measurement 1977 -11.2 | N | U | Concrete-lined dug well. |
| 2136701 | Robert Elliott | 332454 | 993656 | 00/00/1968 | 42 | | | | | 110ALVM | 1482 | | J | E | H |
| 2136703 | E.R. Elliott | 332455 | 993659 | | 30 | C | 3 | | | 110ALVM | 1482 | 1 measurement 1936 -15.5 | N | G | Concrete-lined dug well. Destroyed. |

Aquifers:

| | |
|----------|---|
| 100ALVM | ALLUVIUM |
| 110ALVM | QUATERNARY ALLUVIUM |
| 112SYMR | SEYMOUR FORMATION |
| 310PRMN | PERMIAN SYSTEM |
| 313BLIN | BLAINE FORMATION |
| 318CLFK | CLEAR FORK GROUP |
| 318SAGL | SAN ANGELO FORMATION |
| NOT-APPL | AQUIFER CODE IS NOT APPLICABLE TO THIS WELL |
| UNKNOWN | AQUIFER NOT ABLE TO BE DETERMINED |